



MHC KENWORTH - CHEYENNE (C526)
11900 I-80 SERVICE ROAD
CHEYENNE, Wyoming 82009

LARAMIE COUNTY FIRE DISTRICT 3
6131 WY 216
ALBIN, Wyoming 82050
United States of America

Brett Morris
Cell Phone: 303-717-1964
Office Phone: 720-941-0833
Email: brett.morris@mhc.com

LEE PETERSON
Cell Phone: (307) 287-4150
Office Phone: 3072463444
Email: leepeterson@lcfcd3.com

Vehicle Summary

Unit		Chassis	
Model:	T880 Series Conventional	Fr Axle Load (lbs):	20000
Type:	FULL TRUCK	Rr Axle Load (lbs):	46000
Description 1:		G.C.W. (lbs):	66000
Description 2:			
Application		Road Conditions:	
Intended Serv.:	Fire Truck Service: Vehicles used in fi	Class A (Highway)	65
Commodity:	Fire apparatus	Class B (Hwy/Mtn)	30
		Class C (Off-Hwy)	5
		Class D (Off-Road)	0
Body		Maximum Grade:	
Type:	Fire Truck-Pumper		6
Length (ft):	22	Wheelbase (in):	265
Height (ft):	13	Overhang (in):	65
Max Laden Weight (lbs):	4000	Fr Axle to BOC (in):	74
		Cab to Axle (in):	191
Trailer		Cab to EOF (in):	256
No. of Trailer Axles:	0	Overall Comb. Length (in):	378.5
Type:			
Length (ft):	0	Special Req.	
Height (ft):	0	U.S. Domestic Registry, 50-state.	
Kingpin Inset (in):	0		
Corner Radius (in):	0		
Restrictions			
Length (ft):	75		
Width (in):	102		
Height (ft):	13.5		

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
Model			
S	T880 Series Conventional	234,126	15,549
S	T880	0	0
O	Chassis Operation Will Include Stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	0	0
O	CARB Exempt Application Emergency Vehicle Only.	0	0
O	EPA Clean Idle Label - Cummins Engines	107	0
S	Non-Sleeper w/ Rear Axle Capacity less than 59K.	0	0
O	State of Registry: Wyoming	0	0
Engine & Equipment			
O	Cummins X15 505EV 505@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle N09420 C333 0.....Reserve Speed Limit Offset (N09380 C334 0.....Maximum Cycle Distance (C334 N09360 C400 252...Reserve Speed Function Reset N09200 C399 120...Standard Maximum Speed Limit N09400 C401 10....Maximum Active Distance (C40 N09220 C402 0.....Expiration Distance (C402) N09540 C395 0.....Expiration Distance (C395) N09260 C121 65....Maximum Accelerator Pedal Ve N09440 C234 NO....Engine Protection Shutdown (N09460 C231 NO....Gear Down Protection (C231) N09580 C133 5.....Timer Setting (C133) N09680 C233 NO....Idle Shutdown Manual Overrul N09480 C132 1400..Max PTO Speed (C132) N09300 C128 65....Maximum Cruise Speed (C128) N09500 C239 NO....Cruise Control Auto Resume (N09520 C238 NO....Auto Engine Brake in Cruise N09240 C209 120...Hard Maximum Speed Limit (C2 N09780 C190 80....High Ambient Temperature Thr N09740 C188 40....Low Ambient Temperature Thre N09760 C189 60....Intermediate Ambient Tempera N09720 C382 YES...Enable Hot Ambient Automatic N09600 C396 YES...Enable Impending Shutdown Wa N09620 C397 60....Timer For Impending Shutdown N09640 C206 35....Engine Load Threshold (C206) N09560 C225 YES...Enable Idle Shutdown Park Br	10,885	336
O	EPA Emissions Warranty Engine	0	0

Price Level: January 1, 2024

Deal:

Printed On: 6/4/2024 12:16:56 PM

Date: June 04, 2024

Quote Number: QUO-1034349-Q5C6F2

Std/ Opt	Description	\$ List	Weight
S	PremierSpec	0	0
O	Gearing Analysis: Performance power before economy results.	0	0
O	Customer's Typical Operating Spd: 65 MPH	0	0
	RegistrationYear Year of Registration: 2024	0	0
	Effective VSL Setting NA	0	0
O	Engine Idle Shutdown Timer Disabled	0	0
	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	0	0
O	Air Compressor: Cummins 18.7 CFM, Naturally Aspirated for Cummins X15 engines	211	0
S	Air Cleaner: Composite Firewall Mounted PACCAR or Cummins Engines	0	0
O	Ember Separator Mounted in the Hood Plenum	1,135	0
O	Fan Hub: Horton 2-Speed for X15/X15N	24	0
S	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	0	0
O	Bug Screen: Between Hood & Grille	128	2
O	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	-523	0
O	Fuel Filter:Davco 382 Fuel/Water Separator	450	8
O	Run Aid:Cummins TRV for Davco only *For Fuel Filter, X15 AND 2.1 m models	167	2
S	Start Aid:12V Heat *For Fuel Filter	0	0
O	Kenworth fuel cooler for single fuel tanks.	76	0
O	Immersion Block Heater 120V 1500W W/ Plug Under Door on C500, T660, T800 & W900.	150	2
O	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	1,472	14
S	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	0	0
O	PACCAR Premium 12V Starter W/ Cummins X15 Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12- volt light system with circuit protection circuits number & color coded.	123	0
S	12V Low Voltage Disconnect for Battery Protection	0	0

Price Level: January 1, 2024

Deal:

Printed On: 6/4/2024 12:16:56 PM

Date: June 04, 2024

Quote Number: QUO-1034349-Q5C6F2

Std/ Opt	Description	\$ List	Weight
O	Jump Start Terminals Under Hood.	276	12
S	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	0	0
Transmission & Clutch			
O	Transmission: Allison 4500EVS 6-speed, With PTO drive gear. No Retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	24,039	478
O	Driveline: 3 SPL170SF With 2 Centerbearings	2,164	0
O	Torque Converter Included W/ Allison Transmission.	0	0
O	Pushbutton Control Center Console Mounted. Class 8 with Allison Transmission.	0	0
O	J1939 Park Brake Auto Neutral	0	0
Front Axle & Equipment			
O	Meritor MFS20 Front Axle rated 20K 3.5 in. drop, standard track.	-145	-7
S	Front Brakes: 14,601-22K Bendix Air Disc Brakes.	0	0
S	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	0	0
S	Front Hubs Aluminum Hub Pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	0	0
S	ConMet PreSet Plus Hub Package; Front Axle.	0	0
S	Hubcap: Front Vented.	0	0
S	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	0	0
S	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. W900B use 2866021.	0	0
O	Dual Power Steering Gear: 16-22K TRW THP60 Not for use on T3.	73	54
S	Power Steering Cooler: Radiator Mounted Air-to-Oil	0	0
O	Threaded Bushings for Taperleaf Spring 16K, 18/20K, 22K, 40K replacing rubber.	103	0
Rear Axle & Equipment			
S	Dual Meritor RT46-160 Rear Axle rated at 46K. Tandem rear axles.	0	0

Price Level: January 1, 2024

Deal:

Printed On: 6/4/2024 12:16:56 PM

Date: June 04, 2024

Quote Number: QUO-1034349-Q5C6F2

Std/ Opt	Description	\$ List	Weight
O	Rear Axle Ratio - 4.56.	0	0
S	Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity.	0	0
S	Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.	0	0
S	Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.	0	0
S	ConMet PreSet Plus Hub Package; Dual Rear Axle.	0	0
S	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	0	0
S	Spring Brakes Included W/ Dual Rear Air Disc brakes.	0	0
S	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	0	0
O	Interaxle Driveline: 1 Dana SPL170SF Not For Tridem Axles.	-159	-2
O	Tanker Height less than 75 in. from Top of Frame rail	0	0
O	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	2,676	39
O	Separate Switch for Dual Axles: differential lock or crosslock.	13	0
O	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 7.19 in. saddle height. Unladen Height: 12.5 in. Laden Height: 11.2 in.	748	689
O	Delete Standard Heavy-Duty Air Springs for Rear suspension.	-24	-28
Tires & Wheels			
O	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.8 in. SLR.	-251	98
O	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	-648	152
O	Rear Tire Quantity: 8	0	0
O	Front Wheel: Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	-236	-39
O	Rear Wheel: Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	1,636	-316
O	Single Front Axle: 2 wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of aluminum wheels.	308	0
O	Dual Rear Axle Wheels: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	820	0

Price Level: January 1, 2024

Deal:

Printed On: 6/4/2024 12:16:56 PM

Date: June 04, 2024

Quote Number: QUO-1034349-Q5C6F2

<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
O	Rear Wheel/Rim Quantity: 8	0	0

Frame & Equipment

O	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	1,001	525
O	Bumper: Tapered Chrome Steel Channel. Requires a bumper setting code.	598	63
S	48.5 in. Bumper Setting. Requires a Bumper Code.	0	0
O	Removable Front Tow Hooks: 2.	304	15
O	Battery Box: Temporary Across the Rails. Includes maximum cable length available.	387	-110
O	Battery Box Location: BOC Across the Rails.	0	0
S	T470,C5, T6, T8 Non-Polished DPF/SCR or CNG Cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	0	0
O	Heavy-Duty Rear Cab Supports: W/ Steel crossmembers & aluminum gussets.	139	26
S	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	0	0
S	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	0	0
S	Square End-of-Frame W/O Crossmember; Non-Towing.	0	0

Fuel Tanks & Equip

O	Fuel Tank: 75 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	140	-11
O	DEF Tank Clear BOC (CBOC), 7.3 Gallons. Requires LH under cab fuel tank. The tank will be located inboard of the LH under cab fuel tank. There is no frame space required to locate this tank. Not for use on sleeper chassis. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204. For use with 2.1m models only.	781	-19
O	Polish Only One Aluminum Tank.	477	0
O	Polished Stainless Steel Tank Straps for 1 Tank.	87	0

Price Level: January 1, 2024

Deal:

Printed On: 6/4/2024 12:16:56 PM

Date: June 04, 2024

Quote Number: QUO-1034349-Q5C6F2

Std/ Opt	Description	\$ List	Weight
O	Minimum Required DEF to Fuel Fill Ratio.	0	0
O	DEF capacity ratio - Truck to be centrally fueled	0	0
S	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	0	0
S	DEF Tank Location is LH.	0	0
O	Location: 75 gal fuel tank LH under cab	0	0
Cab & Equipment			
S	Cab: Stamped Aluminum Cab with Panoramic Curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	0	0
O	Hood: T880 Set-Back Medium Length. 122.6 inch BBC W/Std Bumper.	350	15
O	Bright Engine Air Intake Chrome Trimmed Engine Air Intake on Both Sides of Hood	109	0
O	Ember Filter For Cabin Air. Used to keep embers out of the HVAC filter element. Cannot be used with code 8108002.	52	2
S	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	0	0
O	Shutoff Valves to Isolate Primary Heater Remote mounted on frame under cab.	58	0
S	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	0	0
O	Column Mtd Retarder Control, RH Side Use with Manual & Allison Transmissions Only.	0	0
S	Adjustable Telescoping Tilt Steering Column.	0	0
U	Four Position Ignition Switch, Keyless.	59	0
O	Three Spare Switches: Wired to Power.	133	0
O	Gauge: Dash Mounted Air Filter Restriction Gauge.	158	0
O	Gauge: Engine Oil Temperature Gauge With Integral warning light. The NavPlus HD unit includes a virtual engine oil temperature gauge.	45	0

Price Level: January 1, 2024

Deal:

Printed On: 6/4/2024 12:16:56 PM

Date: June 04, 2024

Quote Number: QUO-1034349-Q5C6F2

<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
S	Gauge: DD Virtual Gauge - Oil Temp Engine	0	0
S	Gauge: DD Virtual Gauge - Air Filter Restriction	0	0
S	Gauge: DD Virtual Gauge - Manifold Pressure Boost	0	0
S	Gauge: DD Virtual Gauge - Engine Percent Torque	0	0
O	Gauge: Fuel Filter Restriction Gauge.	139	0
O	Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.	31	0
O	Gauge: Axle Oil Temperature, Dual-Drive Axle. (2 gauges) w/integral warning light.	227	0
O	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	62	0
S	Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	0	0
S	Interior Color: Slate Gray	0	0
S	Interior Package: Vantage Daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	0	0
O	Rubber Floormat - NFPA Compliant	417	0
O	Driver Air Seat: NFPA Compliant: HB Vinyl Includes Dual Armrests and Occupant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	167	0
O	Rider Air Seat: NFPA Compliant: HB Vinyl Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	289	0
O	NFPA Compliance Kit: 2.1 m Includes Seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	900	5
S	Seat Color: Black	0	0
O	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts. (Available for NFPA RD Bench)	72	0

<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
O	Radio Opt Out	0	0
S	Base Level Audio System - Daycab:High Performance Door Speakers.	0	0
S	Turn Signal: Non-Self Cancelling	0	0
S	LH and RH Trip Ledge Rain Deflectors	0	0
O	Stainless Steel Permit Panel on Cab, Driver Side only	108	0
S	Kenworth TruckTech+: This system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworth models with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	0	0
O	Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	326	6
S	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	0	0
S	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	0	0
S	Single Air Horn Under Cab.	0	0
S	Look-Down, Pass. Door, Black 11x6	0	0
O	Aero Mirror: Dual Kenworth Chrome Aero. Motorized Heated Mirrors, 7in X 13in With Chrome Mirror Shell and Black Mirror Arms. Also Includes LH/RH Heated 6in X 7in Convex Mirrors. Mirror Brackets Set For 8-1/2 ft Load Width. Mirror Controls Located On Driver Side Door Pad.	358	0
S	Rear Cab Stationary Window 19in x 36in	0	0
S	One-Piece Bonded-In Windshield With Curved Glass. Standard.	0	0
S	Exterior Stainless Steel Sunvisor.	921	19
O	Fender Close-Out: Below Headlamp, Behind bumper. *NOT available with 3-piece bumper.	214	0
S	Wheelwell Fender Extension: 2.5 Inches	0	0
S	Kenworth Cab/Sleeper Air Suspension.	0	0
O	Extreme Temperature Insulation: Daycab Additional cab side wall insulation with improved material properties over standard insulation package.	159	0

Lights & Instruments

Price Level: January 1, 2024

Deal:

Printed On: 6/4/2024 12:16:56 PM

Date: June 04, 2024

Quote Number: QUO-1034349-Q5C6F2

<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
S	Headlamps: SAE Dual Halogen Complex Reflector	0	0
S	Marker Lights: Five, Rectangular, LED	0	0
S	Turn Signal Lights: Flush Mounted LED. Mounted at top of fender wheel arc.	0	0
S	LED Stop, Turn, Tail: With Two LED Backup Lights and With An LED License Plate.	0	0
S	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	0	0
S	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	0	0
O	Reflectors: Two Midframe	24	0
O	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	49	0
Air Equipment			
S	Air Dryer: Bendix AD-HF Puraguard Heated	0	0
S	Moisture Ejection Valve W/ Pull Cable Drain.	0	0
S	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	0	0
Extended Warranty			
S	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	0	0
O	TruckTech+ RD - 5YR Sub Cummins Engines	799	0
O	Base Warranty: Emissions 5YR/100K MI - EPA Engine	0	0
Miscellaneous			
O	GHG Secondary Manufacturer: Does Not Apply	0	0
O	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	56	4
S	VMUX Architecture	0	0
Promotions			
Paint			
O	Paint Color Number(s).	0	0

<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
	N9702 A - L0006 WHITE N9720 FRAME N0001 BLACK		
O	Bumper Unpainted	0	0
O	Day Cab Bulk Paint	0	0
O	Day Cab Standard Paint	0	0
S	1 - Color Paint - Day Cab Color will be White if no other color is specified.	0	0
S	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0	0

Special Requirements

Special Requirement 1 0098025
 Special Requirement 2
 Special Requirement 3
 Special Requirement 4

Order Comments

Total Weight (lbs)

17,583

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information



Shipping Destinations

Intermediate Destination:

Final Destinations	Quantity
--------------------	----------

FRAME RAKE




The listed heights should be considered approximations due to variations which may occur in component manufacturing processes, spring set, and the way in which the vehicle is loaded.

Component	Sales Code	Description	Laden	Unladen
Frame	6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in.	10.8	10.8
Front Spring	2866020	Front Springs: Taperleaf 20K W/ Shock Absorbers	10.4	11.9
Front Axle Drop 3.5"	2517020	Meritor MFS20 Front Axle rated 20K	0.0	0.0
Height Adj.	0000000	No adjustment	0.0	0.0
Front Tires	4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR	19.6	20.6
Front Frame Height			40.8	43.2
Frame	6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in.	10.8	10.8
Subframe	0000000	No sub frame	0	0
Suspension	3747461	Rear suspension: Tandem Hendrickson RT463 46K.	11.2	12.5
Rear Tires	4217094	Rear tires: Michelin XDN2 11R22.5 16PR.	19.5	20.6
Rear Frame Height			41.5	43.8
Frame Rake			0.7	0.6
Frame Rake Slope (%)			0.3	0.2


These characteristics are considered to be out of standard range: Laden rake more than 1% of wheelbase from level (positive or negative).

HORIZONTAL DIMENSIONS



Dimension	Measurement	Start	End
Axle Spacing	54	238	292
Bumper to Back of Cab	122.5	-48.5	74
Bumper to Front Axle	48.5	-48.5	0
Bumper to Front Frame	12.9	-48.5	-35.6
Cab to End of Frame	256.0	74	330
Cab to Rear Axle	191.0	74	265
Effective Bumper to Back Of Cab	122.5	-48.5	74
Frame Length	365.6	-35.6	330
Front Axle to Back of Cab	74.0	0	74
Front of Frame to Axle	35.6	-35.6	0
Load Space	256.0	74	330
Overall Length	378.5	-48.5	330
Overhang	65.0	265	330
Pusher Offset #1	27.0	238	265
Pusher Offset #2	27.0	238	265
Pusher Offset #3	27.0	238	265
Tag Offset	27.0	265	292
Wheelbase	265	0	265

TURNING RADIUS



LEFT TURN RADIUS		RIGHT TURN RADIUS	
Curb to Curb	36.3	Curb to Curb	36.3
Wall to Wall	38.8	Wall to Wall	38.8

VEHICLE SUMMARY			
Truck	T880 Series Conventional / FULL TRUCK	Wheelbase	265
Axle	Meritor MFS20 Front Axle rated 20K	Weight	17,583
Tire	Front Tires: Michelin XZUS2 315/80R22.5 20PR		
Wheel	Front Wheel: Alcoa 89U63 22.5X9 AL		

WEIGHT DISTRIBUTION

Model: T880

Actual performance of a specific unit can be affected by your operating conditions. The performance calculations should only be used as a guideline.



Recommended payload center of gravity to achieve specified ground loads; measured from centerline of drive axles: 48 in. from the centerline of the drive axle(s).


Weight (lbs)	Front	Rear	Total
Chassis	10707	6876	17583
Tools/Driver	287	88	375
Fuel & DEF	480	127	607
Max Payload	8526	38909	47435
Auxiliary Payload	0	0	0
Total	20000	46000	66000
Specify Ground Load	20000	46000	

Auxiliary Payload

Item	Location from FA CL	Weight	Point Description
Load Point #1	0	0	
Load Point #2	0	0	
Load Point #3	0	0	
Component(s)	-	0	Composite Totals

Fifth wheel slide length is 0 inches
Selected rearmost setting is 0 inches
Wheelbase measurement: 265 inches
Overhang measurement: 65 inches

FRAME LAYOUT



Note: Optional content may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured. Additional changes may be made to the layout by Kenworth. Add a Custom Frame Layout code if an exact layout is required.

Selected Options (Wheelbase: 265)

Sales Code	Description	Length	Side
7210075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum Under	38.5	Left
7722151	DEF Tank Clear BOC (CBOC), 7.3 Gallons.	20	Left
6400633	Battery Box: Temporary Across the Rails. Includes	20	Center



QUOTATION

Albin VFD
Lee Carpenter
Albin, Wyoming 82050

Ikon Fire
Ryan Grigg
3842 Redman Drive
Fort Collins, CO 80524
3077972496
ryang@ikonfire.com

Exp. Date:	03/26/2024	
Quote No:	10020-0057	
PUMPER:	C0-00-0400	ROSENBAUER FX/FL TANDEM AXLE PMPR/TNKR
BID PREP:	C0-01-0010	Pumper/Tanker Bid Prep Forms
WARRANTY:	C0-01-1010	Pumper/Tanker Warranties
CHASSIS:	RBM CHASSI	Use Drop Down to Add RBM Chassis
ELEC-DC:	C0-50-0000	Pumper/Tanker-DC Electrical System
CHS MODS:	C0-02-0000	Pumper/Tanker-Chassis Modifications
PLUMBING:	C0-20-0000	Midship Pumper/Tanker Pump & Plumbing
PUMP COMPT:	C0-26-0000	Pumper/Tanker-Side Mount Pump Compt
BODY-PMPR:	C0-30-5200	HLHD/LR Tandem Axle Pumper/Tanker
BODY-CMMN:	C0-44-0000	Pumper/Tanker-Common Body Parts
ELEC-AC:	C0-60-0000	Pumper/Tanker-AC Electrical System
EQUIP-SYST:	C0-70-0000	Pumper/Tanker-Equipment Systems
PAINT:	C0-80-0010	Pumper/Tanker - Tandem Axle - Pnt/Ltr/St
EQUIP-LSE:	C0-90-0000	Pumper/Tanker - Loose Equipment

10/21/2024

Page 1

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
== Pumper/Tanker Bid Prep Forms - 901.023				RAS		
10/03/23 ==						
ROSENBAUER APPARATUS SOLUTIONS -				RAS		
RAS - 25 SEPTEMBER 2024						
00-00-1100	S	> Information Request Form (Factory Required)	1	RAS	0.00	0.00
00-00-1200	S	> Chassis Information Summary (Factory Required)	1	RAS	0.00	0.00
00-00-1300	S	Laramie County Fire District #3	1	RAS	0.00	0.00
00-00-1499		Overall Height Restriction, NONE	1	RAS	0.00	0.00
00-00-1509		Overall Length Restriction, NONE	1	RAS	0.00	0.00
00-00-1519		Overall Width Restriction, NONE	1	RAS	0.00	0.00
00-00-1529		Wheelbase Restriction, NONE	1	RAS	0.00	0.00
00-00-1539		Angle of Approach, NFPA Minimum, 8 Degrees	1	RAS	0.00	0.00
00-00-1549		Angle of Departure, NFPA Minimum, 8 Degrees	1	RAS	0.00	0.00
00-00-1610		NFPA Pumper Equipment Allowance 2500#	1	RAS	0.00	0.00
00-00-1799			1	RAS	0.00	0.00
00-00-3220		Contract Change Notice	1	RAS	0.00	0.00
00-00-3300		Concierge Service	1	RAS	5396.00	5396.00
01-06-0560		> Electronic Stability Control	1	RAS	0.00	0.00
01-07-0062		Representative Technical Drawings (4-View)(Left/Right/Rear/Front)	1	RAS	321.00	321.00
01-07-1100		Change Orders	1	RAS	0.00	0.00
02-02-0200		> Pre-Construction Conference At Mfg.	1	RAS	0.00	0.00
02-02-0300		> Inspection Trip	1	RAS	0.00	0.00
02-13-7300		Local Sales and Service Vehicle Support	1	RAS	0.00	0.00
== Pumper/Tanker Warranties - 901.023				RAS		
10/03/23 ==						

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
01-16-0150		> Warranty, Apparatus, Body Warranty, 1 Year	1	RAS	0.00	0.00
01-17-0800		Pump Warranty, Rosenbauer	1	RAS	0.00	0.00
01-17-1050		Stainless Steel Plumbing Warranty, 10 Years	1	RAS	0.00	0.00
01-18-0450		UPF Water Tank Warranty	1	RAS	0.00	0.00
01-19-0250		Aluminum Body Warranty, 5 Years	1	RAS	0.00	0.00
01-19-2800		Galvanized Subframe Warranty, Lifetime	1	RAS	0.00	0.00
01-20-0200		Warranty, Paint, PPG, 5 Years	1	RAS	0.00	0.00
01-21-0350		Lettering and Striping Warranty, 3 Years	1	RAS	163.00	163.00
01-33-3100		Body Manuals Complete, 1 Set Printed	1	RAS	1604.00	1604.00
01-33-3710		In Process Photos	1	RAS	0.00	0.00
02-90-2000		> Chassis Supplied by Fire Department.	1	RAS	0.00	0.00
		== Use Drop Down to Add RBM Chassis -		RAS		
		901.023 10/03/23 ==				
		== Pumper/Tanker-DC Electrical System -		RAS		
		901.023 10/03/23 ==				
08-02-0176		< > Accessory Power Distribution Panel - 12 Position 40A Battery Direct w/Ground	1	RAS	583.00	583.00
10-13-3540		Exterior Finish, Cabinet, To Match Cab Interior	1	RAS	548.00	548.00
10-13-3550		Interior Finish, Cabinet, Natural	1	RAS	0.00	0.00
10-13-4250		Binder Storage Module, Cab, Commercial Chassis, Rear of Console, Three (3) 2"	1	RAS	261.00	261.00
50-02-1000		> Electrical Base, Standard, W/Load Management	1	RAS	3634.00	3634.00
50-05-1510		Electrical Junction Box, Weather Resistant	1	RAS	175.00	175.00
50-12-1110		Switch Panel/Electrical Console, Between Cab Seats, Painted	1	RAS	1724.00	1724.00
50-15-1100		Batteries, With Supl'd Chs	1	RAS	0.00	0.00
50-15-3100		Battery Switch, Master Disconnect, Chassis Sppld	1	RAS	0.00	0.00
50-15-5600		Battery Charger, KUSS, Autocharge 1000 091-215-12	1	RAS	1391.00	1391.00
50-16-1200		Display, Digital, Single Battery Bank, Standard Housing 091-194B-IND	1	RAS	379.00	379.00
50-20-1124		Shore Power Inlet, Below Left Front Cab Door, Commercial	1	RAS	0.00	0.00
50-20-1500		> Shore Power Inlet, KUSS Super Auto-Eject 20 Amp	1	RAS	858.00	858.00
50-41-7100		> Air Horns Two (2) 24" Round Hadley E-Tone	1	RAS	1094.00	1094.00
50-41-8180		Air Horn Location Hood Mounted, One (1) Ea Side	1	RAS	0.00	0.00
50-43-1000		Air Horn Controls	1	RAS	0.00	0.00
50-43-2000	XS	Air Horn Control, Driver, Horn Ring, Air/Electric	1	RAS	498.00	498.00
50-43-2100		> Air Horn Control, Driver, Single Foot Switch	1	RAS	384.00	384.00
50-43-2200		> Air Horn Control, Officer, Single Foot Switch	1	RAS	359.00	359.00
51-05-6290		Light, Engine Compt, Chassis Supplied	1	RAS	0.00	0.00
51-05-6400		Light, Pump Compt, 12 Volt LED w/Switch	1	RAS	314.00	314.00
51-05-9100		> Light Switch, Pump Panel	1	RAS	189.00	189.00
52-01-1200		Back Up Alarm	1	RAS	175.00	175.00
52-02-1150		< > Back Up Camera, ASA, Color	1	RAS	1649.00	1649.00
52-06-1108	S	Fog Lamps, LED, Rect, Rigid Industries, Pair Ridged part 212513 D Sires pro fl	1	RAS	1026.00	1026.00
52-06-1191		< Fog Lamp Location, Bumper, Below, Outboard, One Ea Side	1	RAS	342.00	342.00
52-10-3200		> Intercom System, FireCom 5100D Wireless (Single Radio)	1	RAS	2085.00	2085.00
52-10-3290		> Hanger Hook - Headset	2	RAS	39.00	78.00
52-10-3310		> Headset, Wireless, Intercom w/Transmit, Firecom, UHW505	2	RAS	1553.00	3106.00
52-10-3350		> Base Station, Wireless, Five Person, WB505R	1	RAS	2147.00	2147.00
52-10-6120		< > Intercom, Interface Cable, Single Radio	1	RAS	452.00	452.00
52-15-1200		< > Radio Antenna Base, Supply and Install, Ea	2	RAS	439.00	878.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
53-01-1200		Marker Lts, LED, DOT Requirements	1	RAS	318.00	318.00
53-02-1300		License Plate Bracket, SST, No Light, Rear	1	RAS	158.00	158.00
53-03-0065		Whelen Rear DOT LED Lighting Package M6	1	RAS	184.00	184.00
53-03-2752		Tail/Brake Lights, Whelen, LED, M62BTTC, Clear Lens (Pair)	1	RAS	426.00	426.00
53-04-2752		Turn Signals, Whelen, LED w/ Arrow, M62TC Clear Lens (Pair)	1	RAS	385.00	385.00
53-05-1800		Turn Signals, Mid Body, LED Marker Light (Pair)	1	RAS	202.00	202.00
53-06-3550		Backup Lights, Whelen, LED, M62BU (Pair)	1	RAS	509.00	509.00
53-07-1210		(4) Light Bezel, Tail Lights, Whelen M6 (Pair), ABS Chrome	1	RAS	529.00	529.00
54-02-1400		Ground Lights, Cab, 2 Door, LED Pair	1	RAS	400.00	400.00
54-02-2340		Step Lights, Cab, (4) Pair LED Eight Lights	1	RAS	994.00	994.00
54-03-1200		Ground Lights, Pump Panel, LED, Pair	1	RAS	400.00	400.00
54-03-1600		Ground Lights, Rear Step, LED, Pair	1	RAS	400.00	400.00
54-04-1999		Light Switch, Ground Lights w/ Park Brake	1	RAS	0.00	0.00
54-10-1300		Step Light, Fixed /Folding Step, LED, Ea	2	RAS	134.00	268.00
54-10-1450		Step Light, Rear Tailboard, LED, Ea	2	RAS	175.00	350.00
54-11-2100		Light Switch, Step/Walkway Lights Wired Park Brake Switch	1	RAS	0.00	0.00
54-15-1297		> Scene Light, Whelen, M92SLC LED, w/Chrome Bezel	1	RAS	794.00	794.00
54-15-1297		> Scene Light, Whelen, M92SLC LED, w/Chrome Bezel	1	RAS	794.00	794.00
54-15-1297		> Scene Light, Whelen, M92SLC LED, w/Chrome Bezel	2	RAS	794.00	1588.00
54-15-1297		> Scene Light, Whelen, M92SLC LED, w/Chrome Bezel	2	RAS	794.00	1588.00
54-15-1297		> Scene Light, Whelen, M92SLC LED, w/Chrome Bezel	2	RAS	794.00	1588.00
54-15-1470		Scene\Warn Light, Mounting Plate, Painted	3	RAS	321.00	963.00
54-15-1470		Scene\Warn Light, Mounting Plate, Painted	3	RAS	321.00	963.00
54-15-5916	S <	Scene Light - Center body	1	RAS	0.00	0.00
54-15-5920	S <	Scene Light - Center body Right side	1	RAS	0.00	0.00
54-15-5924		Scene Light - Body Left Side	2	RAS	0.00	0.00
54-15-5928		Scene Light - Body Right Side	2	RAS	0.00	0.00
54-15-5932		Scene Light - Rear Body	2	RAS	0.00	0.00
54-15-6400		Scene Light Switch, Left Scene Lights, Cab Switch Panel	1	RAS	179.00	179.00
54-15-6400		Scene Light Switch, Left Scene Lights, Cab Switch Panel	1	RAS	179.00	179.00
54-15-6500		Scene Light Switch, Right Scene Lights, Cab Switch Panel	1	RAS	179.00	179.00
54-15-6500		Scene Light Switch, Right Scene Lights, Cab Switch Panel	1	RAS	179.00	179.00
54-15-6600		Scene Light Switch, Rear Scene Lights, Cab Switch Panel	1	RAS	179.00	179.00
54-15-6700		Scene Light Switch, Rear Scene Lights, Auto w/ Reverse	1	RAS	204.00	204.00
55-11-1200		> Door Open/Hazard Warning Light, Flashing Red Lens	1	RAS	254.00	254.00
56-01-1600		Siren, Electronic, Whelen 295SLSA1	1	RAS	1475.00	1475.00
56-02-1600		Speaker, Fed Sig Dynamax, ES100C 100 Watt	1	RAS	582.00	582.00
56-02-1650		Speaker Grille, SST, "R"	1	RAS	175.00	175.00
56-03-1300		Speaker Location, Bumper, Recessed, Right Side	1	RAS	161.00	161.00
56-06-0550		Siren, Fed-Sig, Q2B-NN Mech, Bumper, Fully Recessed, Left Side Chrome	1	RAS	4549.00	4549.00
56-07-1210		Siren Brakes, Fed-Sig, Q2B, (1) ea Side Driver & Officer Dash	1	RAS	287.00	287.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
56-07-1300		Siren Control, Fed-Sig, Q2B, Driver's Side Foot Switch	1	RAS	255.00	255.00
57-02-2400	<	Light Bar, Whelen JEORRBB Justice LED 62" Long - Red/Clear/Blue Lens	1	RAS	2851.00	2851.00
57-10-0600		Warning Light Control, with E-Master Warning Switch	1	RAS	371.00	371.00
57-20-1210		Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS	0.00	0.00
57-20-1210		Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS	0.00	0.00
57-20-1210		Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	2	RAS	0.00	0.00
57-20-1210		Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS	0.00	0.00
57-20-1210		Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS	0.00	0.00
57-20-1211		Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS	0.00	0.00
57-20-1211		Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS	0.00	0.00
57-20-1211		Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	2	RAS	0.00	0.00
57-20-1211		Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS	0.00	0.00
57-20-1211		Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS	0.00	0.00
57-20-8107		Warn Light, Officer, Whelen, L31 LED Rotator Red Clear Lens, Ea	1	RAS	0.00	0.00
57-20-8108		Warn Light, Driver, Whelen, L31 LED Rotator Amber CClear Lens, Ea	1	RAS	0.00	0.00
58-01-1200		Housing, Step, Warning Lights (1 pair)	1	RAS	171.00	171.00
58-01-2140		Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS	77.00	154.00
58-01-2140		Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS	77.00	154.00
58-01-2140		Flange, Chrome, Warning Light, Whelen, M6, Ea	4	RAS	77.00	308.00
58-03-2000		Warning Lights, Whelen, Low Front, (2) M6 LED	1	RAS	882.00	882.00
58-09-2000		Warning Lights, Whelen, Intersection, (2) M6 LED	1	RAS	882.00	882.00
58-26-2000	<	Warning Lights, Whelen, Lower Mid Body (2) M6 LED	2	RAS	882.00	1764.00
58-36-2000		Warning Lights, Whelen, Lower Rear Side (2) M6 LED	1	RAS	882.00	882.00
58-71-1820		Warning Lights, Whelen, Upper Rear Body (2) S-LED Rotary L31 P/N L31*F	1	RAS	1365.00	1365.00
58-74-5100		Stanchions, Rear Warning Light, Cast Alum	1	RAS	339.00	339.00
58-81-2000		Warning Lights, Whelen, Lower Rear Body (2) M6 LED	1	RAS	882.00	882.00
58-91-1200		Traffic Arrow, Whelen, 36" 500 Series 5MM LED, TAL65	1	RAS	1824.00	1824.00
58-95-1400		Traffic Arrow Light Mounting, Surface Mount, Below Intermediate Rear Step	1	RAS	0.00	0.00
		== Pumper/Tanker-Chassis Modifications - 901.023 10/03/23 ==		RAS		
08-00-0719		Compartment LED Strip Light, (1) Each Compartment (approx 24")	1	RAS	564.00	564.00
08-00-071A		Compartment Light, Mounting Door Jamb	1	RAS	342.00	342.00
10-02-1100		Label, Data, Fluid Levels	1	RAS	111.00	111.00
10-02-1300		Label, Data, "No Ride" Rear Step	1	RAS	119.00	119.00
10-02-1500		Label, Data, Height x Length, Weight - Seating	1	RAS	119.00	119.00
10-02-2500		Label, "Caution: Do Not Wear Helmet While Seated"	1	RAS	119.00	119.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
10-03-6000		Tow Plates (2), Rear Frame Rail, Under Step	1	RAS	429.00	429.00
10-04-2150		Bumper Extension, 18", By Body Builder	1	RAS	1289.00	1289.00
10-04-2340		Bumper Gravelshield, 18", By Body Builder	1	RAS	762.00	762.00
10-04-2720	< >	Hosewell Compartment, Center Bumper	1	RAS	494.00	494.00
10-04-3160		Aluminum T/P Door, Raised Style, Front Bumper Compartment	1	RAS	501.00	501.00
10-04-3460		Gas Shock, Bumper Compartment Door	1	RAS	221.00	221.00
10-04-3530		Bumper, Heavy Duty Steel, Angled Corners, Painted	1	RAS	3015.00	3015.00
10-04-3542		Bumper, Max Force / Extreme Duty, Polished SST Cladding	1	RAS	1196.00	1196.00
10-04-3580	S	laser cut name	1	RAS	3120.00	3120.00
10-05-9230		Tow Eyes 3" Painted Through (pair)	1	RAS	881.00	881.00
10-06-1650	>	Tire Pressure Indicator, Tandem Axle, Commercial, RWTG1235	1	RAS	603.00	603.00
10-07-0100		Exhaust, Horizontal Supplied With Chassis	1	RAS	0.00	0.00
10-07-1500		Exhaust Heat Shield, Under Body Compartments	1	RAS	169.00	169.00
10-08-2100		Mud Flaps, Rear Wheels, Black, w/ Body	1	RAS	320.00	320.00
10-10-0400	>	Cab Step Overlay, 2 Door Driver Side	1	RAS	1276.00	1276.00
10-10-0500	>	Cab Step Overlay, 2 Door Passenger Side	1	RAS	1276.00	1276.00
10-18-1200		Battery Jump Start Lugs, Studs and Caps, Near Driver's Door	1	RAS	451.00	451.00
10-18-4050	>	Batteries, Relocate Chassis Supplied, Dunnage Area	1	RAS	1557.00	1557.00
10-19-2100		Air Brake Compressor, KUSS, 120V, #091-9B-1	1	RAS	1139.00	1139.00
10-19-4000		Air Inlet, Manual, Cab Exterior, Driver Step	1	RAS	437.00	437.00
55-06-1100		Compartment Light, Door Switch, Auto, Ea	1	RAS	205.00	205.00
80-43-2400		Painting, Tow Plates, Black	1	RAS	0.00	0.00
== Midship Pumper/Tanker Pump & Plumbing - 901.023 10/03/23 ==				RAS		
20-27-0152	< >	Rosenbauer Pump Body, Light Alloy	1	RAS	0.00	0.00
20-27-1600	< >	Pump, Rosenbauer, N 1500 GPM, Mid-ship PTO	1	RAS	22159.00	22159.00
20-28-3400	>	Pump Shift, Rosenbauer, PTO, Pump and Roll	1	RAS	708.00	708.00
20-29-1200	>	Primer, Trident Air Primer, Automatic	1	RAS	2484.00	2484.00
20-29-1250		Primer Control - Main Pump Rocker Switch	1	RAS	0.00	0.00
20-30-3200		Pump Installation, Midship PTO, By Body Builder	1	RAS	4483.00	4483.00
20-31-1000		Fire Pump Testing - Pumpers/Tankers	1	RAS	0.00	0.00
20-31-1100		Pump Test, Pumper, UL	1	RAS	1955.00	1955.00
20-31-1300	S	> S.O.R. / Pump Test, Altitude Requirements 5000' ASL	1	RAS	0.00	0.00
20-31-1500		Pump Test, Label	1	RAS	175.00	175.00
20-31-3600		Dump-Relief Valve, Suction Side, TFT A18	1	RAS	604.00	604.00
20-31-4100		Pump Cooler, Bypass-To-Tank, 3/8"	1	RAS	429.00	429.00
20-31-5100	>	Heat Exchanger, Engine, Hook-Up Only	1	RAS	413.00	413.00
21-00-2000		Screens/Anodes, Pump	1	RAS	234.00	234.00
21-00-3300		Piping, SST - 1250 GPM & Up	1	RAS	1019.00	1019.00
21-00-4000	S	S.O.R. / 250 ft of 1-3/4-in Hose Capacity	1	RAS	0.00	0.00
21-01-0200	>	Pump Drain, Master, Manifold, Push Pull Type	1	RAS	543.00	543.00
21-01-2200		Drain/Bleeder, Class 1, Automatic	2	RAS	199.00	398.00
21-01-2200		Drain/Bleeder, Class 1, Automatic	1	RAS	199.00	199.00
21-01-2500		Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	1	RAS	214.00	214.00
21-01-2502		Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	2	RAS	0.00	0.00
21-01-2502		Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	1	RAS	0.00	0.00
21-01-2502		Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	1	RAS	0.00	0.00
21-01-2502		Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	1	RAS	0.00	0.00
21-01-2502		Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	1	RAS	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
21-01-2502		Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	1	RAS	0.00	0.00
21-01-5500		Intake Manifold, Stainless Steel	1	RAS	2409.00	2409.00
21-01-6500		Discharge Manifold, Stainless Steel	1	RAS	2139.00	2139.00
21-01-7300		Unpainted, Pump & Piping	1	RAS	0.00	0.00
21-01-8100		Threads, National Hose (NST)	1	RAS	0.00	0.00
22-03-1600		Intake, Ungated, 6", LH Side	1	RAS	0.00	0.00
22-03-2600		Intake, Ungated, 6", RH Side	1	RAS	0.00	0.00
22-12-1100		Intake, Auxiliary, Gated, 2-1/2", NST, Left Side	1	RAS	1126.00	1126.00
22-24-1662	>	Intake, Gated, Manual, JBIV-LP, 6"NSTFx5"Storz F, LH TFT AXD1ST-NX-T,	1	RAS	2951.00	2951.00
22-24-3662	>	Intake, Gated, Mnl, JBIV-LP, 6"NSTFx5"Storz F, RH TFT AXE1ST-NX-T, External	1	RAS	2951.00	2951.00
22-41-1100		Plug, 2-1/2", Chrome Rocker Lug, w/Chain	1	RAS	139.00	139.00
22-41-7200		Cap, 5" Storz, LW Alum, Locking, w/Chain or Cable	1	RAS	201.00	201.00
22-41-7200		Cap, 5" Storz, LW Alum, Locking, w/Chain or Cable	1	RAS	201.00	201.00
22-50-0120	>	Dual Tank to Pump Controls - Pump Operator's Panel & Chassis Cab (2) Controllers	1	RAS	999.00	999.00
22-51-5210	>	Tank-To-Pump, Water Tank, 3" Valve/4" Piping, Midship, Pumper/Tanker	1	RAS	1611.00	1611.00
22-55-4050		Intake Valve Control, AKR, Manual Swing Type-Adjacent	1	RAS	238.00	238.00
22-55-4800		Intake Valve Control, AKR, 3" Elec, #9333	2	RAS	855.00	1710.00
23-02-1300		Tank Fill/Cooling Line, Water Tank, 2"	1	RAS	1002.00	1002.00
23-05-6300		Discharge, 2-1/2", Front Center Bumper, Swivel, NST Brass Swivel	1	RAS	2937.00	2937.00
23-05-9100		Hose Connection, Front Bumper, Inside Hosewell, Swivel	1	RAS	0.00	0.00
23-06-2100		Crosslay Discharge, (1) 1-1/2", Over Pump Panel, NST	1	RAS	1590.00	1590.00
23-08-3300		Crosslay Cover, Alum T/P, Single, W/Vinyl End Flaps (Non NFPA Walking Surface)	1	RAS	529.00	529.00
23-08-4130		Crosslay Trim, Alum Angles, Both Sides	1	RAS	175.00	175.00
23-08-5019		Crosslay Discharges, Over Pump Panel, Normal Height	1	RAS	0.00	0.00
23-09-4100		Discharge, 2-1/2", Left Side, Pump Panel, NST	2	RAS	1054.00	2108.00
23-10-4100		Discharge, 2-1/2", Right Side, Pump Panel, NST	1	RAS	1025.00	1025.00
23-10-5200		Discharge, 3" x 4"NST, Right Side, Pump Panel, NST	1	RAS	1261.00	1261.00
23-13-3100	<	Discharge, 2-1/2", Left Rear, NST	1	RAS	1754.00	1754.00
24-02-1200		Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	2	RAS	241.00	482.00
24-02-1200		Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	1	RAS	241.00	241.00
24-02-1200		Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	1	RAS	241.00	241.00
24-02-2600		Elbow, LW Alum, 5" Storz x 4"F	1	RAS	234.00	234.00
24-03-1400		Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	2	RAS	126.00	252.00
24-03-1400		Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS	126.00	126.00
24-03-1400		Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS	126.00	126.00
24-03-2200		Cap, LW Alum, 5" Storz, w/Cable	1	RAS	201.00	201.00
24-11-1200	>	Monitor Discharge, 2-1/2", Front Bumper, Cab Controlled, NPT	1	RAS	2986.00	2986.00
24-17-2100	>	Monitor, TFT, Front Bumper, Elec, No Nozzle NST Y2-E84A Tornado	1	RAS	8039.00	8039.00
24-17-2300		Monitor, TFT, Joystick, Control Box, Cab w/ Valve Y4E-J	1	RAS	2256.00	2256.00
24-18-6200	>	Nozzle, TFT, Bumper Monitor, Elec, Adjustable GPM B-TOS-ER	1	RAS	1444.00	1444.00
24-30-7000		Hose Reel, Hannay, Electric	1	RAS	2710.00	2710.00
24-30-7002	S	S.O.R. / Hose Reel, Painted Steel, Red	1	RAS	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
24-30-7012		> Hose Reel, Mounted Above Pump, Right	1	RAS	111.00	111.00
24-31-2100		< Hose Reel, Rewind Control, Weatherproof Push Button	2	RAS	196.00	392.00
24-32-1200		Discharge, Hose Reel, 1"	1	RAS	479.00	479.00
24-32-1700		Discharge, Hose Reel, Plumbed to Normal Pressure	1	RAS	0.00	0.00
24-33-1700		Hose, Water, 800#, 1-in x 150-ft, Three (3) 50-ft Lengths	1	RAS	2925.00	2925.00
24-33-6100		Nozzle, TFT, B-BGH, 1"	1	RAS	1046.00	1046.00
24-33-8000		Nozzle, Mounting, Hose Reel	1	RAS	164.00	164.00
24-33-9100		Roller, Hose Reel, LH Side	1	RAS	318.00	318.00
24-33-9200		Roller, Hose Reel, RH Side	1	RAS	318.00	318.00
24-53-0020	S	> 24-55-0040---Pistol Grip Lever Control, Innovative Controls	1	RAS	839.00	839.00
24-55-0040		> Pistol Grip Lever Control, Innovative Controls	1	RAS	839.00	839.00
24-55-0040		> Pistol Grip Lever Control, Innovative Controls	2	RAS	839.00	1678.00
24-55-0040		> Pistol Grip Lever Control, Innovative Controls	1	RAS	839.00	839.00
24-55-0040		> Pistol Grip Lever Control, Innovative Controls	1	RAS	839.00	839.00
24-55-0040		> Pistol Grip Lever Control, Innovative Controls	1	RAS	839.00	839.00
24-55-0040		> Pistol Grip Lever Control, Innovative Controls	1	RAS	839.00	839.00
24-55-0050		> Pistol Grip Lever Control, Innovative Controls, Slow Close	1	RAS	1091.00	1091.00
24-61-1100		Valve, AKR, 8000, (1")	1	RAS	133.00	133.00
24-61-1200		Valve, AKR, 8000, (2")	1	RAS	219.00	219.00
24-61-1250		Valve, AKR, 8000, (2-1/2")	2	RAS	276.00	552.00
24-61-1250		Valve, AKR, 8000, (2-1/2")	1	RAS	276.00	276.00
24-61-1250		Valve, AKR, 8000, (2-1/2")	1	RAS	276.00	276.00
24-61-1250		Valve, AKR, 8000, (2-1/2")	1	RAS	276.00	276.00
24-61-1300		Valve, AKR, 8000, (3")	1	RAS	450.00	450.00
24-62-1200		Valve, AKR, 8000, (2")	1	RAS	209.00	209.00
24-62-1250		Valve, AKR, 8000, (2-1/2")	1	RAS	264.00	264.00
24-62-1310		Valve, AKR, 8000, (3"), Electric	1	RAS	1714.00	1714.00
25-06-3100	< >	Foam System, F/PRO 2001, Class A/B, 2.6G, 12V S105-2001	1	RAS	16547.00	16547.00
25-19-9000		Foam System, NFPA #1901, Install Standards	1	RAS	0.00	0.00
25-20-1200		Foam Plumbing, Single Class A Tank, 1" Manual Valve	1	RAS	246.00	246.00
25-21-1500		Foam Tank, Integral Poly, 30 Gallon, Class A	1	RAS	909.00	909.00
25-22-9300		Foam Tank, UPF	1	RAS	0.00	0.00
25-23-1000		Foam Tank Drain, 1" Gate Valve, Under Tank	1	RAS	400.00	400.00
27-02-1500		> Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS	262.00	262.00
27-02-1500		> Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS	262.00	262.00
27-02-1500		> Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS	262.00	262.00
27-02-1500		> Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	2	RAS	262.00	524.00
27-02-1500		> Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS	262.00	262.00
27-02-1500		> Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS	262.00	262.00
27-02-1500		> Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS	262.00	262.00
27-03-1700		> Gauge, Discharge, 2-1/2" (0-400 PSI), In Cab, Pump and Roll	1	RAS	219.00	219.00
27-10-3500		> Pressure Governor, FRC, In-Control, w/Body, TGA400	1	RAS	4683.00	4683.00
27-36-1100		> Foam Tank Gauge, FRC TankVision Pro 300, Class A, Pump Panel #WLA360-A00	1	RAS	1169.00	1169.00
27-37-3150		> Air Blow Out, Hose Reel, Chassis Air, Manual 1/4 Turn Valve	1	RAS	729.00	729.00
29-20-5600		Vinyl Cover, Color, RED	1	RAS	0.00	0.00
		== Pumper/Tanker-Side Mount Pump Compt - 901.023 10/03/23 ==		RAS		
26-01-3740		> Pump Enclosure, Side Mount, SST, 50-59"W, Crosslays	1	RAS	9211.00	9211.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
26-10-2100		Dunnage, Open, Over Pump, SM Pump Enclosure	1	RAS	1766.00	1766.00
26-30-1100		Running Board, LH Pump Panel, Alum T/P, SM	1	RAS	0.00	0.00
26-30-1150		Running Board, RH Pump Panel, Alum T/P, SM	1	RAS	0.00	0.00
26-31-1300		Pump Side Access Door, Upper RH, SST	1	RAS	351.00	351.00
26-35-1100		Pump Panel, Bolted, LH	1	RAS	0.00	0.00
26-35-1400	>	Pump Panel, Hinged, RH	1	RAS	376.00	376.00
26-35-3200		Pump Panel, SST, LH/RH, SM	1	RAS	923.00	923.00
26-50-1010	>	Heater, Pump Enclosure, 35,000BTU, w/Switch on Pump Operator's Panel	1	RAS	985.00	985.00
26-50-1230		Heater Fan Switch, Pump Operator's Panel	1	RAS	0.00	0.00
26-50-3100		Heat Pan, Pump Enclosure, Midship, Slide Out Panel, Galvanized Steel	1	RAS	2414.00	2414.00
26-50-5100	>	Gasket, Rubber, Intakes & Discharges	1	RAS	789.00	789.00
26-55-1100		Labels, Test Data and Safety Placards	1	RAS	165.00	165.00
26-55-2400		Labels, Innovative Controls Color Coded	1	RAS	567.00	567.00
26-56-1125		Pump Panel LED Lights, (3) Tecniq E10-W0001-1, Midship LH w/Switch on Operator	1	RAS	381.00	381.00
26-56-1225		Pump Panel LED Lights (2), Midship RH, Tecniq E10-W0001-1	1	RAS	312.00	312.00
26-56-2000		Pump Panel Light (1), Actuated w/Pump Engagement	1	RAS	196.00	196.00
27-01-1500	>	Master Gauges, IC, 4" PSI, Pair	1	RAS	461.00	461.00
27-01-4100	>	Gauge, Test Taps	1	RAS	169.00	169.00
27-35-1100	>	Water Tank Gauge, FRC, TankVision Pro 300, Pump Panel WLA300-A00	1	RAS	1075.00	1075.00
27-35-1300		Water Tank Gauge, FRC, TankVision, Mini, In-Cab	1	RAS	550.00	550.00
27-35-6120	< >	Water Tank Gauge, Whelen PS TANK2 LED, Level Lights, (3 Lts), FRC	1	RAS	1867.00	1867.00
27-35-6502		Mounting Location, Front Body Corners	1	RAS	0.00	0.00
27-35-6508	<	Mounting Location, Rear Body	1	RAS	0.00	0.00
27-37-2000		Air Outlet, Pump Panel, Plug-in Connection, Left Side	1	RAS	367.00	367.00
33-70-4400	<	Handrails, Pumper, Side Pump Panel, Horizontal, 12", Pair	1	RAS	191.00	191.00
		== HLHD/LR Tandem Axle Pumper/Tanker - 901.023 10/03/23 ==		RAS		
25-25-0060		Water Tank, "T" Tank	1	RAS	529.00	529.00
25-26-2100		Water Tank, 3000 Gallon, Pumper/Tanker, Poly	1	RAS	35379.00	35379.00
25-42-1100	>	Water Tank, Base Specs, Poly	1	RAS	0.00	0.00
25-42-1200		Water Tank, Manufacturer, UPF, Poly	1	RAS	0.00	0.00
25-44-1400		Water Tank, Fill Tower, 10" x 10", <3500 Gals	1	RAS	0.00	0.00
25-50-2800		Direct Tank Fill, 3" Right Rear, Handle On Valve - Swivel, Plug & Screen	1	RAS	1386.00	1386.00
25-62-1260		Quick Dump, Rear 10", External Mount w/Swivel Dump	1	RAS	1532.00	1532.00
25-62-2100		Quick Dump, Rear 10", Manual Open/Close Controls	1	RAS	0.00	0.00
25-62-2650		Quick Dump, Rear 10", SST	1	RAS	1857.00	1857.00
25-62-4300		Quick Dump Chute, Rear, Swivel Dump, Rosenbauer	1	RAS	3033.00	3033.00
29-00-1300		Hosebed, Pumper, <180" L, 74" Wide	1	RAS	1621.00	1621.00
29-10-2000		Hosebed, Grating, Extruded Alum, >180" Long	1	RAS	439.00	439.00
29-10-5100		Hosebed Storage Capacity, 55 Cubic Feet, Minimum	1	RAS	0.00	0.00
29-10-5700		Hosebed Storage Capacity 3" DJ Hose (50-ft Length)	8	RAS	0.00	0.00
29-10-6000		Hosebed Storage Capacity 5" LDH SJ Rubber (100-ft)	5	RAS	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
29-10-8100		Hosebed Divider, 1/4" Alum	1	RAS	559.00	559.00
29-10-8160		(1) Main Hosebed Divider (Stationary)	1	RAS	981.00	981.00
29-10-8300		Hosebed Divider, Handhole Cutouts	1	RAS	139.00	139.00
29-20-5600	S	S.O.R. / Vinyl Cover, Color, RED Tender 31	1	RAS	1244.00	1244.00
29-20-6500		Hosebed Cover, Alum T/P, >180" L, 49-74" W, Center Open Non NFPA Walking Surface	1	RAS	3300.00	3300.00
29-20-6650		Manual Operation, Hosebed Cover, Alum T/P	1	RAS	0.00	0.00
29-20-7326		Hosebed Cover Light, OSS Access, 48" LED Tube Light, Ea, EO-73048	4	RAS	256.00	1024.00
29-20-7800	>	Rear Vinyl Flaps for Alum Cover	1	RAS	339.00	339.00
30-00-0399		Raw Material Surcharge - Tandem Axle	1	RAS	4797.00	4797.00
30-01-1810		Body Construction - Rosenbauer FX - 1/8" Alum - TA Pumper/Tanker	1	RAS	3259.00	3259.00
30-02-1150	>	Roll-Up Doors - ROM Mfg	6	RAS	0.00	0.00
30-02-1260	>	Door Strap, EZ-Pull Down, Ea	4	RAS	26.00	104.00
30-02-2200		Smooth Alum Compt Floors	1	RAS	0.00	0.00
30-10-1100		Sub-Frame, Hot-Dip Galv	1	RAS	5074.00	5074.00
31-01-1400		Body, Formed Alum, Pumper/Tanker, Over 220"	1	RAS	18474.00	18474.00
31-01-2215		102" OAW, 13-26" Half Depth/26" Lower Depth, TA HL/LR	1	RAS	800.00	800.00
32-03-0063		Compt Height, 63" High Left	1	RAS	1952.00	1952.00
32-03-1030		Compt Height, 30" High Right	1	RAS	0.00	0.00
32-04-1210		Roll Up Doors, HL/LR	1	RAS	0.00	0.00
32-05-1120		Ahead Rear Wheels - Full Height Comp't - Roll Up Door - Natural Finish	1	RAS	1769.00	1769.00
32-05-1320		Upper High Side - Two (2) Comp'ts - Roll Up Doors - Natural Finish	1	RAS	3884.00	3884.00
32-05-1720		Behind Rear Wheels - Full Height Comp't - Roll Up Door - Natural Finish	1	RAS	1769.00	1769.00
32-06-1030		Ahead Rear Wheels - Low Comp't - Roll Up Door - Natural Finish	1	RAS	1296.00	1296.00
32-06-1630		Behind Rear Wheels - Low Comp't - Roll Up Door - Natural Finish	1	RAS	1296.00	1296.00
32-08-0600		No Rear Compt	1	RAS	0.00	0.00
33-60-1100		Rear Body - Flat Back	1	RAS	0.00	0.00
33-61-1300		Rear Step - Pumper/Tanker Body - Bolt-On - 12"	1	RAS	300.00	300.00
44-06-3100		Wheel Well Panel, Alum Painted, Tandem Axle - Alum	1	RAS	0.00	0.00
44-06-4100		Fenderette, Polished Aluminum	2	RAS	0.00	0.00
44-40-1100		Vents, Compts, Louvers, Includes Filters (Ea)	1	RAS	105.00	105.00
44-40-1100		Vents, Compts, Louvers, Includes Filters (Ea)	1	RAS	105.00	105.00
44-40-1100		Vents, Compts, Louvers, Includes Filters (Ea)	1	RAS	105.00	105.00
44-40-1100		Vents, Compts, Louvers, Includes Filters (Ea)	1	RAS	105.00	105.00
44-40-1100		Vents, Compts, Louvers, Includes Filters (Ea)	2	RAS	105.00	210.00
45-01-1050	<	Shelving Tracks, (2) Unistrut, Alum	1	RAS	199.00	199.00
45-01-1050		Shelving Tracks, (2) Unistrut, Alum	1	RAS	199.00	199.00
45-01-1050		Shelving Tracks, (2) Unistrut, Alum	1	RAS	199.00	199.00
45-01-1050		Shelving Tracks, (2) Unistrut, Alum	1	RAS	199.00	199.00
45-01-1100		Shelving Tracks, (4) Unistrut, Alum	1	RAS	266.00	266.00
45-05-1100		Slide Tray, 250#, Alum 1/8", Full Extension	1	RAS	794.00	794.00
45-05-1100		Slide Tray, 250#, Alum 1/8", Full Extension	1	RAS	794.00	794.00
45-05-1100		Slide Tray, 250#, Alum 1/8", Full Extension	1	RAS	794.00	794.00
45-10-1100	<	Pull-Out Drop-Down Tray, 250#	1	RAS	706.00	706.00
45-18-1100	<	Tool Board, Swing Out, 250#, 3/16" Alum	1	RAS	759.00	759.00
45-19-1150		Equipment Mounting Panel, Rear Wall, 1/8 Aluminum	1	RAS	343.00	343.00
45-30-1300		Turtle Tile, Shelves/Trays, (each)	1	RAS	192.00	192.00
45-30-1300		Turtle Tile, Shelves/Trays, (each)	1	RAS	192.00	192.00
45-30-1400		Turtle Tile, Compartment Floor	1	RAS	189.00	189.00
45-30-1400		Turtle Tile, Compartment Floor	2	RAS	189.00	378.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
45-30-5100		Turtle Tile, Shelf/Tray/Module, Ext Compts	1	RAS	192.00	192.00
55-01-1250		Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	1	RAS	527.00	527.00
55-01-1250		Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	1	RAS	527.00	527.00
55-01-1250		Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	1	RAS	527.00	527.00
55-01-1250		Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	1	RAS	527.00	527.00
55-01-1250		Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	2	RAS	527.00	1054.00
55-06-1100		Compartment Light, Door Switch, Auto, Ea	1	RAS	205.00	205.00
55-06-1100		Compartment Light, Door Switch, Auto, Ea	2	RAS	205.00	410.00
55-06-1100		Compartment Light, Door Switch, Auto, Ea	1	RAS	205.00	205.00
55-06-1100		Compartment Light, Door Switch, Auto, Ea	1	RAS	205.00	205.00
55-06-1100		Compartment Light, Door Switch, Auto, Ea	1	RAS	205.00	205.00
90-02-2920		Compartment Door, Smooth, With Chevron	1	RAS	225.00	225.00
90-02-3500		Ladder Storage, Vertical Slide In, Passenger Rear Body	1	RAS	4472.00	4472.00
90-02-5310		Ladder Mounting, Folding Attic, Internal	1	RAS	396.00	396.00
90-03-0225		Ladders, Ground, Provided By Body Builder, SD	1	RAS	0.00	0.00
90-16-5400		Pike Pole Mounting, In Ladder Tunnel, Ea	2	RAS	357.00	714.00
90-16-6115		> Pike Pole Provided By, Body Builder SD	1	RAS	0.00	0.00
90-25-7100		Suction Hose Tray, Driver Side Over Cmpts (Ea)	1	RAS	611.00	611.00
90-25-7300	S	Suction Hose Tray, top of drop tank carrier	1	RAS	674.00	674.00
90-25-9115		> Suction Hose Provided By, Body Builder, SD	1	RAS	0.00	0.00
90-30-3900		Folding Tank Mounting, Zico 12V Electric/Hydraulic, Passenger Side, PTS-HA	1	RAS	10478.00	10478.00
90-30-3992		Folding Tank Cover, Zico, Painted	1	RAS	2386.00	2386.00
90-30-5115		> Folding Tank Provided By, Body Builder SD	1	RAS	0.00	0.00
		== Pumper/Tanker-Common Body Parts -		RAS		
		901.023 10/03/23 ==				
33-62-5500		Step - Bolted - Treadplate - Rear Intermediate - up to 74"	1	RAS	349.00	349.00
33-62-9006		Left Front Steps	1	RAS	0.00	0.00
33-62-9008		Right Front Steps	1	RAS	0.00	0.00
33-62-9100		Step - Folding - Chrome - Integral LED Lights	4	RAS	231.00	924.00
33-62-9100		Step - Folding - Chrome - Integral LED Lights	4	RAS	231.00	924.00
33-70-1200		Handrails - Rear Step - Vertical - 30" - Pair	1	RAS	219.00	219.00
33-70-2300		Handrails, Pumper, Below Hosebed, Horizontal, up to 72"	1	RAS	212.00	212.00
33-70-3700		Handrails, Pumper, Top of Hosebed Sides, Rear, 12", Pair	1	RAS	191.00	191.00
38-90-2050		Access Ladder, Rosenbauer EZ Climb, Left Rear	1	RAS	1860.00	1860.00
44-01-1450		Body Trim, Front Compt, Height of Side Compts, Alum T/P	1	RAS	346.00	346.00
44-01-4000		Body Trim, Entire Rear Body, Smooth for Chevron Stripe	1	RAS	279.00	279.00
44-01-6000		> Catwalks, Top of Side Compts, Door Header, Alum Treadplate	1	RAS	0.00	0.00
44-02-1100		Rub Rails, Lower Body, Extruded Alum	1	RAS	403.00	403.00
44-02-2000		Rub Rails, Spacers, Nylon	1	RAS	224.00	224.00
44-10-6000		Wheel Well Provisions, SCBA Compt Straps	1	RAS	77.00	77.00
44-10-6000		Wheel Well Provisions, SCBA Compt Straps	1	RAS	77.00	77.00
44-10-6000		Wheel Well Provisions, SCBA Compt Straps	1	RAS	77.00	77.00
44-10-6000		Wheel Well Provisions, SCBA Compt Straps	1	RAS	77.00	77.00
44-10-9148	< >	Wheel Well Provisions, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1	RAS	507.00	507.00
44-10-9148	< >	Wheel Well Provisions, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1	RAS	507.00	507.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
44-10-9148	< >	Wheel Well Provisions, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1	RAS	507.00	507.00
44-10-9148	< >	Wheel Well Provisions, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1	RAS	507.00	507.00
44-11-5100		Wheel Well Provisions, Ahead of Wheels Left Side	1	RAS	0.00	0.00
44-11-5300		Wheel Well Provisions, Behind Wheels Left Side	1	RAS	0.00	0.00
44-11-5500		Wheel Well Provisions, Ahead of Wheels Right Side	1	RAS	0.00	0.00
44-11-5700		Wheel Well Provisions, Behind Wheels Right Side	1	RAS	0.00	0.00
		== Pumper/Tanker-AC Electrical System - 901.023 10/03/23 ==		RAS		
60-17-0001		== Pumper/Tanker-Equipment Systems - 901.023 10/03/23 ==	1	RAS	0.00	0.00
		== Pumper/Tanker - Tandem Axle - Pnt/Ltr/St - 901.023 10/03/23 ==		RAS		
80-06-1100	S <	S.O.R. / Apparatus Color	1	RAS	0.00	0.00
80-22-1506		Body Paint, Tandem Axle, Pumper/Tanker - Single Color	1	RAS	30607.00	30607.00
80-30-1100	<	Compt Finish, Spatter Coat, Up to 6 Compts	1	RAS	1550.00	1550.00
80-40-1100		Wheels, Aluminum, By the Chassis Manufacturer	6	RAS	0.00	0.00
80-42-1500		Body Paint, Touch Up, 2 oz. Bottle, One Color	1	RAS	0.00	0.00
80-50-2000	>	Lettering, 4" Scotchlite Reflect, Seventy-Five (75) Letters	1	RAS	1136.00	1136.00
80-50-3700	>	Lettering, 8-12" Scotchlite Reflect, Fifty (50) Letters	1	RAS	1729.00	1729.00
80-55-1200	>	Striping, Genuine Gold Leaf, Cab, Up to 50'	1	RAS	529.00	529.00
80-55-1400	>	Striping, Gold Scotchcal, Body, Up to 100'	1	RAS	794.00	794.00
80-65-1100	>	Door Seals, Custom Characters, Price On Request	1	RAS	636.00	636.00
80-71-1300	< >	Stripe, Triple Reflective, 1" x 4" x 1" Large "Z" Design	1	RAS	1530.00	1530.00
80-72-1000	>	Stripe, Reflective, Chevron Pattern Front Bumper	1	RAS	764.00	764.00
80-72-1100	>	Stripe, Reflective 3M, Chevron Pattern Entire Rear	1	RAS	2109.00	2109.00
80-72-2030	< >	Stripe, Reflective, Cab Door Interiors	1	RAS	321.00	321.00
80-75-1500		Reflective Stripe Material, Red	1	RAS	0.00	0.00
80-75-1600	<	Reflective Stripe Material, White	1	RAS	0.00	0.00
80-75-1800		Reflective Stripe Material, Yellow	1	RAS	0.00	0.00
80-79-1000		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 1901 15.7.1.6)	1	RAS	571.00	571.00
		== Pumper/Tanker - Loose Equipment - 901.023 10/03/23 ==		RAS		
90-01-5900	< >	Wheel Chocks Pair Zico #SAC-44 Folding w/ Mounts	1	RAS	1175.00	1175.00
90-03-3300		Ladder, Roof, Duo-Safety, 14' Aluminum 775-A	1	RAS	739.00	739.00
90-06-4600		Ladder, Extension, Duo-Safety, 24' Aluminum, 2 Section 900-A	1	RAS	1214.00	1214.00
90-08-2600		Ladder, Attic, Duo-Safety, 10' Aluminum, Folding 585-A	1	RAS	607.00	607.00
90-16-2300		Pike Pole, 6' Fiberglass, Round Handle	1	RAS	376.00	376.00
90-16-2800		Pike Pole, 10' Fiberglass, Round Handle	1	RAS	379.00	379.00
90-17-1100		Axe, 6# Flat Head, Fiberglass Handle	2	RAS	232.00	464.00
90-18-1220	>	Wrench, AKR #2443 Hydrant/Spanner, w/Bracket	1	RAS	529.00	529.00
90-19-1200	>	Halligan Bar, 30", w/Mounting Bracket	2	RAS	543.00	1086.00
90-21-1200	< >	SCBA Mounting Bracket, Zico, 45 Minute, Non Riding HZ-KD-UH-6-SF	2	RAS	434.00	868.00
90-25-3100		Suction Hose, Flex, PVC, 6"x10'	2	RAS	1089.00	2178.00

[illegible]