

Prepared For:
Thermopolis WY.
Rosenbauer Minnesota
PO Box 57
Lyons, SD 57041-0057
(605)543 - 5591
Reference ID: 14/26 4dr

Presented By:
CRAWFORD TRKS. & EQUIP.
Brian Brakefield
3601 - 6TH AVE SOUTHEAST
ABERDEEN SD 57401 -
(605)225-6200

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2025 HV507 SFA (HV507)

AXLE CONFIG:	4X4
APPLICATION:	Fire/Pumper
MISSION:	Requested GVWR: 40000. Calc. GVWR: 40000. Calc. GCWR: 80000 Calc. Start / Grade Ability: 35.14% / 3.89% @ 55 MPH Calc. Geared Speed: 75.5 MPH
DIMENSION:	Wheelbase: 209.00, CA: 90.10, Axle to Frame: 75.00
ENGINE, DIESEL:	{Cummins L9 450} EPA 2024, 450HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 450 Peak HP (Max), (RATED FOR EMERGENCY VEHICLES ONLY)
TRANSMISSION, AUTOMATIC:	{Allison 3000 EVS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT DRIVING:	{Meritor MX-14-120 EVO} Single Reduction, 14,000-lb Capacity, with Hub Piloted Wheel Mounting
AXLE, REAR, SINGLE:	{Dana Spicer S26-190D} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends Gear Ratio: 5.57
CAB:	Conventional 6-Man Crew Cab
TIRE, FRONT:	(2) 12R22.5 Load Range H XDN2 (MICHELIN), 483 rev/mile, 75 MPH, Drive
TIRE, REAR:	(4) 12R22.5 Load Range H XDN2 (MICHELIN), 483 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
PAINT:	Cab schematic 209WK Location 1: 8736, Gray Met (Custom) Location 2: 2484, Red (Custom) Chassis schematic N/A

<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
Base Chassis, Model HV507 SFA with 209.00 Wheelbase, 90.10 CA, and 75.00 Axle to Frame.	5783/3857	9640

AXLE CONFIGURATION

AXLE CONFIGURATION {Navistar} 4x4	171/-94	77
-----------------------------------	---------	----

Notes

: Pricing may change if axle configuration is changed.

ENGINE

ENGINE, DIESEL {Cummins L9 450} EPA 2024, 450HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 450 Peak HP (Max), (RATED FOR EMERGENCY VEHICLES ONLY)	560/4	564
EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2024	0/0	0
CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty	0/0	0
CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations	0/0	0
EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	0/0	0
RADIATOR Aluminum, Cross Flow, Front to Back System, 1469 SqIn, with 1172 SqIn Charge Air Cooler	-49/2	-47

Includes

: DEAERATION SYSTEM with Surge Tank
: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps
: RADIATOR HOSES Premium, Rubber

FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	0/0	0
---	-----	---

Includes

: FAN Nylon

AIR CLEANER Single Element	0/0	0
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines	0/0	0
ENGINE WATER COOLER {Sen-Dure} Auxiliary, For Use with Fire Trucks	17/3	20
FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	0/0	0
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0

TRANSMISSION

TRANSMISSION, AUTOMATIC {Allison 3000 EVS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor	218/65	283
ALLISON SPARE INPUT/OUTPUT for Emergency Vehicle Series (EVS), Fire/Pumper, Tank, Aerial/Ladder, Package Number 198, Includes J1939 Based Auto Neutral	0/0	0
NEUTRAL AT STOP OMIT	0/0	0
OIL COOLER, TRANSMISSION {Modine} Water to Oil Type	25/0	25
OIL COOLER, TRANSFER CASE with Oil Coolant Lines Routed to Oil Cooler	6/1	7

<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	0/0	0
SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	0/0	0
TRANSFER CASE {Meritor MTC-4210} 2-Speed, 10,000 lb-ft Torque Rating, with PTO Provision, Electric Over Air Control, with Lube Pump	400/388	788
TRANSFER CASE LUBE {EmGard 50W} Synthetic; 1 thru 14.99 Pints	0/0	0
TRANSMISSION DIPSTICK Relocated to Right Side of Transmission	1/0	1
TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0
TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1
CLUTCH		
CLUTCH Omit Item (Clutch & Control)	0/0	0
REAR AXLES, SUSPENSIONS		
AXLE, REAR, SINGLE {Dana Spicer S26-190D} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends . Gear Ratio: 5.57	0/348	348
SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs	0/132	132
FRONT AXLES		
AXLE, FRONT DRIVING {Meritor MX-14-120 EVO} Single Reduction, 14,000-lb Capacity, with Hub Piloted Wheel Mounting	737/0	737
<u>Notes</u> : Axle Lead Time is 90 Days		
FRONT SUSPENSIONS		
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers	44/0	44
CABS, COWLS, BODIES		
CAB Conventional 6-Man Crew Cab	359/291	650
ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Crew Cab	45/38	83
AIR CONDITIONER with Integral Heater and Defroster	0/0	0
CAB INTERIOR TRIM Classic, for Crew Cab	0/0	0
<u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap		
CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side	0/0	0
CAB MOUNTING HEIGHT EFFECTS High Cab in Lieu of Mid High Cab Mounting (Approx. 4.5")	0/0	0

<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
CAB REAR SUSPENSION Air Bag Type	0/0	0
CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator	12/0	12
COVER PLATE Blank Steel Cover Plate in Place of Storage Bin for Customer Mounting Requirements	0/0	0
GAUGE CLUSTER Premium Level; English with English Electronic Speedometer	0/0	0
<u>Includes</u>		
: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for		
: GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure		
: WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)		
GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel	2/0	2
GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	1/0	1
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster	0/0	0
GAUGE, VOLTMETER Auxiliary Gauge, Located in Center Panel. Standard Cluster Also Includes Digital Voltage Readout	0/0	0
VIRTUAL GAUGE, AIR APPLICATION Requires Premium Cluster	0/0	0
VIRTUAL GA, OIL TEMP,AUTO XMSN for Allison Transmission, Requires Premium Cluster	0/0	0
GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	6/0	6
GRAB HANDLE, ADDITIONAL EXT (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, Mounted Left and Right Side, Rear of Rear Doors, for Crew Cab	5/0	5
GRAB HANDLE, CAB INTERIOR (4) Safety Yellow, Crew Cab	0/0	0
INSTRUMENT PANEL Flat Panel	0/0	0
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width	0/0	0
<u>Notes</u>		
: Mirror Dimensions are Rounded to the Nearest 0.5"		
MONITOR, TIRE PRESSURE Omit	-9/-2	-11
SEAT BELT All Red; 4 to 6	0/0	0
SEAT, DRIVER {H.O. Bostrom Sierra Air 100} NFPA Compliant, Air Suspension, High Back, Vinyl with Covered Back and International Logo on Headrest, for Fire Truck	10/3	13
SEAT, PASSENGER {H.O. Bostrom Tanker 450} for SCBA; Non-Suspension, High Back, Vinyl with Covered Back, International Logo on Headrest, Adjusters, 7-Degree Back Angle	96/35	131
SEAT, REAR {H.O. Bostrom Tanker 400CT} for SCBA; Two Individual Seats on One Riser, Non Suspension, High Back, Vinyl, with Covered Back and International Logo on Headrest	170/65	235
SEATBELT WARNING PREWIRE Includes Seat Belt Switches and Seat Sensors for all Belted Positions in the Cab and a Harness Routed to the Center of the Dash for the Aftermarket Installation of the Data Recorder and Seatbelt Indicator Systems, for 4 to 6 Seat Belts	0/0	0

<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
WINDOW, POWER (4) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature	5/0	5
FRAMES		
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	188/460	648
BUMPER, FRONT Swept Back 15-Degrees, Stainless Steel, Polished, with Headlight Provision	-2/0	-2
FRAME DIMPLE Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline	0/0	0
FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	135/-30	105
TOW HOOK, FRONT (2) Frame Mounted	8/0	8
WHEELBASE RANGE 207" (525cm) Through and Including 254" (645cm)	335/-335	0
BRAKES		
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0
<u>Includes</u>		
: BRAKE LINES Color and Size Coded Nylon		
: DRAIN VALVE Twist-Type		
: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster		
: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel		
: PARKING BRAKE VALVE For Truck		
: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4		
: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6		
AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control	6/2	8
BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	1/0	1
BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity	-23/0	-23
BRAKE CHAMBERS, FRONT AXLE {MGM} 20 SqIn	-1/0	-1
SLACK ADJUSTERS, FRONT {Haldex} Automatic	14/0	14
DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10
BRAKES, REAR {Meritor 16.5X7 P} Air S-Cam Type, Cast Spider, Cast Shoe, Double Anchor Pin, Includes Greaseable and Zinc Coated Anchor Pins, Size 16.5" X 7", 38,000-lb Capacity per Axle	0/106	106
BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	0/7	7
SLACK ADJUSTERS, REAR {Haldex} Automatic	0/16	16
DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/10	10
BRAKE CHAMBERS, POSITION Rotated Forward and Up For Maximum Ground Clearance with 4x4	0/0	0
AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0
AIR DRYER {Bendix AD-IP} with Heater	13/14	27
AIR DRYER LOCATION Mounted Inside Left Rail, Behind Transfer Case Mounting	5/5	10
AIR TANK LOCATION (2) Mounted Left Side BOC Under Battery Box	-8/18	10
DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank	2/0	2

<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
STEERING		
STEERING GEAR {Sheppard M110} Power	43/-2	41
STEERING COLUMN Tilting	13/2	15
STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0
DRIVELINES		
DRIVELINE SYSTEM {Dana Spicer} SPL170 Main Driveline, 1710 Driveline to Transfer Case, SPL140 Driveline to Front Axle, for 4x4	7/31	38
EXHAUST SYSTEMS		
EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab, for All-Wheel Drive	57/-1	56
AFTERTREATMENT COVER Steel, Black	11/2	13
ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch	41/7	48
SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	2/0	2
TAIL PIPE (1) Horizontal, Short, Exits Right Side, 90 Degree Turnout	14/9	23
ELECTRICAL SYSTEMS		
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0
<u>Includes</u>		
: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab		
: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel		
: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever		
: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light		
: STARTER SWITCH Electric, Key Operated		
: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector		
: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature		
: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever		
: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted		
: WIRING, CHASSIS Color Coded and Continuously Numbered		
ALTERNATOR {Leece-Neville BLP4006HN} Brushless, 12 Volt, 325 Amp Capacity, Pad Mount, with Remote Sense	17/0	17
ANTENNA for Increased Roof Clearance Applications	1/0	1
BATTERY BOX Steel, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Fuel Tank	-19/19	0
BATTERY DISCONNECT SWITCH for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC) and Body Builder Through Solenoid, Does Not Disconnect Charging Circuits, Locks with Padlock, Cab Mounted	11/2	13
BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	29/24	53

<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
BODY BUILDER WIRING To Rear of Frame, with Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket	2/0	2
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
CIGAR LIGHTER Includes Ash Cup	1/0	1
CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0
COURTESY LIGHT (4) Mounted In Front & Rear Map Pocket Left and Right Side	2/0	2
DATA RECORDER Includes Display Mounted in Overhead Console	2/0	2
HEADLIGHTS Halogen, with Daytime Running Lights	0/0	0
HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	3/0	3
HORN, ELECTRIC (2) Disc Style	1/0	1
IGNITION SWITCH Keyless	2/0	2
INDICATOR, BATTERY WARNING Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch	1/0	1
INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0
POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1
POWER SOURCE, ADDITIONAL Two Auxiliary Power Outlets (APO) with Two USB-A Ports and Two USB-C Ports, Located in the Instrument Panel	0/0	0
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
RADIO, AUXILIARY CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect	8/2	10
SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	6/2	8
STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection	8/1	9
SWITCH, AIR HORN, PASSENGER Fire Truck Application; Momentary Switch Located in Instrument Panel Close to Passenger, Driver Also To Activate Switch with Lanyard	0/0	0
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0
TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0
WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0
WIRING MODIFICATIONS for J1939, with 8' of J1939 250K Body Bus Wiring Coiled Inside Left Rail Behind Transmission, Data High to Pin A, Data Low to Pin B, to Communicate with Pressure Governor	1/0	1
FRONT END		
FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0
FENDER EXTENSIONS Rubber	6/0	6
GRILLE Stationary, Chrome	0/0	0
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System	3/0	3
LOGOS EXTERIOR Model Badges	0/0	0

<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
LOGOS EXTERIOR, ENGINE Badges	0/0	0
<u>SPEEDOMETER, TOOLS, MISC</u>		
COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	1/0	1
KEYS - ALL ALIKE, ID I-1003 Compatible with Z-001	0/0	0
PAINT SCHEMATIC, PT-1 Two Tone, Design 209.	0/0	0
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
PAINT CLASS Single Custom Color	0/0	0
<u>FUEL TANKS</u>		
FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab	25/4	29
DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0
FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	14/0	14
FUEL/WATER SEPARATOR {Racor 400 Series} with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	0/0	0
<u>WHEELS, TIRES - FRONT</u>		
WHEELS, FRONT {Accuride 43644} DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	-68/0	-68
(2) TIRE, FRONT 12R22.5 Load Range H XDN2 (MICHELIN), 483 rev/mile, 75 MPH, Drive	34/0	34
<u>WHEELS, TIRES - REAR</u>		
WHEELS, REAR {Accuride 43644} DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	0/-136	-136
(4) TIRE, REAR 12R22.5 Load Range H XDN2 (MICHELIN), 483 rev/mile, 75 MPH, Drive	0/68	68
<u>BODY INTEGRATION</u>		
BDY INTG, I/O EXP HARNESS {for Diamond Logic Builder} In-Cab wire harness (DLB) program only, Includes a harness with five blunt cut wires routed on lower left of instrument panel. Two ground active inputs and two (.5Amp) relay drivers outputs are provided	0/0	0
Services Section:		
<u>WARRANTY</u>		
WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0
Total Component Weight:	9582/5443 (lbs)	15025 (lbs)
	(lbs)	(lbs)

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

(US DOLLAR)

Description

Price

Net Sales Price:

\$137,600.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.



QUOTATION

Thermopolis Fire Department
 Corey Johnston
 400 South 14th Street
 Thermopolis, WY 82443
 307-921-2087
 coreywj74@yahoo.com

Thermopolis Fire Department
 Corey Johnston
 400 South 14th Street
 Thermopolis, WY 82443
 307-921-2087
 coreywj74@yahoo.com

Exp. Date:	11/08/2023	
Quote No:	10057-0007	
TIMBERWOLF:	G0-00-1100	Rosenbauer Timberwolf - Single Axle
BID PREP:	G0-09-0020	EXT Timberwolf Bid Prep Forms
WARRANTY:	G0-09-2020	EXT Timberwolf Warranties-BR
ELEC-DC:	G0-50-1000	EXT Timberwolf - DC Elec System
CHS MODS:	G0-10-0100	EXT Timberwolf SA Chassis Modifictns
PLUMBING:	G0-20-2100	EXT Timberwolf Pump&Plumbing
PUMP COMPT:	G0-26-2100	EXT Timberwolf Pump Cmpt
BODY-PMPR:	G0-30-3600	EXT Timberwolf 750 Gal Long Body
BODY-CMMN:	G0-44-0100	EXT Timberwolf Common Body Parts
ELEC-AC:	G0-60-1000	EXT Timberwlf - AC Electrical System
EQUIP-SYST:	G0-70-1000	EXT Timberwolf - Equipment Systems
PAINT:	G0-80-1000	EXT SA Timberwolf -Paint/Lettering/Stripe
EQUIP-LSE:	G0-90-0000	EXT Pmpr/Tnkr - Loose Equipment

04/05/2024

Page 1

PART NO	S	DESCRIPTION	QTY	ID
== EXT Timberwolf Bid Prep Forms - 901.023 09/01/23 ==				
ROSENBAUER APPARATUS SOLUTIONS - RAS - 3 OCTOBER 2023				
00-00-0007		=== Pricing as of Rosenbauer QW Release AUGUST 2023 Price Good Through 12-31-23	1	RAS
00-00-1300	S	Thermopolis Fire Department	1	RAS
00-00-1499		Overall Height Restriction, NONE	1	RAS
00-00-1509		Overall Length Restriction, NONE	1	RAS
00-00-1519		Overall Width Restriction, NONE	1	RAS
00-00-1529		Wheelbase Restriction, NONE	1	RAS
00-00-1610		NFPA Pumper Equipment Allowance 2500#	1	RAS
00-00-3220		Contract Change Notice	1	RAS
00-12-1100		Financial Stability Response	1	RAS
01-06-0590		> Performance Testing, Tilt Angle, Not Req'd, Comparable BUILD	1	RAS
02-02-0200	S	< > Pre-Construction Conference At Mfg.	1	RAS
Air travel, meals, and lodging expenses shall be included for three (3) travelers.				

PART NO	S	DESCRIPTION	QTY	ID
02-02-0300	S	< > Final Inspection Trip Air travel, meals, and lodging expenses for three (3) travelers shall be included.	1	RAS
02-13-5020		Demonstration (Dealer Supplied) == EXT Timberwolf Warranties-BR - 901.023 09/01/23 ==	1	RAS RAS
01-16-0150	>	-- Warranty, Apparatus, Body Warranty, 1 Year	1	RAS
01-19-0460		-- Warranty, Body, Aluminum, Life-Time, Transferable	1	RAS
01-19-2450		-- Warranty, Subframe, Lifetime Aluminum, Transferable	1	RAS
01-20-0360		-- Warranty, Paint, PPG, 10 Years, EXT	1	RAS
01-21-0350		-- Warranty, Lettering and Striping, 3 Years	1	RAS
01-17-0870	>	-- Pump Warranty, Rosenbauer, 5 Year	1	RAS
02-14-6250		Plumbing Warranty, Stainless Steel, 10 Years	1	RAS
01-33-3710		-- In Process Photos	1	RAS
01-33-3812		-- Manuals, Body, Complete, Customized, EXT	1	RAS
01-33-5200		-- Manuals, Electrical, As Built Body, 1 Set Printed w/Digital Copy	1	RAS
02-90-1500	< >	Chassis, International 4 Door International HV507 4x4 Crew Cab == EXT Timberwolf - DC Elec System - 901.023 09/01/23 ==	1	RAS RAS
50-09-3105	>	Electrical, Base, Rosenbauer LCS 2.0 - Timberwolf/Airwolf	1	RAS
55-11-1301	>	-- Door Open/Hazard Warning Light, Flashing LED, Red, Clear Lens, Whelen TIR3	1	RAS
50-12-1560		Electrical Console, In Cab, Rosenbauer LCS 2.0, Tmbrwlf/Arwlf, International	1	RAS
50-15-1100		Batteries, With Supl'd Chs	1	RAS
50-15-3100		Battery Switch, Master Disconnect , Chassis Sppld	1	RAS
50-15-3410		Ignition Switch, Keyless, w/Chassis	1	RAS
50-41-7100	>	Air Horns Two (2) 24" Round Hadley E-Tone	1	RAS
50-41-8180		Air Horn Location Hood Mounted, One (1) Ea Side	1	RAS
50-43-1000		Air Horn Controls	1	RAS
50-43-2000		-- Air Horn Control, Driver, Horn Ring, Air/Electric	1	RAS
50-43-2200	>	-- Air Horn Control, Officer, Single Foot Switch	1	RAS
51-00-2112		-- 12V Dual USB Power Outlet, 5V 2.1A Output, Center Console	2	RAS
51-00-4010		-- Constant Power	2	RAS
51-00-2400		-- 12V Power Outlet (Cigarette Style), 15A, Rear Crew Cab Cabinet	1	RAS
51-00-4000		-- Switched Power, Thru Master	1	RAS
51-00-2410		-- 12V Dual USB Power Outlet, 5V 2.1A Output, Rear Crew Cab Cabinet	2	RAS
51-00-4010		-- Constant Power	2	RAS
51-05-6200		Light, Engine Compt, 12 Volt LED, w/Switch	1	RAS
51-05-9000		-- Switch on Light Head	1	RAS
52-01-1210	>	Back Up Alarm, EXT	1	RAS
52-02-1150	< >	Back Up Camera, ASA, Color Top of dash center, mounted facing driver.	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
52-03-1700	< >	Map Light, Havis C-MAP-T-LED Officer side center console	1	RAS
52-08-1302	>	-- Hand Light, Survivor LED, Yellow, w/ 12V Charger (#90519)	4	RAS
52-08-2300	>	-- Hand Light Install Location, Cab, Define	1	RAS
52-08-2314	>	-- Flashlight Install Rear Wall	1	RAS
52-10-3201	>	Intercom System, FireCom 5200D Wireless (Dual Radio)	1	RAS
52-10-3290	>	-- Hanger Hook - Headset	6	RAS
52-10-3310	>	-- Headset, Wireless, Intercom w/Transmit, Firecom, UHW505	2	RAS
52-10-3320	>	-- Headset, Wireless, Intercom, Intercom Only, Firecom, UHW503	2	RAS
52-10-3350	>	-- Base Station, Wireless, Five Person, WB505R	1	RAS
52-15-1200	>	Radio Antenna Base, Supply and Install, Ea	1	RAS
52-15-1700	>	Radio, Fire, Install Customer Supplied	1	RAS
51-00-1700		-- 12V Power/Ground, 30A, Radio Location	1	RAS
51-00-4000		-- Switched Power, Thru Master	1	RAS
53-01-1201		Marker Lights, LED, DOT Requirements, Timberwolf/Airwolf	1	RAS
53-02-1250		License Plate Bracket, Cast Products, LP0005-1-C w/ LED Light	1	RAS
53-03-0065		Whelen Rear DOT LED Lighting Package M6	1	RAS
53-03-2750		-- Tail/Brake Lights, Whelen, LED, M62BTT (Pair)	1	RAS
53-04-2750		-- Turn Signals, Whelen, LED w/ Arrow, M62T (Pair)	1	RAS
53-06-3550		-- Backup Lights, Whelen, LED, M62BU (Pair)	1	RAS
53-07-1210		-- (4) Light Bezel, Tail Lights, Whelen M6 (Pair), ABS Chrome	1	RAS
53-05-1800		Turn Signals, Mid Body, LED Marker Light (Pair)	1	RAS
54-01-1220		-- Ground Lights, Front Bumper, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-02-1520		-- Ground Lights, Cab, 4-Door, LED, Whelen 3SC0CDCR Four	1	RAS
54-03-1420		-- Ground Lights, Mid Body, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-03-1620		-- Ground Lights, Rear Step, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-03-1820		-- Ground Lights, Behind Rear Wheels, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-04-1999		-- Light Switch , Ground Lights w/ Park Brake	1	RAS
54-10-1300		Step Light, Fixed /Folding Step, LED, Ea	3	RAS
54-11-2100		Light Switch , Step/Walkway Lights Wired Park Brake Switch	1	RAS
54-15-5904		Scene Light - Front / Cab Brow	1	RAS
51-16-5020	>	-- Scene Light, Fire Tech, FT-B-46-ML3-W, 18,000 Lmns, 46" Light Bar Mount, White	1	RAS
54-15-6070	<	-- 3-Way Control Switch, Front Scene Lights, Cab Dash/Pump Panel Brow light shall include 3 switches to be wired to the spot, flood and scene light circuit. Switch integrated into LCS Console	3	RAS
54-15-5908		Scene Light - Cab Left Side	1	RAS
54-15-5912		Scene Light - Cab Right Side	1	RAS
54-15-5916		Scene Light - Pump Panel Left Side	1	RAS
54-15-5920		Scene Light - Pump Panel Right Side	1	RAS
54-15-5924		Scene Light - Body Left Side	1	RAS
54-15-4804	>	-- Scene Light, FireTech, Guardian, FT-GSM, Surface Mount	2	RAS
54-15-6470	<	-- 3-Way Control Switch, Left Scene Lights, Cab Dash/Pump Panel Switch integrated into LCS Console	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
54-15-5928		Scene Light - Body Right Side	1	RAS
54-15-4804	>	-- Scene Light, FireTech, Guardian, FT-GSM, Surface Mount	2	RAS
54-15-6570	<	-- 3-Way Control Switch, Right Scene Lights, Cab Dash/Pump Panel	1	RAS
		Switch integrated into LCS Console		
54-15-5932		Scene Light - Rear Body	1	RAS
54-15-4804	>	-- Scene Light, FireTech, Guardian, FT-GSM, Surface Mount	2	RAS
54-15-6670	<	-- 3-Way Control Switch, Rear Scene Lights, Cab Dash/Pump Panel	1	RAS
		Switch integrated into LCS Console		
54-15-6700		-- Scene Light Switch , Rear Scene Lights, Auto w/ Reverse	1	RAS
56-01-1600		Siren, Electronic, Whelen 295SLSA1	1	RAS
56-02-1600		Speaker, Fed Sig Dynamax, ES100C 100 Watt	1	RAS
56-02-1650		-- Speaker Grille, SST, "R"	1	RAS
56-03-1800		-- Speaker Location, To Be Determined by Body Mfg	1	RAS
57-02-1210	>	-- Light Bar, Whelen, Ultra Freedom IV, #F4N0VLED, LED, 60"	1	RAS
57-10-0600		-- Light Bar Control, with Master Warning Switch	1	RAS
58-71-1770		-- Warning Lights, Whelen, Upper Rear Body (2) M9 LED	1	RAS
57-20-1410		-- Warn Light, Driver, Whelen, M9, Red LED, Clear Lens, Ea	1	RAS
57-20-1411		-- Warn Light, Officer, Whelen, M9, Red LED, Clear Lens, Ea	1	RAS
58-01-2180		-- Flange, Chrome, Warning Light, Whelen, M9 Ea	2	RAS
58-61-2100		-- Warning Lights, Whelen, Upper Side Rear Body (2) M9 LED	1	RAS
57-20-1410		-- Warn Light, Driver, Whelen, M9, Red LED, Clear Lens, Ea	1	RAS
57-20-1411		-- Warn Light, Officer, Whelen, M9, Red LED, Clear Lens, Ea	1	RAS
58-01-2180		-- Flange, Chrome, Warning Light, Whelen, M9 Ea	2	RAS
58-03-2000		-- Warning Lights, Whelen, Low Front, (2) M6 LED	1	RAS
57-20-1210		-- Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
57-20-1211		-- Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS
58-09-2000		-- Warning Lights, Whelen, Intersection, (2) M6 LED	1	RAS
57-20-1210		-- Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
57-20-1211		-- Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS
58-26-2000		-- Warning Lights, Whelen, Lower Mid Body (2) M6 LED	1	RAS
57-20-1210		-- Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
57-20-1211		-- Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS
58-81-2000		-- Warning Lights, Whelen, Lower Rear Body (2) M6 LED	1	RAS
57-20-1210		-- Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
57-20-1211		-- Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
		== EXT Timberwolf SA Chassis Modifctns - 901.023 09/01/23 ==		RAS

PART NO	S	DESCRIPTION	QTY	ID
10-01-1100		> Vehicle Dimensions, Single Axle	1	RAS
10-02-1100		Label, Data, Fluid Levels	1	RAS
10-02-1200		Label, Data, Height x Length, Weight	1	RAS
10-02-1300		Label, Data, "No Ride" Rr Step	1	RAS
10-02-1400		Label, Data, Tire Pressure	1	RAS
10-02-2100		Label, Indicating Number of Seats	1	RAS
10-02-2500		Label, "Caution: Do Not Wear Helmet While Seated"	1	RAS
10-03-1230		> Chassis Preparation, Comm, 4 Door, Tmbrwlf/Airwlf	1	RAS
10-03-6500		> Tow Plates (2), Rear Frame Rail, Under Rear Body, Tmbrwlf/Airwlf	1	RAS
80-43-2400		-- Painting, Tow Plates, Black	1	RAS
10-04-2154		Bumper Extension, 20", By Body Builder	1	RAS
10-04-2344		-- Bumper Gravelshield, 20", By Body Builder	1	RAS
10-04-3570		Bumper, Flat Style, Polished SST Cladding, Tmbrwlf	1	RAS
10-06-1130		> Wheel Trim, SST Lug Covers Frnt/Rr, Hub Cvr-Rr Only, Sngl Axle, 4x4, Commercial	1	RAS
10-06-1600		> Tire Pressure Indicator, Single Axle, Commercial, RWTG1235	1	RAS
10-07-2110	S	< Exhaust, Horizontal, With Chassis, Navistar horizontal exhaust system	1	RAS
10-07-3100		Exhaust Elbow, Supl'd w/ Chassis	1	RAS
10-08-2100		Mud Flaps, Rear Wheels, Black, w/ Body	1	RAS
10-10-0800		> Cab Step Overlay, 4 Door Driver Side w/Compartment	1	RAS
10-18-4070		> -- Batteries, Relocate Chassis Supplied, Bumper Extension	1	RAS
10-18-1200		-- Battery Jump Start Lugs, Studs and Caps, Near Driver's Door	1	RAS
10-10-0700		> Cab Step Overlay, 4 Door Passenger Side	1	RAS
10-12-6610		SCBA Bracket, Cab Seat, IMMI Smart Dock	3	RAS
10-13-2700		Cabinet, Center Forward Facing, Full Ht, Roll Up 22" W X 24" deep	1	RAS
10-13-3540		-- Exterior Finish, Cabinet, To Match Cab Interior	1	RAS
10-13-3550		-- Interior Finish, Cabinet, Natural	1	RAS
10-13-3600		-- Shelf, Adjust, Crew Cab Cabinet	2	RAS
10-13-8000		> -- Cup Holder, Black	2	RAS
55-01-3230		-- Wall Light, OSS Night Axe, 36" LED Tube Light, (1) Ea Compartment	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
10-13-4400		Binder Storage Module, Cab, Custom Chassis, Rear Engine Tunnel, Two (2) 2"	1	RAS
10-13-3540		-- Exterior Finish, Cabinet, To Match Cab Interior	1	RAS
10-13-3550		-- Interior Finish, Cabinet, Natural	1	RAS
10-19-6100		Air Outlet, Mnl, Pump Panel == EXT Timberwolf Pump&Plumbing - 901.023 09/01/23 ==	1	RAS RAS
20-27-1211	< >	-- Pump, Rosenbauer, NH55-1000 GPM, NPHP, PTO, LCS - Tmbrwlf It is recommended that the Fire Pump is drained and kept dry between uses due to potential water quality issues and the long term affect on the entire plumbing system. 4500 Ft ASL	1	RAS
20-27-6210		-- Primer, Rosenbauer, Automatic, LCS Belt driven	1	RAS
20-28-3410	>	-- Pump Shift, Rosenbauer, PTO, Pump and Roll, Tmbrwlf/Airwlf	1	RAS
20-28-4015		-- Supply Valve, High Pressure, Elec, LCS	1	RAS
21-00-3250		-- Piping, SST - Up to 1000 GPM *	1	RAS
21-01-5600		-- Intake Manifold, Stainless Steel	1	RAS
21-01-6600		-- Discharge Manifold, Stainless Steel	1	RAS
21-01-7300		-- Unpainted, Pump & Piping	1	RAS
21-01-8100		-- Threads, National Hose (NST)	1	RAS
22-04-3310		-- Intk, Ungated, 6", Rr Center - Tmbrwlf	1	RAS
22-41-5700		-- Cap, 6", Chrome Long Hndl	1	RAS
22-51-8811	>	-- Tank-To-Pump, Water Tank, 4" Butterfly Vlv, N/NH Series, One LCS, EXT	1	RAS
23-02-1211	>	-- Tank Fill/Cooling Line, Water Tank, 1-1/2", One LCS, Tmbrwlf/Airwlf	1	RAS
25-08-2110	>	-- Foam Capability, HP-NP Foam Pro 2001 - Tmbrwlf	1	RAS
25-06-3110	>	-- Foam Sys, F/PRO 2001, Cls A/B, 2.6G, 12V - Tmbrwlf	1	RAS
25-09-1100		-- Remote Foam Activation Swtch and Lt	1	RAS
25-20-1500	<	-- Foam Plmbg, Sngl Class A Tank, 1" Mnl Vlv - Tmbrwlf Foam discharges: Front Bumper, (2) Speedlays, Left Side Pump Area 2.5", (2) HP Booster Reels.	1	RAS
25-21-1510		-- Foam Tank, Integral Poly, 30 Gal, Class A - Tmbrwlf	1	RAS
25-22-9200		-- Foam Tank, Pro Poly	1	RAS
25-23-1002		-- Foam Tank Drain, Cls 1" Ball Vlv, Under Tank	1	RAS
27-10-5020		-- Pressure Gvrnr, Rosenbauer, Tmbrwlf LCS 2.0	1	RAS
27-01-3310		-- Mstr Gauges, Rosenbauer, LCS 2.0, Digital, Pres/Vacuum	1	RAS
27-01-4100	>	-- Gauge, Test Taps	1	RAS
27-03-1600	>	-- Gauge, Dschg, 2-1/2" 600#, High Pressure Pumps, Mntd on pump Panel	1	RAS
27-03-1800	>	-- Gauge, Dschg, Digital, In Cab, Pump and Roll	1	RAS
27-35-3000		-- Water Level Display, DigiView, Pump Panel, LCS 2.0, Tmbrwlf	1	RAS
27-35-6126	>	-- Water Tank Gauge, Whelen PS TANK2 LED, Level Lts, (3 Lts), LCS	1	RAS
27-35-6502		-- Mntng Location, Front Body Corners	1	RAS
27-35-6508		-- Mntng Location, Rear Body	1	RAS
27-35-3200		-- Water Level Display, DigiView, In-Cab, LCS 2.0, Tmbrwlf	1	RAS
27-36-3000		-- Foam Tank Gauge, DigiView, Class A, Pump Panel, LCS 2.0, Tmbrwlf	1	RAS
27-36-3300		-- Foam Tank Gauge, DigiView, Class A, In-Cab, LCS 2.0, Tmbrwlf	1	RAS
20-30-3400		-- Pump Instln, Rr Mt PTO, By Bdy Bldr	1	RAS
20-31-1000		Fire Pump Testing - Pumpers/Tankers	1	RAS
20-31-1100	<	-- Pump Test, Pumper, UL 4500 Ft ASL	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
20-31-1500		-- Pump Test, Label	1	RAS
20-31-3200		Dump-Relief Vlv, Suction Side, ELK #40, NST	1	RAS
20-31-4110		Pump Cooler, Bypass-To-Tank, 3/8", IC Mini-Twist Handle	1	RAS
20-31-4700		Pump Cooler, Rosenbauer, Thermal	1	RAS
20-31-5204		Heat Exchanger, Engine, Complete, IC Mini-Twist Handle	1	RAS
22-30-1110		Intk, Gtd, 2-1/2" NST, Left Rear, Rr Mt - Tmbrwlf/Airwlf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Mnl 1/4 Turn - Spec Only	1	RAS
22-41-1100		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	1	RAS
24-62-1258		-- Vlv Mfger, AKR, 8000, (2-1/2"), Mnl Swg Cntrl Only	1	RAS
22-55-4050		-- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent	1	RAS
23-14-3110	>	Dschg, 1-1/2" Frnt Bmpr Crosslay, Tmbrwlf/Airwlf	1	RAS
10-04-2560	>	-- Bumper Crosslay Hosebed, Full Width, (1) 150' 1-3/4", Timberwolf	1	RAS
23-16-2900		-- Crosslay/Speedlay, Equipment Securement, NFPA	1	RAS
23-16-3150		-- Crosslay Cover, Alum T/P, Single, End Flaps	1	RAS
21-01-2202		-- Drain/Bleeder, Class 1, Automatic - Spec Only	1	RAS
24-61-1225		-- Vlv Mfger, AKR, 8000, (2"), KZCO Electric	1	RAS
24-53-6220		-- Vlv Cntrl, AKR, 2.0" Elec, KZCO, Rocker Switch	1	RAS
27-02-1200	>	-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	RAS
23-16-1210	<	-- Speedlay Dschgs, (2) 1-1/2", Front of Bdy, Tmbrwlf Speedlays to be moved rearward as close to the water tank as possible leaving a larger transverse area Reference Sunshine #95127	1	RAS
21-01-2202		-- Drain/Bleeder, Class 1, Automatic - Spec Only	2	RAS
23-16-8100		-- Speedlay, 1-3/4", Removable Hose Tray, Alum	2	RAS
24-61-1225		-- Vlv Mfger, AKR, 8000, (2"), KZCO Electric	2	RAS
24-53-6200		-- Vlv Cntrl, AKR, 2.0" Elec, KZCO, TSL controller	2	RAS
27-02-1200	>	-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	2	RAS
23-16-2900		-- Crosslay/Speedlay, Equipment Securement, NFPA	1	RAS
23-20-2110		Dschg, 2-1/2", Rr Cntr Pmp Pnl, Left Side, Tmbrwlf/Airwlf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Mnl 1/4 Turn - Spec Only	1	RAS
24-02-1202		-- Elbow, Flange x 2-1/2"M, Chrome	1	RAS
24-03-1400		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Vlv Mfger, AKR 8000, 2-1/2", Mnl Swng Type-Adj, TS-7	1	RAS
24-53-0820		-- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adj, TS-7	1	RAS
27-02-1200	>	-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-2310		Dschg, 2-1/2", Rr Cntr Pmp Pnl, Right Side, Tmbrwlf/Airwlf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Mnl 1/4 Turn - Spec Only	1	RAS
24-02-1202		-- Elbow, Flange x 2-1/2"M, Chrome	1	RAS
24-03-1400		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Vlv Mfger, AKR 8000, 2-1/2", Mnl Swng Type-Adj, TS-7	1	RAS
24-53-0820		-- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adj, TS-7	1	RAS
27-02-1200	>	-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-2610		Dschg, 2-1/2", Left Rear Upper Face, Tmbrwlf/Airwlf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Mnl 1/4 Turn - Spec Only	1	RAS
24-01-2400		-- Adptr, Reducing, 2-1/2" NST F x 1-1/2" NST M, Chrome	1	RAS
24-02-1200		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	1	RAS
24-03-1200		-- Cap, 1-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Vlv Mfger, AKR 8000, 2-1/2", Mnl Swng Type-Adj, TS-7	1	RAS
24-53-0820		-- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adj, TS-7	1	RAS
27-02-1200	>	-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-2910		Dschg, 2-1/2", Right Rear Upper Face, Tmbrwlf/Airwlf	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
21-01-2302		-- Drain/Bleeder, Class 1, Mnl 1/4 Turn - Spec Only	1	RAS
24-01-2400		-- Adptr, Reducing, 2-1/2" NST F x 1-1/2" NST M, Chrome	1	RAS
24-02-1200		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	1	RAS
24-03-1200		-- Cap, 1-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Vlv Mfger, AKR 8000, 2-1/2", Mnl Swng Type-Adj, TS-7	1	RAS
24-53-0820		-- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adj, TS-7	1	RAS
27-02-1200	>	-- Gauge, Dschg, Class 1, 2-1/2" (0-400 PSI), WF	1	RAS
24-30-3310	>	-- Hose Reel, HAN, LH Under Cab Cmpt, Elec, Stl Pntd - Tmbrwlf	1	RAS
10-04-2600		-- Battery Compartment, Driver Bumper, Timberwolf/Airwolf	1	RAS
10-04-2930		-- Battery Compartment, Passenger Bumper, Timberwolf/Airwolf	1	RAS
24-31-2100		-- Hose Reel, Rwnd Cntrl, Weatherproof Push Button	1	RAS
24-32-1210		-- Dschg, Hose Reel, 1", Class 1 Valve	1	RAS
24-32-1800		-- Dschg, Hose Reel, Plmbd to High Pressure	1	RAS
24-33-1300		-- Hose, Water, 800#, 3/4-in x 150-ft, Three (3) 50-ft Lengths	1	RAS
24-33-7200	>	-- Nzl, Rosenbauer, Servo-Nepiro, High Pres, 1" NST	1	RAS
24-33-8000		-- Nzl, Mtg, Hose Reel	1	RAS
24-33-9600	>	-- Roller, Hose Reel, Captive, Four Sided	1	RAS
80-43-1600		-- Painting, Hose Reel, Silver Gray	1	RAS
		== EXT Timberwolf Pump Cmpt - 901.023 09/01/23 ==		RAS
26-40-1600		Pump Enclsr, Specs, Tmbrwlf/Airwlf	1	RAS
26-40-2500		Pump Panel Lctn, TimberWolf, Rr Center	1	RAS
26-40-4100		-- Pump Cntrl Panel Enc Door, Rr Mt, Rr Center, Roll Up	1	RAS
26-56-1462		-- Pump Panel Lts (2), Rr Mt, (2) Grote #01-61F8-70 Low Profile, LED, Tmbrwlf	1	RAS
26-56-1992		-- Lt Swtch , Pump Panel Lts w/ Park Brake	1	RAS
26-40-3110		Pump Cntrl Panel, Rr Mt SST, Tmbrwlf	1	RAS
26-40-5500		Pump Access Panels, Rr Mt, Side Cmpts Bhnd Rr Whls	1	RAS
26-50-1200	>	Heater, Pump Enc, 30,000BTU, w/Swtch on Pmp Oprtr's Pnl	1	RAS
26-50-1230		-- Heater Fan Switch, Pump Operator's Panel	1	RAS
26-50-1400		-- Thermostat, Heater, Pump Enc, w/Mnl Ovrrd on Pmp Pnl	1	RAS
26-55-1100		Labels, Test Data and Safety Placards	1	RAS
26-55-2410		Labels, IC Color Coded, EXT	1	RAS
27-37-1100		Air Horn, Push Button, Pump Panel	1	RAS
27-37-3010		Air Blow Out, Tmbrwlf/Airwlf	1	RAS
		== EXT Timberwolf 750 Gal Long Body - 901.023 09/01/23 ==		RAS
25-28-1362		Water Tank, 750 Gal, Poly, T-Tank, Tmbrwlf/Airwlf	1	RAS
25-42-1100	>	-- Water Tank, Base Specs, Poly	1	RAS
25-42-1200		-- Water Tank, Manufacturer, UPF, Poly	1	RAS
25-44-1700		-- Water Tank, Fill Tower, 10" x 10", EXT	1	RAS
25-50-1400		-- Water Tank Clean-out & Plug, 3"	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
25-50-2511		> Direct Tank Fill, 2-1/2" Vlv, Right Rr, LCS AutoFill, Tmbrwlf/Airwlf	1	RAS
29-00-2400		> Hosebed, Pmpr, <168" L, HD, 71" Wide - EXT	1	RAS
29-10-1050		Hosebed, Grating, Extrd Alum, <168" Long - EXT	1	RAS
29-10-5020		Hosebed Storage Cpcty, EXT	1	RAS
29-10-5090		-- Hosebed, Strge Cpcty, 30 Cubic Feet, Minimum	1	RAS
29-10-5400	<	-- Hosebed, Strge Cpcty 1.75" DJ Hose (50-ft Lngth)	16	RAS
		400ft x 1-3/4" shall be located in the far left (drivers) side of the hosebed, just to the left of the 1000ft x 3".		
		400ft x 1-3/4" shall be located in the far right (officers) side of the hosebed, just to the right of the ladder storage compartment.		
29-10-5700	<	-- Hosebed, Strge Cpcty 3" DJ Hose (50-ft Lngth)	20	RAS
		1000ft x 3" shall be located between the drivers side 400ft x 1-3/4" and the ladder storage compartment.		
29-10-8150		Hosebed, Divider, 1/4" Alum, EXT	1	RAS
29-10-8300		-- Hosebed, Divider, Handhole Cutouts	1	RAS
29-10-8550		Hosebed, Partition, Front of Hosebed, Greater than 48" - EXT	1	RAS
29-20-3550		Hosebed Cvr, Alum T/P, <168" L, 49-74" Wide - EXT	1	RAS
29-20-6650		-- Mnl Operation, Hosebed Cvr, Alum T/P	1	RAS
29-20-7325		-- Hosebed Cover Light, OSS Access, 36" LED Tube Lt, Ea	4	RAS
29-20-7800	>	-- Rear Vinyl Flaps for Alum Cover	1	RAS
29-20-5600		-- Vinyl Cover, Color, RED	1	RAS
30-00-0299		Raw Material Surcharge - Single Axle	1	RAS
30-01-2040		Bdy Const - Rosenbauer EXT - SA Timberwolf	1	RAS
30-01-2250		-- Electrolysis Corrosion Cntrl	1	RAS
30-02-1920		-- Side Body Header, Alum, Pntd, Sngl Axle, EXT	1	RAS
44-05-1200		-- Whl Well Panel, Alum, Pntd, Sngl Axle	1	RAS
44-06-4320		-- Fenderette, Polished Stainless Steel SST, EXT	1	RAS
30-10-1510	>	-- Sub-Frame, EXT, SA Tmbrwlf	1	RAS
31-01-7020	S <	100" OAW, Full Dpth Ahd Rr Whls & Half Dpth Ovrwhls, Tmbrwlf	1	RAS
		L1/R1 to be partially transverse		
31-01-7324	S <	Roll Up Drs, Outside Cmpt, Tmbrwlf, 172" Bdy	1	RAS
		172"		
30-02-1600		-- Drs, Roll-Up, Outside Cmpt, Specs, EXT	1	RAS
30-02-1260	>	-- Dr Strap, EZ-Pull Down, Ea	7	RAS
30-02-1750	< >	-- Drs, Safe Step, Specs, EXT (Ea)	4	RAS
		L1, L3, R1, R3		
30-02-1795		-- Finish, Safe Step, Pntd, Specs, EXT (Ea)	4	RAS
31-01-7300	S <	-- Bdy, Rosenbauer EXT, Timberwolf, 172"	1	RAS
		172"		
32-05-4079		-- Cmpt Height, 79" High Left, High Side, RU Drs	1	RAS
32-05-6560	S <	-- Ahd Rr Whls-56" Full Ht Cmpt - Roll Up Outside Cmpt., Trans	1	RAS
		Speedlays to be moved rearward as close to the water tank as possible leaving a larger transverse area		
		Reference Sunshine #95127		
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	RAS
45-07-3200	S < >	-- On Scene Solutions Tray, 1000#, Alum 3/16" Transverse Dual Direction,	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
		On Scene Solutions dual direction transverse 1000lb slide tray mounted in transverse area of L1/R1		
45-05-4290		-- Gravity Lock, Slide Master	1	RAS
80-76-0110	>	-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	2	RAS
55-01-3625		-- RBA InVisiLight, 56" Recessed, Shelving, Sides (2) Ea Compartment,	1	RAS
		EXT		
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-05-7042		-- Abv Rr Whls-52" Sngl Cmpt, No Hyd Rack-RU Outside Cmpt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-19-1100		-- Equipment Mounting Pnl, Rr Wall, 3/16 Aluminum	1	RAS
55-01-3610		-- RBA InVisiLight, 28" Recessed, Shelving, Sides (2) Ea Compartment,	1	RAS
		EXT		
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-05-8460		-- Bhd Rr Whls-48" Full Ht Cmpt-Roll Up Outside Cmpt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100	<	-- Shelf, Adjust, Alum 3/16", EXT	1	RAS
		Mount at depth transition		
45-05-4100	< >	-- Slide Tray, 250#, Alum 3/16" (1/4 Dpth), EXT	1	RAS
		Mount in rearward portion of compartment		
80-76-0110	>	-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	1	RAS
45-16-1100	<	-- Tool Board, Roll Out, 500#, 3/16" Alum (1/4 Depth)	1	RAS
		Mount 12" from forward wall		
80-76-0110	>	-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	1	RAS
55-01-3620		-- RBA InVisiLight, 45" Recessed, Shelving, Sides (2) Ea Compartment,	1	RAS
		EXT		
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
90-21-1300	>	-- SCBA Mounting Bracket, Zico, 60 Minute, Non Riding HZ-KD-UH-6-SF	1	RAS
32-06-4079		-- Cmpt Height, 79" High Right, High Side, RU Drs	1	RAS
32-06-6560	S <	-- Ahd Rr Whls-56" Full Ht Cmpt - Roll Up Outside Cmpt., Trans.	1	RAS
		Speedlays to be moved rearward as close to the water tank as possible leaving a larger transverse area		
		Reference Sunshine #95127		
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	2	RAS
45-16-1100		-- Tool Board, Roll Out, 500#, 3/16" Alum (1/4 Depth)	2	RAS
80-76-0110	>	-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	2	RAS
55-01-3625		-- RBA InVisiLight, 56" Recessed, Shelving, Sides (2) Ea Compartment,	1	RAS
		EXT		
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-06-7042		-- Abv Rr Whls-52" Sngl Cmpt w/o Hyd Rack-RU Outside Cmpt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-18-1600		-- Tool Board, Swing Out, 250#, 1/8" Alum, EXT	1	RAS
80-76-0110	>	-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	1	RAS
45-19-1100		-- Equipment Mounting Pnl, Rr Wall, 3/16 Aluminum	1	RAS
55-01-3610		-- RBA InVisiLight, 28" Recessed, Shelving, Sides (2) Ea Compartment,	1	RAS
		EXT		
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-06-8460		-- Bhd Rr Whls-48" Full Ht Cmpt-Roll Up Outside Cmpt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	RAS
45-06-2100	>	-- Slide Tray, 500#, Alum 3/16" (1/4 Dpth), EXT	1	RAS
80-76-0110	>	-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
55-01-3620		-- RBA InVisiLight, 45" Recessed, Shelving, Sides (2) Ea Compartment, EXT	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
33-60-2610	S < >	Rr Bdy, 24 Degree Departure Angle, Tmbrwlf/Airwlf 24 degrees	1	RAS
32-08-5202		-- Rr Center Compt - Full Height/Non Trans - Timberwolf / Airwolf	1	RAS
33-62-6400	S <	-- Step/Drawer, Slide Out, Alum T/P, Rr A pull out drawer utilizing a Slide Master slide shall be provided at the rear below the pump compartment. The drawer shall have an aluminum lid and act as a step along with providing storage for adapters. Dimensions of the rear pull out step / drawer are 36.75" wide x 21" front to back x 5" deep.	1	RAS
44-30-1500		-- Roof Access Ladder, Rosenbauer EZ Climb, Left Rr 14" wide	1	RAS
33-70-1333	>	-- Handrail, Alum, Lighted, White LED, EZ-Climb Ladder, 48", Pair	1	RAS
44-35-2200		-- High Angle of Departure Cmpts, Both Sides, Tmbrwlf/Airwlf	1	RAS
44-40-1020		-- Vents, Cmpts, Louvers (Ea)	2	RAS
44-11-5160		Whl Well Cmpt, Ahd of Whls Left Side, Tmbrwlf/Airwlf	1	RAS
44-10-1600	>	-- Whl Well Cmpt, Sngl SCBA, Poly Tube, SST Dr, (Fire Shopp)	1	RAS
44-10-6000		-- Whl Well Cmpt, SCBA Compt Straps	1	RAS
44-11-5360		Wheel Well Provisions, Behind Wheels Left Side, Timberwolf/Airwolf	1	RAS
44-10-1600	>	-- Whl Well Cmpt, Sngl SCBA, Poly Tube, SST Dr, (Fire Shopp)	1	RAS
44-10-6000		-- Whl Well Cmpt, SCBA Compt Straps	1	RAS
44-11-5560		Whl Well Cmpt, Ahd of Whls Right Side, Tmbrwlf/Airwlf	1	RAS
44-10-1600	>	-- Whl Well Cmpt, Sngl SCBA, Poly Tube, SST Dr, (Fire Shopp)	1	RAS
44-10-6000		-- Whl Well Cmpt, SCBA Compt Straps	1	RAS
44-11-5760		Whl Well Cmpt, Bhnd Whls Right Side, Tmbrwlf/Airwlf	1	RAS
44-10-1600	>	-- Whl Well Cmpt, Sngl SCBA, Poly Tube, SST Dr, (Fire Shopp)	1	RAS
44-10-6000		-- Whl Well Cmpt, SCBA Compt Straps	1	RAS
90-02-4130	<	Ladder Storge, In Hosebed, With Door, Timberwolf/Airwolf Located between the 1000' x 3" & 400' x 1-3/4"	1	RAS
90-02-5342		Folding Attic Ladder Mounting, In Ladder Storage, Timberwolf/Airwolf	1	RAS
90-03-3100		Ladder, Roof, Duo-Safety, 10' Aluminum 775-A	1	RAS
90-07-4060		Ladder, Extension, Duo-Safety, 22' Aluminum, 3 Sectiion 925-A	1	RAS
90-08-2600		Ladder, Attic, Duo-Safety, 10' Aluminum, Folding 585-A	1	RAS
90-16-5200	<	Pike Pole Mounting Tube, Internal, Ea Storage for (4) customer supplied D-Handle pike poles will be provided in the transverse area of L1/R1, with access to (2) of them from each compartment.	4	RAS
90-16-5420		Pike Pole Mounting Tube, In Ladder Compartment	2	RAS
90-16-6100		Pike Poles - Provided by Rosenbauer	1	RAS
90-16-2300		-- Pike Pole, 6' Fiberglass, Round Handle	1	RAS
90-16-2800		-- Pike Pole, 10' Fiberglass, Round Handle	1	RAS
90-25-7730		Suction Hose / Long Strg Cmpt, Abv Cmpt/Bhnd RU Door, Driver Side, Chvrn/Pntd	1	RAS
90-25-7830		Suction Hose or Long Storage Cmpt, Abv Cmpt/Bhnd RU Door, Pass Side, Chvrn/Pntd	1	RAS
90-25-9100		Suction Hose Provided By, Body Builder, MN	1	RAS
90-25-3120	>	-- Suction Hose, Flex, Kochek PVC, 6"x10'	2	RAS
90-25-6100		-- Suction Hose Couplings, Aluminum, LH FM x RLM == EXT Timberwolf Common Body Parts - 901.023 09/01/23 ==	2	RAS
33-62-5300		Step, Bltd, Treadplate, Rr Intermediate, 48"	1	RAS
33-70-1310		Handrail, Right Rr, Vert, 48", Single	1	RAS
33-70-2100	<	Handrails, Pmpr, Below Hosebed, Horz, 48" Mounted to trailing edge of intermediate step.	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
33-70-3110		Handrails, Pmpr, Left Top of Bdy Side, Rr, 12", Single	1	RAS
44-01-1400		Bdy Trim, Frnt Bdy, Ht of Side Cmpts, Alum T/P	1	RAS
44-01-4020		Bdy Trim, Rr Bdy, Smooth Alum for Chevron Stripe, EXT	1	RAS
44-02-1120		Rub Rails, Lwr Bdy, EXT, Extrd Alum	1	RAS
== EXT Timberwlf - AC Electrical System - 901.023 09/01/23 ==				RAS
60-17-1106	>	Inverter/Charger Mastervolt CombiMaster 1500W/60A w/Transfer Sw Pure Sine	1	RAS
10-19-2100	--	Air Brake Cmprsr, KUSS, 120V, #091-9B-1	1	RAS
50-16-1100	--	Display, Bar Graph, Single Battery Bank 091-199-001	1	RAS
50-20-1402	>	Shore Power Inlet, KUSS Auto-Eject 20 Amp	1	RAS
50-20-1124	--	Shore Power Inlet, Below Left Front Cab Door, Commercial	1	RAS
60-25-1400	>	Receptacle, 120V, 20 Amp, Straight Blade, Duplex	2	RAS
60-30-2300	>	Receptacle Location, Left Side, Ahead Rear Wheels Compartment, Ea	1	RAS
60-30-2470	>	Receptacle Location, Right Side, Behind Rear Wheels Compartment, Ea	1	RAS
60-25-1500	>	Receptacle, 120V, 20 Amp, 6-Plug Strip Receptacle	1	RAS
60-30-5500	>	Receptacle Location, Inside Cab, Crew Area, Ea	1	RAS
60-25-9400	>	Shore Power Inlet, Wiring to Interior Cab Receptacles	1	RAS
60-25-9500	>	Shore Power Inlet, Wiring to Interior Body Receptacles	1	RAS
== EXT Timberwolf - Equipment Systems - 901.023 09/01/23 ==				RAS
== EXT SA Timberwolf -Paint/Lettering/Stripe - 901.023 09/01/23 ==				RAS
80-22-2102		Body Paint, Timberwolf, Single Color, EXT	1	RAS
80-32-1250		Compt Finish, DA Sanded, Up to Eight (8) Compts, EXT	1	RAS
80-40-1250		Wheel Finish, By Chassis Manufacturer	1	RAS
80-42-1500		Body Paint, Touch Up, 2 oz. Bottle, One Color	1	RAS
80-50-2000	>	Lettering, 4" Scotchlite Reflect, Seventy-Five (75) Letters	1	RAS
80-50-3600	>	Lettering, 8-12" Scotchlite Reflect, Thirty (30) Letters	1	RAS
80-65-1200	>	Door Seals, Custom Detailed, Price On Request	2	RAS
80-71-1100	>	Stripe, Triple Reflective, 1" x 4" x 1"	1	RAS
80-75-1100	--	Reflective Stripe Material, Black	1	RAS
80-75-1600	--	Reflective Stripe Material, White	1	RAS
80-72-1110	>	Stripe, Reflective, 3M Diamond Grade, Chevron Pattern Entire Rear, EXT	1	RAS
80-72-2030	<	Stripe, Reflective, Cab Door Interiors	1	RAS
Commercial Cab				

PART NO	S	DESCRIPTION	QTY	ID
80-79-1000		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 15.7.1.6) == EXT Pmpr/Tnkr - Loose Equipment - 901.023 09/01/23 ==	1	RAS RAS
90-01-5900		> Wheel Chocks Pair Zico #SAC-44 Folding w/ Mounts	1	RAS
90-35-1900		Emergency Road Kit - DOT Required	1	RAS