

# S P E C I F I C A T I O N   P R O P O S A L

Description	Weight Front	Weight Rear
<b>Price Level</b>		
SD PRL-28D (EFF:MY25 ORDERS)		
<b>Data Version</b>		
SPECPRO21 DATA RELEASE VER 024		
<b>Vehicle Configuration</b>		
108SD PLUS CONVENTIONAL CHASSIS	6,829	3,748
2025 MODEL YEAR SPECIFIED		
SET BACK AXLE - TRUCK		
STRAIGHT TRUCK PROVISION, NON-TOWING		
LH PRIMARY STEERING LOCATION		
<b>General Service</b>		
TRUCK CONFIGURATION		
DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
EPA EMISSIONS CERTIFICATION FOR 50 STATE REGISTRATION - CARB EXEMPT, FIRE AND EMERGENCY VEHICLES ONLY (INCLUDES 6X4 INCH LABEL SHIPPED LOOSE)		
NO STATE/PROVINCE INITIAL REGISTRATION SELECTED		
FIRE SERVICE		
EMERGENCY VEHICLES BUSINESS SEGMENT		
LIQUID BULK COMMODITY		
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
MAXIMUM 8% EXPECTED GRADE		
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
FREIGHTLINER LEVEL II WARRANTY		
EXPECTED FRONT AXLE(S) LOAD : 14000.0 lbs		
EXPECTED REAR DRIVE AXLE(S) LOAD : 26000.0 lbs		
EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 40000.0 lbs		
<b>Truck Service</b>		
FIRE TANK - NO MAIN DRIVELINE DRIVEN SPLIT-SHAFT PTO/PUMP		
ROSENBAUER		

Description	Weight Front	Weight Rear
<b>Engine</b>		
CUM L9 400EV HP @ 2200 RPM; 2200 GOV RPM, 1250 LB-FT @ 1200 RPM, R/F/E		
<b>Electronic Parameters</b>		
68 MPH ROAD SPEED LIMIT CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT PTO MODE ENGINE RPM LIMIT - 1200 RPM PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED PTO RPM WITH CRUISE SET SWITCH - 1200 RPM PTO RPM WITH CRUISE RESUME SWITCH - 1200 RPM PTO MODE CANCEL VEHICLE SPEED - 15 MPH PTO GOVERNOR RAMP RATE - 500 RPM PER SECOND FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY ONE REMOTE PTO SPEED PTO SPEED 1 SETTING - 1200 RPM PTO MINIMUM RPM - 700 REGEN INHIBIT SPEED THRESHOLD - 5 MPH PTO 1, NO SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, ENGAGE BEFORE DRIVING INTERLOCK PTO 2, NO SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, ENGAGE BEFORE DRIVING INTERLOCKS		
<b>Engine Equipment</b>		
EPA 2010/GHG 2024 CONFIGURATION OIL PAN FOR AWD AND AWD CONVERSIONS ENGINE MOUNTED OIL CHECK AND FILL SIDE OF HOOD AIR INTAKE WITH NFPA COMPLIANT EMBER SCREEN AND FIRE RETARDANT DONALDSON AIR CLEANER DR 12V 275 AMP 40-SI BRUSHLESS PAD ALTERNATOR WITH REMOTE BATTERY VOLTAGE SENSE (2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES BATTERY BOX FRAME MOUNTED STANDARD BATTERY JUMPERS SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB	10	

Description	Weight Front	Weight Rear
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
NON-POLISHED BATTERY BOX COVER		
POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2	
PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS		
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
GVG, FIRE AND EMERGENCY SERVICE VEHICLES ENGINE WARNING		
CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF WITH BRAKE LAMPS	20	
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE EXITING FORWARD OF REAR TIRES	10	5
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH		
STANDARD EXHAUST SYSTEM LENGTH		
RH HORIZONTAL TAILPIPE, EXIT FORWARD OF REAR TIRES	20	20
6 GALLON DIESEL EXHAUST FLUID TANK	-35	-10
100 PERCENT DIESEL EXHAUST FLUID FILL		
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
LH UNDER CAB DIESEL EXHAUST FLUID TANK LOCATION		
STANDARD DIESEL EXHAUST FLUID TANK CAP		
AIR POWERED ON/OFF ENGINE FAN CLUTCH		
AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
CUMMINS SPIN ON FUEL FILTER		
COMBINATION FULL FLOW/BYPASS OIL FILTER		
1115 SQUARE INCH ALUMINUM RADIATOR		
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT		
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
AUXILIARY ENGINE COOLING USING WATER FROM FIRE PUMP	10	

Description	Weight Front	Weight Rear
ELECTRIC GRID AIR INTAKE WARMER DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		
<b>Transmission</b>		
ALLISON 3000 EVS AUTOMATIC TRANSMISSION WITH PTO PROVISION		
<b>Transmission Equipment</b>		
<p>ALLISON VOCATIONAL PACKAGE 198 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL EVS</p> <p>ALLISON VOCATIONAL RATING FOR FIRE TRUCK/EMERGENCY VEHICLE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES</p> <p>PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY</p> <p>SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY</p> <p>PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE</p> <p>SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE</p> <p>PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE</p> <p>SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE</p> <p>2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY</p> <p>FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED</p> <p>DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES</p> <p>QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS</p> <p>ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR</p> <p>(2) CUSTOMER INSTALLED MUNCIE CS10 SERIES PTO'S</p> <p>PTO MOUNTING, LH SIDE AND TOP RH SIDE OF MAIN TRANSMISSION ALLISON</p> <p>MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN</p>		

Description	Weight Front	Weight Rear
HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED		
TRANSMISSION PROGNOSTICS - ENABLED 2013		
WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
MERITOR MTC-4210 AND MTC-4213 TRANSFER CASE OIL COOLER	20	
TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
MERITOR MTC 4210XL-EC 2-SPEED TRANSFER CASE	450	300
TRANSFER CASE SHIFT CONTROLS IN DASH		
SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		

### Front Axle and Equipment

MX-14-120-EVO 14,000# 1790MM KPI SINGLE FRONT DRIVE AXLE	900	
5.57 FRONT AXLE RATIO		
MXL 16T MERITOR EXTENDED LUBE FRONT STEERING AXLE DRIVELINE WITH HALF ROUND YOKES		
MERITOR 16.5X5 Q+ MX DRIVE AXLE CAST SPIDER HEAVY DUTY CAM FRONT BRAKES		
FIRE AND EMERGENCY SEVERE SERVICE, NON-ASBESTOS FRONT LINING		
MERITOR CAST IRON FRONT BRAKE DRUMS		
FRONT BRAKE DUST SHIELDS		
FRONT OIL SEALS		
STANDARD SPINDLE NUTS FOR ALL AXLES		
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
STANDARD KING PIN BUSHINGS		
TRW TAS-85 POWER STEERING	40	
POWER STEERING PUMP		
2 QUART SEE THROUGH POWER STEERING RESERVOIR		
CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		

### Front Suspension

14,600# TAPERLEAF FRONT SUSPENSION	170	
MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
FRONT SHOCK ABSORBERS		

### Rear Axle and Equipment

RS-26-185 26,000# T-SERIES SINGLE REAR AXLE		255
---	--	-----

Description	Weight Front	Weight Rear
5.63 REAR AXLE RATIO		
IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	40	40
MXL 17T MERITOR EXTENDED LUBE INTERTRANSMISSION DRIVELINE WITH HALF ROUND YOKES		
MERITOR 16.5X7 P CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, CAST SHOES		20
FIRE AND EMERGENCY SEVERE SERVICE NON-ASBESTOS REAR BRAKE LINING		
BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)		
WEBB HEAVY WEIGHT CAST IRON REAR BRAKE DRUMS		50
REAR BRAKE DUST SHIELDS		5
REAR OIL SEALS		
WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		
HALDEX AUTOMATIC REAR SLACK ADJUSTERS		
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
STANDARD REAR AXLE BREATHER(S)		
<b>Rear Suspension</b>		
26,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		100
SPRING SUSPENSION - NO AXLE SPACERS		
STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
FORE/AFT CONTROL RODS		
<b>Pusher / Tag Equipment</b>		
NO PUSHER/TAG BRAKE DUST SHIELDS		
<b>Brake System</b>		
WABCO 4S/4M ABS WITH TRACTION CONTROL		
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
FIBER BRAID PARKING BRAKE HOSE		
STANDARD BRAKE SYSTEM VALVES		
STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
STD U.S. FRONT BRAKE VALVE		
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20	
AIR DRYER MOUNTED INBOARD ON LH RAIL		

Description	Weight Front	Weight Rear
STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION, NO TRIPLE OR TORPEDO TANKS		
BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)		
<b>Trailer Connections</b>		
NO TRAILER AIR HOSE		
NO AIR HOSE HANGER		
NO TRAILER ELECTRICAL CABLE		
<b>Wheelbase &amp; Frame</b>		
5100MM (201 INCH) WHEELBASE		
11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	340	-50
2075MM (82 INCH) REAR FRAME OVERHANG		
FRAME OVERHANG RANGE: 81 INCH TO 90 INCH	-30	130
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 87.99 in		
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 83.49 in		
CALC'D FRAME LENGTH - OVERALL : 321.86 in		
CALCULATED FRAME SPACE LH SIDE : 98.55 in		
CALCULATED FRAME SPACE RH SIDE : 55.37 in		
SQUARE END OF FRAME		
FRONT CLOSING CROSSMEMBER		
LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12	
STANDARD MIDSHIP #1 CROSSMEMBER(S)		
STANDARD REAR MOST CROSSMEMBER		
STANDARD SUSPENSION CROSSMEMBER		
<b>Chassis Equipment</b>		
14 INCH CHROMED STEEL BUMPER		
FRONT TOW HOOKS - FRAME MOUNTED	15	
BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
NO MUDFLAP BRACKETS		
NO REAR MUDFLAPS		
GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
EXTERIOR HARNESSSES WRAPPED IN ABRASION TAPE		
3D STEP VEHICLE MODEL		
TANK BODY 1501 TO 3000 GALLONS		

Description	Weight Front	Weight Rear
CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD		
<b>Fifth Wheel</b>		
NO FIFTH WHEEL		
<b>Fuel Tanks</b>		
50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH RECTANGULAR FUEL TANK(S) PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS FUEL TANK(S) FORWARD PLAIN STEP FINISH FUEL TANK CAP(S)	-10	
DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR EQUIFLO INBOARD FUEL SYSTEM HIGH TEMPERATURE REINFORCED NYLON FUEL LINE	-5	
FUEL COOLER MOUNTED LEFT HAND IN RAIL	10	
<b>Tires</b>		
MICHELIN XDN2 12R22.5 16 PLY RADIAL FRONT TIRES	70	
MICHELIN XDN2 12R22.5 16 PLY RADIAL REAR TIRES		140
<b>Hubs</b>		
MERITOR IRON FRONT HUBS CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
<b>Wheels</b>		
ALCOA ULA18X 22.5X8.25 10-HUB PILOT 5.81 INSET ALUMINUM DISC FRONT WHEELS	-62	
ALCOA ULA18X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS POLISHED FRONT WHEELS; OUTSIDE ONLY POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY FRONT WHEEL MOUNTING NUTS REAR WHEEL MOUNTING NUTS		-124
<b>Cab Exterior</b>		
156 INCH BBC HIGH-ROOF ALUMINUM CONVENTIONAL CREW CAB AIR CAB MOUNTING	430	250

Description	Weight Front	Weight Rear
CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS	2	
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
FRONT FENDERS SET-BACK AXLE		
LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT		
BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL		
STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS		
CHROME HOOD MOUNTED AIR INTAKE GRILLE		
FIBERGLASS HOOD		
FREIGHTLINER NAMEPLATES, SHIP MODEL EMBLEMS LOOSE FOR CUSTOMER INSTALL		
HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5	
NO AIR HORN	-4	
SINGLE ELECTRIC HORN		
REAR LICENSE PLATE MOUNT END OF FRAME		
HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS		
LED AERODYNAMIC MARKER LIGHTS		
DAYTIME RUNNING LIGHTS		
OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TURN WIRES TO 4 FEET BEYOND END OF FRAME		-5
STANDARD FRONT TURN SIGNAL LAMPS		
AUTOMATIC ON/OFF, ENGINE COMPARTMENT, HOOD ACTIVATED WORK LIGHT WITH MANUAL OVERRIDE	1	
DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
DOOR MOUNTED MIRRORS		
102 INCH EQUIPMENT WIDTH		
LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
STANDARD SIDE/REAR REFLECTORS		
63X14 INCH TINTED REAR WINDOW		
TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
RH AND LH ELECTRIC POWERED WINDOWS		
1-PIECE SOLAR GREEN GLASS WINDSHIELD		
8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR		

## Cab Interior

Description	Weight Front	Weight Rear
RUGGED TRIM PACKAGE GRAY & CARBON VINYL INTERIOR "RUGGED" CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED) MOLDED PLASTIC DOOR PANEL MOLDED PLASTIC DOOR PANEL BLACK MATS WITH SINGLE INSULATION (1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET FORWARD ROOF MOUNTED CONSOLE LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS DIGITAL ALARM CLOCK IN DRIVER DISPLAY (2) CUP HOLDERS LH AND RH DASH M2/SD DASH	10	
5 LB. FIRE EXTINGUISHER HEATER, DEFROSTER AND AIR CONDITIONER STANDARD HVAC DUCTING MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH PREP KIT FOR CUSTOMER INSTALLED AUXILIARY HEATER, PLUMBING FROM ENGINE TO BACK OF CAB WITH SHUTOFF VALVES STANDARD HEATER PLUMBING AUXILIARY HEATER PLUMBING VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR BINARY CONTROL, R-134A PREMIUM INSULATION SOLID-STATE CIRCUIT PROTECTION AND FUSES 12V NEGATIVE GROUND ELECTRICAL SYSTEM PREMIUM LED CAB LIGHTING REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER FT1031 KEY QUANTITY OF 4		
LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10	
H.O. BOSTROM SIERRA AIR-50 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH ADJUSTABLE RECLINE, FIXED LUMBAR AND NFPA 1901- 2009/2016 COMPLIANT SEAT SENSOR	20	

Description	Weight Front	Weight Rear
H.O.BOSTROM TANKER 450 AIR-50 SCBA HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH SECUREALL READY CUSHION AND NFPA 1901-2009/2016 COMPLIANT SEAT SENSOR	35	10
H.O.BOSTROM TANKER 450 AIR-50 SCBA HIGH BACK AIR SUSPENSION LH/RH REAR SEAT WITH SECUREALL READY CUSHION AND NFPA 1901-2009/2016 COMPLIANT SEAT SENSOR		
LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
BLACK DURAWEAR FABRIC DRIVER SEAT COVER, SEAT BOLSTER AND INSERT		
BLACK DURAWEAR FABRIC PASSENGER SEAT COVER, SEAT BOLSTER AND INSERT		
BLACK DURAWEAR FABRIC REAR PASSENGER SEAT COVER, SEAT BOLSTER AND INSERT		
NFPA 1901-2009 HIGH VISIBILITY ORANGE SEAT BELTS		
FIXED STEERING COLUMN		
4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
DRIVER AND PASSENGER INTERIOR SUN VISORS		
INTERFACE CONNECTORS AND WIRING FOR CUSTOMER PROVIDED LED STEP LIGHTING		

## Instruments & Controls

ELECTRONIC ACCELERATOR CONTROL  
 NO INSTRUMENT PANEL-DRIVER  
 CONFIGURABLE LOWER PANEL WITH INTEGRATED UPPER STORAGE  
 ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS  
 BRIGHT ARGENT FINISH GAUGE BEZELS  
 LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM WITH (1) ADDITIONAL PARK SWITCH FOR CUSTOMER USE  
 DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE  
 ELECTRONIC AIR RESTRICTION INDICATOR DISPLAYED IN DRIVER DISPLAY  
 ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES  
 KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY  
 PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY  
 DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY

Description	Weight Front	Weight Rear
HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
2 INCH ELECTRIC FUEL GAUGE		
ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS		
QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH BLUNTCUTS		
QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH BLUNTCUTS		
ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR		
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
ELECTRIC ENGINE OIL PRESSURE GAUGE		
DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY		
ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
WIRING PROVISION FOR CUSTOMER FURNISHED ROOF MOUNTED LIGHTBAR WITH 2 WIRES HANDLE UP TO 30 AMPS OF CURRENT		
PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE		
NO OBSTACLE DETECTION SYSTEM		
NO DR ASSIST SYSTEM		
ELECTRONIC STABILITY CONTROL		
NO LANE DEPARTURE WARNING SYSTEM		
CENTER OVERHEAD INSTRUMENT PANEL BLANK		
QUICKFIT PROGRAMMABLE INTERFACE MODULE + (4) 20 AMP FUSED RELAYS	10	
NFPA VEHICLE DATA RECORDER AND SEATBELT DISPLAY		
NO RADIO		
NO AM/FM RADIO ANTENNA		
NO CB RADIO MOUNTING PROVISION		
STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS		
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
STANDARD VEHICLE SPEED SENSOR		
ELECTRONIC 3000 RPM TACHOMETER		
DETROIT CONNECT PLATFORM HARDWARE		

Description	Weight Front	Weight Rear
<p>3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT</p> <p>TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL</p> <p>IGNITION SWITCH CONTROLLED ENGINE STOP</p> <p>STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL</p> <p>NO TRAILER HAND CONTROL BRAKE VALVE</p> <p>DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY</p> <p>SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY</p> <p>ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS</p> <p>ALTERNATING FLASHING HEADLAMP SYSTEM WITH BODY BUILDER CONTROLLED ENGAGEMENT</p> <p>ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR</p> <p>SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT</p> <p>INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY</p> <p>NO WRG/SW-OPTL #2,CHAS,AIR</p>		
<b>Design</b>		
PAINT: ONE SOLID COLOR		
<b>Color</b>		
<p>CAB COLOR A: L0762EY MED RED ELITE EY</p> <p>BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT</p> <p>STANDARD E COAT/UNDERCOATING</p>		
<b>Certification / Compliance</b>		
<p>U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS</p>		
<b>Secondary Factory Options</b>		
<p>CORPORATE PDI CENTER OPTION INSTALLATION/MODIFICATION ONLY</p> <p>DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE</p>		

## TOTAL VEHICLE SUMMARY

### Weight Summary


	<b>Weight Front</b>	<b>Weight Rear</b>	<b>Total Weight</b>
Factory Weight <sup>+</sup>	9341 lbs	4884 lbs	14225 lbs
<hr/>			
Total Weight <sup>+</sup>	9341 lbs	4884 lbs	14225 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

## D I M E N S I O N S



### VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS


Wheelbase (545).....	5100MM (201 INCH) WHEELBASE
Rear Frame Overhang (552).....	2075MM (82 INCH) REAR FRAME OVERHANG
Fifth Wheel (578) .....	NO FIFTH WHEEL
Mounting Location (577) .....	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in) .....	0
Maximum Rearward Position (in).....	0
Amount of Slide Travel (in) .....	0
Slide Increment (in).....	0
Desired Slide Position (in).....	0.0
Cab Size (829).....	156 INCH BBC HIGH-ROOF ALUMINUM CONVENTIONAL CREW CAB
Sleeper (682) .....	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016).....	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE EXITING FORWARD OF REAR TIRES

### TABLE SUMMARY - DIMENSIONS

Dimensions	Inches
Bumper to Back of Cab (BBC)	155.5
Bumper to Centerline of Front Axle (BA)	42.7
Front Axle to Back of Cab (AC)	112.8
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	88.0
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	83.5
Back of Cab Protrusions (Exhaust/Intake) (CP)	2.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	4.5
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	4.5
Back of Cab to End of Frame	169.7
Cab Height (CH)	78.4
Wheelbase (WB)	200.8
Frame Overhang (OH)	81.7
Overall Frame Length	321.9
Overall Length (OAL)	325.2
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	45.5

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

## TURNING RADIUS



Turning radius graphic and data provided strictly for comparisons between model configurations. Weather, road surfaces, and tire treads affect the results. It is strongly suggested that actual vehicles be measured before constructing any roads/driveways using this information. For specific figures regarding your configuration, please contact your CAE representative.

	Dimensions	Tolerance
Wall to Wall Diameter (ft)	60.3	+/- 3.0
Curb to Curb Diameter (ft)	58.1	+/- 3.0
Turning Radius (ft)	28.6	+/- 1.5

### VEHICLE SPECIFICATIONS SUMMARY - TURNING RADIUS

Cab Size (829) .....	156 INCH BBC HIGH-ROOF ALUMINUM CONVENTIONAL CREW CAB
Wheelbase (545) .....	5100MM (201 INCH) WHEELBASE
Front Tires (093) .....	MICHELIN XDN2 12R22.5 16 PLY RADIAL FRONT TIRES
Width (in) .....	11.3
Front Axle (400) .....	MX-14-120-EVO 14,000# 1790MM KPI SINGLE FRONT DRIVE AXLE
Kingpin Intersection (in) .....	69
Bumper (556) .....	14 INCH CHROMED STEEL BUMPER
Width (in) .....	97.6
Bumper Miter to Front Axle (in) .....	23.458
Primary Steering Location (003) .....	LH PRIMARY STEERING LOCATION
Steering Gear (536) .....	TRW TAS-85 POWER STEERING
Dual Steering Gear .....	NONE
Ram .....	NONE
Rear Axle (420) .....	RS-26-185 26,000# T-SERIES SINGLE REAR AXLE
Axle Spacing (624) .....	NO AXLE SPACING

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



QUOTATION

Ikon Fire  
3842 Redman Dr.  
Fort Collins, CO 80524

Ikon Fire  
3842 Redman Dr.  
Fort Collins, CO 80524

Exp. Date: 01/05/2024  
Quote No: 10111-0004  
04/07/2024

PART NO	S	DESCRIPTION	QTY	ID
<b>ROSENBAUER APPARATUS SOLUTIONS - RAS - 14 DECEMBER 2023</b>				<b>RAS</b>
00-00-1100	S	Information Request Form (Factory Required)	1	RAS
00-00-1200	S	Chassis Information Summary (Factory Required)	1	RAS
00-00-1300		Fire Department Name	1	RAS
00-00-1499		Overall Height Restriction, NONE	1	RAS
00-00-1509		Overall Length Restriction, NONE	1	RAS
00-00-1519		Overall Width Restriction, NONE	1	RAS
00-00-1529		Wheelbase Restriction, NONE	1	RAS
00-00-1610		NFPA Pumper Equipment Allowance 2500#	1	RAS
00-00-3100	S	Rosenbauer Dealer Order Form (Factory Required)	1	RAS
00-00-3220		Contract Change Notice	1	RAS
00-12-1100		Financial Stability Response	1	RAS
01-06-0560		Electronic Stability Control	1	RAS
01-07-0062		-- Technical Drawings, Representative Drawings (4-View)(Left/Right/Rear/Front)	1	RAS
01-16-0150		-- Warranty, Apparatus, Body Warranty, 1 Year	1	RAS
01-19-0460		-- Warranty, Body, Aluminum, Life-Time, Transferable	1	RAS
01-19-2450		-- Warranty, Subframe, Lifetime Aluminum, Transferable	1	RAS
01-20-0360		-- Warranty, Paint, PPG, 10 Years, EXT	1	RAS
01-21-0150		-- Warranty, Lettering and Striping, 1 Year	1	RAS
01-17-0870		-- Pump Warranty, Rosenbauer, 5 Year	1	RAS
02-14-6250		Plumbing Warranty, Stainless Steel, 10 Years	1	RAS
01-33-3710		-- In Process Photos	1	RAS
01-33-5200		-- Manuals, Electrical, As Built Body, 1 Set Printed w/Digital Copy	1	RAS
02-90-1200		Chassis, Freightliner M2 4 Door	1	RAS
50-09-3105		Electrical, Base, Rosenbauer LCS 2.0 - Timberwolf/Airwolf	1	RAS
55-11-1301		-- Door Open/Hazard Warning Light, Flashing LED, Red, Clear Lens, Whelen TIR3	1	RAS
55-14-1100		-- Door Open/Hazard Warning Alarm, Buzzer	1	RAS
50-12-1570		Electrical Console, In Cab, Rosenbauer LCS 2.0, Tmbrwlf/Arwlf, Freightliner	1	RAS
50-15-1100		Batteries, With Supl'd Chs	1	RAS
50-15-3100		Battery Switch, Master Disconnect , Chassis Sppld	1	RAS
50-15-3410		Ignition Switch, Keyless, w/Chassis	1	RAS
50-20-1124		Shore Power Inlet, Below Left Front Cab Door, Commercial	1	RAS
50-20-1500		Shore Power Inlet, KUSS Super Auto-Eject 20 Amp	1	RAS
50-41-7100		Air Horns Two (2) 24" Round Hadley E-Tone	1	RAS
50-41-8180		Air Horn Location Hood Mounted, One (1) Ea Side	1	RAS
50-43-1000		Air Horn Controls	1	RAS
51-05-6200		Light, Engine Compt, 12 Volt LED, w/Switch	1	RAS
51-05-9000		-- Switch on Light Head	1	RAS
52-01-1210		Back Up Alarm, EXT	1	RAS
52-01-1400		-- Back Up Alarm, Over-Ride Switch , Auto Reset, Switch Panel	1	RAS
52-02-1150		Back Up Camera, ASA, Color	1	RAS
52-08-1009		-- Hand Lights, NFPA Compliance - Spl'd/Instl'd by DEPT	1	RAS
52-15-1200		Radio Antenna Base, Supply and Install, Ea	2	RAS
53-01-1201		Marker Lights, LED, DOT Requirements, Timberwolf/Airwolf	1	RAS
53-03-0065		Whelen Rear DOT LED Lighting Package M6	1	RAS
53-03-2750		-- Tail/Brake Lights, Whelen, LED, M62BTT (Pair)	1	RAS
53-04-2750		-- Turn Signals, Whelen, LED w/ Arrow, M62T (Pair)	1	RAS
53-06-3550		-- Backup Lights, Whelen, LED, M62BU (Pair)	1	RAS
53-07-1210		-- (4) Light Bezel, Tail Lights, Whelen M6 (Pair), ABS Chrome	1	RAS
53-05-1800		Turn Signals, Mid Body, LED Marker Light (Pair)	1	RAS
54-02-1520		-- Ground Lights, Cab, 4-Door, LED, Whelen 3SC0CDCR Four	1	RAS
54-03-1420		-- Ground Lights, Mid Body, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-03-1620		-- Ground Lights, Rear Step, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-03-1820		-- Ground Lights, Behind Rear Wheels, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-04-1999		-- Light Switch, Ground Lights w/ Park Brake	1	RAS
54-10-1300		Step Light, Fixed /Folding Step, LED, Ea	3	RAS
54-11-2100		Light Switch, Step/Walkway Lights Wired Park Brake Switch	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
54-15-5904		Scene Light - Front / Cab Brow	1	RAS
51-16-5014		-- Scene Light, Fire Tech, FT-MB-15-W, 20", White	1	RAS
54-15-6002		-- Scene Light Switch, Front Scene Lights, Cab Switch Panel	1	RAS
54-15-5908		Scene Light - Cab Left Side	1	RAS
54-15-5912		Scene Light - Cab Right Side	1	RAS
54-15-5916		Scene Light - Pump Panel Left Side	1	RAS
54-15-5920		Scene Light - Pump Panel Right Side	1	RAS
54-15-5924		Scene Light - Body Left Side	1	RAS
54-15-4802		-- Scene Light, FireTech, Guardian Junior, FT-GSMJR, Surface Mount	2	RAS
54-15-6470		-- 3-Way Control Switch, Left Scene Lights, Cab Dash/Pump Panel	1	RAS
54-15-5928		Scene Light - Body Right Side	1	RAS
54-15-4802		-- Scene Light, FireTech, Guardian Junior, FT-GSMJR, Surface Mount	2	RAS
54-15-6570		-- 3-Way Control Switch, Right Scene Lights, Cab Dash/Pump Panel	1	RAS
54-15-5932		Scene Light - Rear Body	1	RAS
54-15-4802		-- Scene Light, FireTech, Guardian Junior, FT-GSMJR, Surface Mount	2	RAS
54-15-6670		-- 3-Way Control Switch, Rear Scene Lights, Cab Dash/Pump Panel	1	RAS
54-15-6700		-- Scene Light Switch, Rear Scene Lights, Auto w/ Reverse	1	RAS
56-01-1600		Siren, Electronic, Whelen 295SLSA1	1	RAS
56-02-1600		Speaker, Fed Sig Dynamax, ES100C 100 Watt	1	RAS
56-02-1650		-- Speaker Grille, SST, "R"	1	RAS
56-03-1200		-- Speaker Location, Bumper, Recessed, Left Side	1	RAS
57-02-1900		-- Light Bar, Whelen, Justice, LED, 56" JE2NFPA	1	RAS
57-10-0600		-- Light Bar Control, with Master Warning Switch	1	RAS
58-71-1720		-- Warning Lights, Whelen, Upper Rear Body (2) #900 S-LED	1	RAS
57-20-7000		-- Warn Light, Driver, Whelen, 900 Red LED, Clear Lens, Ea	1	RAS
57-20-7001		-- Warn Light, Officer, Whelen, 900 Red LED, Clear Lens, Ea	1	RAS
58-01-2280		-- Flange, Chrome, Warning Light, Whelen, 900, Ea	2	RAS
58-61-1720		-- Warning Lights, Whelen, Upper Side Rear Body (2) #900 S-LED	1	RAS
57-20-7000		-- Warn Light, Driver, Whelen, 900 Red LED, Clear Lens, Ea	1	RAS
57-20-7001		-- Warn Light, Officer, Whelen, 900 Red LED, Clear Lens, Ea	1	RAS
58-01-2280		-- Flange, Chrome, Warning Light, Whelen, 900, Ea	2	RAS
58-03-2000		-- Warning Lights, Whelen, Low Front, (2) M6 LED	1	RAS
57-20-1210		-- Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
57-20-1211		-- Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS
58-09-2400		-- Warning Lights, Whelen, Intersection, (2) ION LED	1	RAS
57-20-7100		-- Warn Light, Driver, Whelen, ION Red LED, Clear Lens, Ea	1	RAS
57-20-7101		-- Warn Light, Officer, Whelen, ION Red LED, Clear Lens, Ea	1	RAS
58-01-1300		-- Bezels, Chrome, Warning Lights, Whelen ION (Ea)	2	RAS
58-26-2000		-- Warning Lights, Whelen, Lower Mid Body (2) M6 LED	1	RAS
57-20-1210		-- Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
57-20-1211		-- Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS
58-36-2600		-- Warning Lights, Whelen, Lower Rear Side (2) ION LED	1	RAS
57-20-7100		-- Warn Light, Driver, Whelen, ION Red LED, Clear Lens, Ea	1	RAS
57-20-7101		-- Warn Light, Officer, Whelen, ION Red LED, Clear Lens, Ea	1	RAS
58-01-1300		-- Bezels, Chrome, Warning Lights, Whelen ION (Ea)	1	RAS
58-81-2000		-- Warning Lights, Whelen, Lower Rear Body (2) M6 LED	1	RAS
57-20-1210		-- Warn Light, Driver, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
57-20-1211		-- Warn Light, Officer, Whelen, M6, Red LED, Clear Lens, Ea	1	RAS
10-01-1100		Vehicle Dimensions, Single Axle	1	RAS
10-02-1100		Label, Data, Fluid Levels	1	RAS
10-02-1200		Label, Data, Height x Length, Weight	1	RAS
10-02-1300		Label, Data, "No Ride" Rear Step	1	RAS
10-02-1400		Label, Data, Tire Pressure	1	RAS
10-02-2100		Label, Indicating Number of Seats	1	RAS
10-02-2500		Label, "Caution: Do Not Wear Helmet While Seated"	1	RAS
10-03-1230		Chassis Preparation, Comm, 4 Door, Timberwolf/Airwolf	1	RAS
10-03-6500		Tow Plates (2), Rear Frame Rail, Under Rear Body, Timberwolf/Airwolf	1	RAS
80-43-2400		-- Painting, Tow Plates, Black	1	RAS
10-04-2154		Bumper Extension, 20", By Body Builder	1	RAS
10-04-2344		-- Bumper Gravelshield, 20", By Body Builder	1	RAS
10-04-3560		Bumper, w/Chassis	1	RAS
10-06-1130		Wheel Trim, SST Lug Covers Frnt/Rr, Hub CvrS-Rr Only, Sngl Axle, 4x4, Commercial	1	RAS
10-06-1600		Tire Pressure Indicator, Single Axle, Commercial, RWTG1235	1	RAS
10-07-0100		Exhaust, Horizontal Supplied With Chassis	1	RAS
10-07-1500		Exhaust Heat Shield, Under Body Compartments	1	RAS
10-08-2100		Mud Flaps, Rear Wheels, Black, w/ Body	1	RAS
10-10-0800		Cab Step Overlay, 4 Door Driver Side w/Compartment	1	RAS
10-10-0900		Cab Step Overlay, 4 Door Passenger Side w/Compartment	1	RAS
10-12-6300		SCBA Bracket, Cab Seat, Zico "NFPA" Restraint, Ea HZ-KD-ULLH	3	RAS
10-13-2600		Cabinet, Center Forward Facing, Full Ht, Cargo Net 40" W x 18" D x Full Ht	1	RAS
10-13-3520		-- Exterior Finish, Cabinet, DA Sanded	1	RAS
10-13-3550		-- Interior Finish, Cabinet, Natural	1	RAS
10-13-3600		-- Shelf, Adjust, Crew Cab Cabinet	2	RAS

PART NO	S	DESCRIPTION	QTY	ID
10-18-4050		-- Batteries, Relocate Chassis Supplied, Dunnage Area	1	RAS
10-18-1200		-- Battery Jump Start Lugs, Studs and Caps, Near Driver's Door	1	RAS
10-19-4000		Air Inlet, Mnl, Cab Exterior, Driver Step	1	RAS
20-27-1111		-- Pump, Rosenbauer, NH55-1250 GPM, NPHP, PTO, LCS - Tmbrwlf	1	RAS
20-27-6210		-- Primer, Rosenbauer, Automatic, LCS Belt driven	1	RAS
20-28-3410		-- Pump Shift, Rosenbauer, PTO, Pump and Roll, Tmbrwlf/Airwlf	1	RAS
20-28-4015		-- Supply Valve, High Pressure, Elec, LCS	1	RAS
21-00-3350		-- Piping, SST - 1250 GPM & Up *	1	RAS
21-01-5600		-- Intake Manifold, Stainless Steel	1	RAS
21-01-6600		-- Discharge Manifold, Stainless Steel	1	RAS
21-01-7300		-- Unpainted, Pump & Piping	1	RAS
21-01-8100		-- Threads, National Hose (NST)	1	RAS
22-04-3310		-- Intake, Ungated, 6", Rear Center - Timberwolf	1	RAS
22-41-5700		-- Cap, 6", Chrome Long Handle	1	RAS
22-51-8812	S	-- Tank-To-Pump, Water Tank, 4" Butterfly Valve, N/NH1250, LCS, EXT	1	RAS
23-02-1211	S	-- Tank Fill/Cooling Line, Water Tank, 1-1/2", LCS, Timberwolf/Airwolf	1	RAS
25-08-2241		-- Foam Capability, NP-FIXMIX & HP-FIXMIX, LCS - Timberwolf	1	RAS
25-08-1211		-- Foam System, RBA, NP-FIXMIX, LCS - Timberwolf	1	RAS
25-08-1302		-- NP-FIXMIX, Single Rate, Pneumatic	1	RAS
25-08-1322		-- Proportioning Rate, NP-FIXMIX, 1%	1	RAS
25-08-1221		-- Foam System, RBA, HP-FIXMIX, LCS - Timberwolf	1	RAS
25-08-1310		-- HP-FIXMIX, Foam Supply	1	RAS
25-08-1332		-- Proportioning Rate, HP-FIXMIX, 1%	1	RAS
25-20-1090		-- Foam Plumbing, HP-FIXMIX, Class A	1	RAS
25-20-1505		-- Foam Plumbing, Single Class A Tank, 1-1/2" Manual Valve - Timberwolf	1	RAS
25-20-1106		-- Foam Plumbing, Strainer, Removable, 1-1/2"	1	RAS
25-21-1510		-- Foam Tank, Integral Poly, 30 Gallon, Class A - Timberwolf	1	RAS
25-22-9300		-- Foam Tank, UPF	1	RAS
25-23-1002		-- Foam Tank Drain, Class 1" Ball Valve, Under Tank	1	RAS
27-10-5020		-- Pressure Governor, Rosenbauer, Timberwolf LCS 2.0	1	RAS
27-01-3310		-- Master Gauges, Rosenbauer, LCS 2.0, Digital, Pres/Vacuum	1	RAS
27-01-4100		-- Gauge, Test Taps	1	RAS
27-03-1600		-- Gauge, Discharge, 2-1/2" 600#, High Pressure Pumps, Mounted on Pump Panel	1	RAS
27-03-1800		-- Gauge, Discharge, Digital, In Cab, Pump and Roll	1	RAS
27-35-3000		-- Water Level Display, DigiView, Pump Panel, LCS 2.0, Timberwolf	1	RAS
27-35-3200		-- Water Level Display, DigiView, In-Cab, LCS 2.0, Timberwolf	1	RAS
27-36-3000		-- Foam Tank Gauge, DigiView, Class A, Pump Panel, LCS 2.0, Timberwolf	1	RAS
27-36-3300		-- Foam Tank Gauge, DigiView, Class A, In-Cab, LCS 2.0, Timberwolf	1	RAS
20-30-3400		-- Pump Instln, Rr Mt PTO, By Bdy Bldr	1	RAS
20-31-1000		Fire Pump Testing - Pumpers/Tankers	1	RAS
20-31-1100		-- Pump Test, Pumper, UL	1	RAS
20-31-1500		-- Pump Test, Label	1	RAS
20-31-3200		Dump-Relief Valve, Suction Side, ELK #40, NST	1	RAS
20-31-4110		Pump Cooler, Bypass-To-Tank, 3/8", IC Mini-Twist Handle	1	RAS
20-31-4700		Pump Cooler, Rosenbauer, Thermal	1	RAS
20-31-5204		Heat Exchanger, Engine, Complete, IC Mini-Twist Handle	1	RAS
22-30-1110		Intake, Gated, 2-1/2" NST, Left Rear, Rear Mount - Timberwolf/Airwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
22-41-1100		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	1	RAS
24-62-1258		-- Valve, AKR, 8000, (2-1/2"), Manual Swing Control Only	1	RAS
22-55-4050		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	1	RAS
23-14-1612		Discharge, 1", Front/Rear Ground Sweeps, Dual Valves - Timberwolf	1	RAS
23-14-1660		-- Discharge, 1", Ground Sweeps, Plumbed High Pressure	1	RAS
23-14-3110		Discharge, 1-1/2" Front Bumper Crosslay, Timberwolf/Airwolf	1	RAS
10-04-2560		-- Bumper Crosslay Hosebed, Full Width, (1) 150' 1-3/4", Timberwolf	1	RAS
23-16-2900		-- Crosslay/Speedlay, Equipment Securement, NFPA	1	RAS
23-16-3150		-- Crosslay Cover, Alum T/P, Single, End Flaps	1	RAS
21-01-2202		-- Drain/Bleeder, Class 1, Automatic - Spec Only	1	RAS
24-61-1225		-- Valve, AKR, 8000, (2"), KZCO Electric	1	RAS
24-53-6220		-- Valve Control, AKR, 2.0" Elec, KZCO, Rocker Switch	1	RAS
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-2110		Discharge, 2-1/2", Rear Center Pump Panel, Left Side, Timberwolf/Airwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
24-02-1202		-- Elbow, Flange x 2-1/2"M, Chrome	1	RAS
24-03-1400		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Valve, AKR 8000, 2-1/2", Manual Swing Type-Adjacent, TS-7	1	RAS
24-53-0820		-- Discharge Valve Control, AKR, Manual Swing Type-Adj, TS-7	1	RAS
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-2310		Discharge, 2-1/2", Rear Center Pump Panel, Right Side, Timberwolf/Airwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
24-02-1202		-- Elbow, Flange x 2-1/2"M, Chrome	1	RAS
24-03-1400		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Valve, AKR 8000, 2-1/2", Manual Swing Type-Adjacent, TS-7	1	RAS
24-53-0820		-- Discharge Valve Control, AKR, Manual Swing Type-Adj, TS-7	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-1600		Discharge, Speedlay, 2-1/2", Right Rear Face, Timberwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
24-01-2400		-- Adapter, Reducing, 2-1/2" NST F x 1-1/2" NST M, Chrome	1	RAS
24-61-1252		-- Valve, AKR 8000, 2-1/2", Manual Swing Type-Adjacent, TS-7	1	RAS
24-53-0820		-- Discharge Valve Control, AKR, Manual Swing Type-Adj, TS-7	1	RAS
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-2910		Discharge, 2-1/2", Right Rear Upper Face, Timberwolf/Airwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
24-01-2400		-- Adapter, Reducing, 2-1/2" NST F x 1-1/2" NST M, Chrome	1	RAS
24-03-1200		-- Cap, 1-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Valve, AKR 8000, 2-1/2", Manual Swing Type-Adjacent, TS-7	1	RAS
24-53-0820		-- Discharge Valve Control, AKR, Manual Swing Type-Adj, TS-7	1	RAS
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
24-30-3310		-- Hose Reel, HAN, LH Under Cab Compt, Elec, Steel Painted - Timberwolf	1	RAS
10-04-2600	S	-- Battery Compartment, Body Roof, Timberwolf/Airwolf	1	RAS
24-31-1300		-- Air Blow Out, Hose Reel, From Chassis Air, Manual 1/4 Turn Valve	1	RAS
24-31-2100		-- Hose Reel, Rewind Control, Weatherproof Push Button	1	RAS
24-32-1210		-- Discharge, Hose Reel, 1", Class 1 Valve	1	RAS
24-32-1800		-- Discharge, Hose Reel, Plumbed to High Pressure	1	RAS
24-33-1300		-- Hose, Water, 800#, 3/4-in x 150-ft, Three (3) 50-ft Lengths	1	RAS
24-33-7200		-- Nozzle, Rosenbauer, Servo-Nepiro, High Pressure, 1" NST	1	RAS
24-33-8000		-- Nozzle, Mounting, Hose Reel	1	RAS
24-33-9600		-- Roller, Hose Reel, Captive, Four Sided	1	RAS
24-30-3410		-- Hose Reel, HAN, RH Under Cab Compt, Elec, Steel Painted - Timberwolf	1	RAS
24-31-1300		-- Air Blow Out, Hose Reel, From Chassis Air, Manual 1/4 Turn Valve	1	RAS
24-31-2100		-- Hose Reel, Rewind Control, Weatherproof Push Button	1	RAS
24-32-1210		-- Discharge, Hose Reel, 1", Class 1 Valve	1	RAS
24-32-1800		-- Discharge, Hose Reel, Plumbed to High Pressure	1	RAS
24-33-1300		-- Hose, Water, 800#, 3/4-in x 150-ft, Three (3) 50-ft Lengths	1	RAS
24-33-7200		-- Nozzle, Rosenbauer, Servo-Nepiro, High Pressure, 1" NST	1	RAS
24-33-8000		-- Nozzle, Mounting, Hose Reel	1	RAS
24-33-9600		-- Roller, Hose Reel, Captive, Four Sided	1	RAS
80-43-1600		-- Painting, Hose Reel, Silver Gray	2	RAS
26-40-1600		Pump Enclosure, Specs, Timberwolf/Airwolf	1	RAS
26-40-2500		Pump Panel Location, TimberWolf, Rear Center	1	RAS
26-40-4100		-- Pump Control Panel Enclosure Door, Rear Mount, Rear Center, Roll Up	1	RAS
26-56-1462		-- Pump Panel Lights (2), Rear Mount, (2) Grote #01-61F8-70 Low Profile, LED, Tmbr	1	RAS
26-40-3110		Pump Control Panel, Rear Mount SST, Timberwolf	1	RAS
26-40-5500		Pump Access Panels, Rear Mount, Side Compts Behind Rear Wheels	1	RAS
26-50-1200		Heater, Pump Enclosure, 30,000BTU, w/Switch on Pump Operator's Panel	1	RAS
26-50-1230		-- Heater Fan Switch, Pump Operator's Panel	1	RAS
26-50-1300		-- Silicone Hose, Heater, Pump Enclosure (IPOS)	1	RAS
26-50-1400		-- Thermostat, Heater, Pump Enclosure, w/Manual Override on Pump Panel	1	RAS
26-55-1100		Labels, Test Data and Safety Placards	1	RAS
26-55-2410		Labels, IC Color Coded, EXT	1	RAS
27-37-1100		Air Horn, Push Button, Pump Panel	1	RAS
27-37-3010		Air Blow Out, Timberwolf/Airwolf	1	RAS
25-28-1362		Water Tank, 750 Gallon, Poly, T-Tank, Timberwolf/Airwolf	1	RAS
25-42-1100		-- Water Tank, Base Specs, Poly	1	RAS
25-42-1200		-- Water Tank, Manufacturer, UPF, Poly	1	RAS
25-44-1700		-- Water Tank, Fill Tower, 10" x 10", EXT	1	RAS
25-50-1400		-- Water Tank Clean-out & Plug, 3"	1	RAS
25-50-2511		Direct Tank Fill, 2-1/2" Valve, Right Rear, LCS AutoFill, Timberwolf/Airwolf	1	RAS
29-00-2400		Hosebed, Pumper, <168" L, HD, 71" Wide - EXT	1	RAS
29-10-1050		Hosebed, Grating, Extruded Alum, <168" Long - EXT	1	RAS
29-10-5020		Hosebed Storage Capacity, EXT	1	RAS
29-10-5090		-- Hosebed, Storage Capacity, 30 Cubic Feet, Minimum	1	RAS
29-10-8150		Hosebed, Divider, 1/4" Alum, EXT	2	RAS
29-10-8300		-- Hosebed, Divider, Handhole Cutouts	2	RAS
29-10-8550		Hosebed, Partition, Front of Hosebed, Greater than 48" - EXT	1	RAS
29-20-3550		Hosebed Cover, Alum T/P, <168" L, 49-74" Wide - EXT	1	RAS
29-10-8162		-- Hosebed, Divider, Stationary, EXT	1	RAS
29-10-8300		-- Hosebed, Divider, Handhole Cutouts	1	RAS
29-20-6650		-- Manual Operation, Hosebed Cover, Alum T/P	1	RAS
29-20-7326		-- Hosebed Cover Light, OSS Access, 48" LED Tube Light, Ea, EO-73048	4	RAS
29-20-7800		-- Rear Vinyl Flaps for Alum Cover	1	RAS
29-20-5600		-- Vinyl Cover, Color, RED	1	RAS
30-00-0299		Raw Material Surcharge - Single Axle	1	RAS
30-01-2040		Body Construction - Rosenbauer EXT - SA Timberwolf	1	RAS
30-01-2250		-- Electrolysis Corrosion Control	1	RAS
30-02-1920		-- Side Body Header, Alum, Painted, Single Axle, EXT	1	RAS
44-05-1200		-- Wheel Well Panel, Alum, Painted, Single Axle	1	RAS
44-06-4320		-- Fenderette, Polished Stainless Steel SST, EXT	1	RAS
30-10-1510		-- Sub-Frame, EXT, SA Timberwolf	1	RAS
31-01-7020		100" OAW, Full Depth Ahead Rear Wheels & Half Depth Overwheels, Timberwolf	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
31-01-7324	S	Roll Up Doors, Outside Compt, Timberwolf, 160" Body	1	RAS
30-02-1600		-- Doors, Roll-Up, Outside Compt, Specs, EXT	1	RAS
30-02-1260		-- Door Strap, EZ-Pull Down, Ea	7	RAS
30-02-1750	S	-- Doors, Safe Step, Specs, EXT (Ea)	2	RAS
30-02-1775		-- Finish, Safe Step, Tread Plate, Specs, EXT (Ea)	2	RAS
31-01-7300	S	-- Body, Rosenbauer EXT, Timberwolf, 160"	1	RAS
32-05-4079		-- Compt Height, 79" High Left, High Side, RU Doors	1	RAS
32-05-6260		-- Ahead Rear Wheels - 44" Full Height Compt - Roll Up Outside Compt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	2	RAS
55-01-1700		-- Wall Light, Recessed LED, (1) Ea Compartment	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
90-21-1200		-- SCBA Mounting Bracket, Zico, 45 Minute, Non Riding HZ-KD-UH-6-SF	1	RAS
32-05-7042		-- Above Rear Wheels - 52" Single Compt, No Hyd Rack - RU Outside Compt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-19-1100		-- Equipment Mounting Panel, Rear Wall, 3/16 Aluminum	1	RAS
55-01-1700		-- Wall Light, Recessed LED, (1) Ea Compartment	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-05-8460		-- Behind Rear Wheels - 48" Full Height Compt - Roll Up Outside Compt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	RAS
55-01-1700		-- Wall Light, Recessed LED, (1) Ea Compartment	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-06-4079		-- Compt Height - 79" High Right - High Side - RU Doors	1	RAS
32-06-6260		-- Ahead Rear Wheels - 44" Full Height Compt - Roll Up Outside Compt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	2	RAS
45-05-4100		-- Slide Tray, 250#, Alum 3/16" (1/4 Depth), EXT	1	RAS
80-76-0110		-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	1	RAS
55-01-1700		-- Wall Light, Recessed LED, (1) Ea Compartment	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-06-7022		-- Above Rear Wheels - 32" Single Compt w/Hyd Rack - RU Outside Compt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-18-1600		-- Tool Board, Swing Out, 250#, 1/8" Alum, EXT	1	RAS
80-76-0110		-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	1	RAS
45-19-1100		-- Equipment Mounting Panel, Rear Wall, 3/16 Aluminum	1	RAS
55-01-1700		-- Wall Light, Recessed LED, (1) Ea Compartment	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-06-8460		-- Behind Rear Wheels - 48" Full Height Compt - Roll Up Outside Compt	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	RAS
55-01-1700		-- Wall Light, Recessed LED, (1) Ea Compartment	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
33-60-2610	S	Rear Body - 23 Degree Departure Angle - Timberwolf/Airwolf	1	RAS
32-08-5202		-- Rear Center Compt - Full Height/Non Trans - Timberwolf/ Airwolf	1	RAS
33-62-6210	S	-- Rear Step, Pull-Out Platform - High Angle of Departure - Timberwolf	1	RAS
44-30-1500		-- Roof Access Ladder, Rosenbauer EZ Climb, Left Rear 14" wide	1	RAS
44-35-2200		-- High Angle of Departure Compts, Both Sides, Timberwolf/Airwolf	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
44-11-5160		Wheel Well Compt, Ahead of Wheels Left Side, Timberwolf/Airwolf	1	RAS
44-10-1600		-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shop)	1	RAS
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1	RAS
44-11-5360		Wheel Well Provisions, Behind Wheels Left Side, Timberwolf/Airwolf	1	RAS
44-10-1600		-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shop)	1	RAS
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1	RAS
44-11-5560		Wheel Well Compt, Ahead of Wheels Right Side, Timberwolf/Airwolf	1	RAS
44-10-1600		-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shop)	1	RAS
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1	RAS
44-11-5760		Wheel Well Compt, Behind Wheels Right Side, Timberwolf/Airwolf	1	RAS
44-10-1600		-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shop)	1	RAS
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1	RAS
90-02-1550		Ladder Mounting, Hydraulic Rack, Center Mount Lo Pro 1.0, Passenger Side, EXT	1	RAS
90-02-0510		-- Controls, Mounting, Equipment Rack, Pump Panel	1	RAS
90-02-1260		-- Equipment Rack, Covering, Support Arms, Alum Treadplate	1	RAS
90-03-0220		-- Ladders, Ground, Provided By Manufacturer, MN	1	RAS
90-03-3300		-- Ladder, Roof, Duo-Safety, 14' Aluminum 775-A	1	RAS
90-06-4600		-- Ladder, Extension, Duo-Safety, 24' Aluminum, 2 Section 900-A	1	RAS
90-02-5352		Folding Attic Ladder Mounting, On Hydraulic Rack, Timberwolf/Xfire/RXT	1	RAS
90-08-2600		Ladder, Attic, Duo-Safety, 10' Aluminum, Folding 585-A	1	RAS
90-16-5430		Pike Pole Mounting, On Hydraulic Ladder Rack, Ea, EXT	2	RAS
90-16-6100		Pike Poles - Provided by Rosenbauer	1	RAS
90-16-2300		-- Pike Pole, 6' Fiberglass, Round Handle	1	RAS
90-16-2800		-- Pike Pole, 10' Fiberglass, Round Handle	1	RAS
90-25-7120		Suction Hose Tray, Single, Driver Side Over Compts (Ea), EXT	1	RAS
90-25-7330		Suction Hose Tray, On Hydraulic Ladder Rack, (Ea), EXT	1	RAS
90-25-9100		Suction Hose Provided By, Body Builder, MN	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
90-25-3120		-- Suction Hose, Flex, Kochek PVC, 6"x10'	2	RAS
90-25-6100		-- Suction Hose Couplings, Aluminum, LH FM x RLM	2	RAS
33-70-1310		Handrail - Right Rear - Vertical - 48" - Single	1	RAS
33-70-2100		Handrails - Below Hosebed - Horizontal - 48"	1	RAS
33-70-3110		Handrails, Pumper, Left Top of Body Side, Rear, 12", Single	1	RAS
44-01-1400		Body Trim, Front Body, Height of Side Compts, Alum T/P	1	RAS
44-01-4020		Body Trim, Rear Body, Smooth Alum for Chevron Stripe, EXT	1	RAS
44-02-1120		Rub Rails, Lower Body, EXT, Extruded Alum	1	RAS
60-25-1600		-- Receptacle, 120V, 15 Amp, 36" Power Strip	3	RAS
60-30-2300		-- Receptacle Location, Left Side, Ahead Rear Wheels Compartment, Ea	1	RAS
60-30-2400		-- Receptacle Location, Right Side, Ahead Rear Wheels Compartment, Ea	1	RAS
60-30-5500		-- Receptacle Location, Inside Cab, Crew Area, Ea	1	RAS
60-25-9400		Shore Power Inlet, Wiring to Interior Cab Receptacles	1	RAS
60-25-9500		Shore Power Inlet, Wiring to Interior Body Receptacles	1	RAS
77-10-8300		Receiver, Front, Winch/Rope, 9,000#	1	RAS
77-10-7710		-- Winch Power Receptacle, Warn, 12V, Quick Disconnect, Ea	1	RAS
77-10-8600		Receiver, Rear, Winch/Rope/Trailer, 9,000#	1	RAS
77-10-7710		-- Winch Power Receptacle, Warn, 12V, Quick Disconnect, Ea	1	RAS
77-11-0599		-- NO 12V Trailer Hitch Power Plug	1	RAS
80-22-2102		Body Paint, Timberwolf, Single Color, EXT	1	RAS
80-32-1250		Compt Finish, DA Sanded, Up to Eight (8) Compts, EXT	1	RAS
80-40-1250		Wheel Finish, By Chassis Manufacturer	1	RAS
80-42-1500		Body Paint, Touch Up, 2 oz. Bottle, One Color	1	RAS
80-50-1700		Lettering, 4" Mylar Gold Leaf, Fifty (50) Letters	1	RAS
80-70-1300		Stripe, Single Reflective, 4", Straight Design	1	RAS
80-75-1600		-- Reflective Stripe Material, White	1	RAS
80-72-1100		Stripe, Reflective 3M, Chevron Pattern Entire Rear Red/Yellow	1	RAS
80-72-2030		Stripe, Reflective, Cab Door Interiors	1	RAS
80-79-1000		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 1901 15.7.1.6)	1	RAS
90-01-5900		Wheel Chocks Pair Zico #SAC-44 Folding w/ Mounts	1	RAS
90-35-1900		Emergency Road Kit - DOT Required	1	RAS