



Poudre Fire Authority
Trent Edelman
102 Remington Street
Fort Collins, CO 80524

Exp. Date:	02/29/2024	
Quote No:	10301-0018	
TIMBERWOLF:	G0-00-1100	Rosenbauer Timberwolf - Single Axle
BID PREP:	G0-09-0020	EXT Timberwolf Bid Prep Forms
WARRANTY:	G0-09-2020	EXT Timberwolf Warranties-BR
ELEC-DC:	G0-50-1000	EXT Timberwolf - DC Elec System
CHS MODS:	G0-10-0100	EXT Timberwolf SA Chassis Modifictns
PLUMBING:	G0-20-2100	EXT Timberwolf Pump&Plumbing
PUMP COMPT:	G0-26-2100	EXT Timberwolf Pump Cmpt
BODY-PMPR:	G0-30-3100	EXT Timberwolf 500 Gal Short Body
BODY-CMMN:	G0-44-0100	EXT Timberwolf Common Body Parts
ELEC-AC:	G0-60-1000	EXT Timberwlf - AC Electrical System
EQUIP-SYST:	G0-70-1000	EXT Timberwolf - Equipment Systems
PAINT:	G0-80-1000	EXT SA Timberwolf -Paint/Lettering/Stripe
EQUIP-LSE:	G0-90-0000	EXT Pmpr/Tnkr - Loose Equipment

11/13/2025

Page 1

PART NO	S	DESCRIPTION	QTY	ID
ROSENBAUER APPARATUS SOLUTIONS - RAS - 14 DECEMBER 2023				
00-00-000X		=== Pricing as of Rosenbauer QW Release NOVEMBER 2023 Price Good until 3-31-24 =	1	RAS
00-00-1100	S	Information Request Form (Factory Required)	1	RAS
00-00-1200	S	Chassis Information Summary (Factory Required)	1	RAS
00-00-1300	S	Poudre Fire Authority	1	RAS
00-00-1500		MAXIMUM OVERALL HEIGHT	1	RAS
		No requirement		
00-00-1510		MAXIMUM OVERALL LENGTH	1	RAS
		No requirement		
00-00-1519		Overall Width Restriction, NONE	1	RAS
00-00-1530		MAXIMUM WHEELBASE	1	RAS
		No requirement		
00-00-1600		NFPA Equipment Allowances	1	RAS
00-00-1610		NFPA Pumper Equipment Allowance 2500#	1	RAS
00-00-3100	S	Rosenbauer Dealer Order Form (Factory Required)	1	RAS
00-12-1100		Financial Stability Response	1	RAS
01-06-0510		Calculated Center of Gravity, BR	1	RAS
01-07-0062		-- Technical Drawings, Representative Drawings (4-View)(Left/Right/Rear/Front)	1	RAS
02-00-0250		Proposal - Minnesota Division	1	RAS
02-00-0350		Contract - Minnesota Division	1	RAS
02-02-0200		Pre-Construction Conference At Mfg.	1	RAS
02-02-0300		Inspection Trip	1	RAS
02-13-7300		Local Sales and Service Vehicle Support	1	RAS
02-14-0150		=== Warranty EXT Body & Subframe ===	1	RAS
01-16-0150		-- Warranty, Apparatus, Body Warranty, 1 Year	1	RAS
01-19-0460		-- Warranty, Body, Aluminum, Life-Time, Transferable	1	RAS
01-19-2450		-- Warranty, Subframe, Lifetime Aluminum, Transferable	1	RAS
01-20-0360		-- Warranty, Paint, PPG, 10 Years, EXT	1	RAS
01-21-0150		-- Warranty, Lettering and Striping, 1 Year	1	RAS
02-14-5210		=== Pump Warranty (Rosenbauer Default) ===	1	RAS
01-17-0870		-- Pump Warranty, Rosenbauer, 5 Year	1	RAS
02-14-6250		Plumbing Warranty, Stainless Steel, 10 Years	1	RAS
01-33-3710		-- In Process Photos	1	RAS
01-33-5200		-- Manuals, Electrical, As Built Body, 1 Set Printed w/Digital Copy	1	RAS
02-90-1200		Chassis, Freightliner M2 4 Door	1	RAS
12 VOLT ELECTRICAL INSTALLATION - PUMPERS/TANKERS				
50-09-3105		Electrical, Base, Rosenbauer LCS 2.0 - Timberwolf/Airwolf	1	RAS
DOOR OPEN / HAZARD WARNING LIGHT INDICATOR SYSTEMS				
55-11-1301		-- Door Open/Hazard Warning Light, Flashing LED, Red, Clear Lens, Whelen TIR3	1	RAS
CONSOLES AND SWITCHES				
50-12-1570	S	Electrical Console, In Cab, Rosenbauer LCS 2.0, Tmbrwlf/Arwlf, Freightliner	1	RAS
		Will include labels with verbiage. International symbols will not be accepted		

PART NO	S	DESCRIPTION	QTY	ID
BATTERY SYSTEMS AND SHORELINE PLUG-INS				
50-15-1100		Batteries, With Supl'd Chs	1	RAS
50-15-3100		Battery Switch, Master Disconnect , Chassis Sppld	1	RAS
50-15-3410	S	Ignition Switch, Keyless, w/Chassis The key is to be teathered to the dash	1	RAS
50-15-4100		Battery, Indicator Light	1	RAS
50-15-5790		Battery Charger, KUSS, Chief Series 6012 w/Remote Display	1	RAS
50-20-1124		Shore Power Inlet, Below Left Front Cab Door, Commercial	1	RAS
50-20-1500	S	Shore Power Inlet, KUSS Super Auto-Eject 20 Amp The shore line cover will be ordered RED	1	RAS
AIR HORNS AND CONTROLS				
50-41-7100		Air Horns Two (2) 24" Round Hadley E-Tone	1	RAS
50-41-8180		Air Horn Location Hood Mounted, One (1) Ea Side	1	RAS
50-43-1000		Air Horn Controls	1	RAS
50-43-2000		-- Air Horn Control, Driver, Horn Ring, Air/Electric	1	RAS
50-43-2500		-- Air Horn Control, Dual Lanyard Pull Cord	1	RAS
12 VOLT POWER SOURCES				
51-00-2102	S	-- 12V Dual USB Power Outlet, 5V 2.1A Output, Qty(2) installed on the rearward portion of the center console and Qty(2) mounting in the rear crew seat riser.	4	RAS
51-00-4010		-- Constant Power	4	RAS
DOME-CABINET-INTERIOR-ENGINE-PUMP LIGHTS				
51-05-6200		Light, Engine Compt, 12 Volt LED, w/Switch	1	RAS
51-05-9000		-- Switch on Light Head	1	RAS
BACK UP ALARMS AND CAMERAS				
52-01-1210		Back Up Alarm, EXT	1	RAS
52-01-1455		-- Back Up Alarm, Over-Ride Switch, Auto Reset, One LCS LCS 2	1	RAS
52-02-1170	S	Back-Up & Right 2-Camera System, ASA, Color Back-Up & Right 2-Camera System, ASA, Color. Activate with right turn signal.	1	RAS
MAP LIGHTS-HANDHELD LIGHTS-FANS-FOG LIGHTS-HDLT FLASH				
52-03-1700	S	Map Light, Hela Marine part Number 2AB004532-161 Map Light, Hela Marine part Number 2AB004532-161	1	RAS
HANDHELD FLASHLIGHTS				
52-08-1074	S	-- Streamlight Bear trap Lights #61520 Streamlight BearTrap 61520 Ship loose	2	RAS
52-08-1162	S	-- Hand Light, Streamlight 77555 Ultra stinger W/12v charger Streamlight 77555 Ultra stinger W/12v charger Final mounting loctions will be deturmaind at the MPI	2	RAS
52-08-1300	S	-- Hand Light, Survivor LED, Orange, w/ 12V Charger Order with charger, Part Number 90952 The final mounting locations will be deturmaind at the mpi	5	RAS
52-08-2300		-- Hand Light Install Location, Cab, Define	1	RAS
52-08-2310		-- Flashlight Install Engine Tunnel	1	RAS
ANTENNAS - RADIOS - HEADSETS - FIRE RADIOS				
52-10-2200		Intercom System, David Clark, 3800 Series Baycom will be contracted to perform the installation	1	RAS
52-10-2206		-- Master Station, David Clark U3800	1	RAS
52-10-2208		-- Headset, PTT & Intercom, David Clark (H3442) (Driver)	1	RAS
52-10-2210		-- Headset, PTT & Intercom, David Clark (H3442) (Officer)	1	RAS
52-10-2212		-- Headset, Intercom Only, David Clark (H3442)	2	RAS
52-10-2235		-- Plug In Module, Intercom ONLY David Clark	1	RAS
52-15-1200		Radio Antenna Base, Supply and Install, Ea	3	RAS
52-15-1700	S	Radio, Fire, Install Customer Supplied W/ interface cables Will include interface cables for APX 8500 and Kngm -150	2	RAS
51-00-1700		-- 12V Power/Ground, 30A, Radio Location	2	RAS
51-00-4000		-- Switched Power, Thru Master	2	RAS
52-30-1100		-- MDT, Install Customer Supplied	1	RAS
52-20-1099	S	Multi-network vehicle router MULTI-NETWORK VEHICLE ROUTER Poudre Fire Authority shall provide one (1) Sierra Wireless multi-network vehicle router; model Airlink MG90 for the builder to install.	1	RAS
52-20-1250	S	Cell Phone Antenna, Install Customer Supplied, Dealer CAT-6 NETWORK CABLES	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
		Two (2) CAT-6 network cables shall be supplied and installed by the builder. The cables shall be routed in the following locations:		
		• From the MG90 router mounting location to the Gamber Johnson CF-33 docking station.		
		• From the MG90 router mounting location to the Knox KeySecure®		
		This will provide the ability to network the Toughbook and Knox KeySecure® into the router.		
52-20-1600	S	Sierra Wireless Airlink 6 in 1 Dome Antennas Poudre Fire Authority shall provide two (2) Sierra Wireless Airlink® 6 -in-1 Dome Antennas, P/N# 6001121 for the builder to install. The antennas shall be installed on the cab roof above the officers seating position. The antenna cables will be routed to the mounting location of the MG90 router.	2	RAS
MARKER AND DOT REQUIRED LIGHTS				RAS
53-01-1201		Marker Lights, LED, DOT Requirements, Timberwolf/Airwolf	1	RAS
53-01-3000		Marker Lights, Flex Arm, Britax, Pair	1	RAS
53-03-0065		Whelen Rear DOT LED Lighting Package M6	1	RAS
53-03-2750		-- Tail/Brake Lights, Whelen, LED, M62BTT (Pair)	1	RAS
53-04-2750		-- Turn Signals, Whelen, LED w/ Arrow, M62T (Pair)	1	RAS
53-06-3550		-- Backup Lights, Whelen, LED, M62BU (Pair)	1	RAS
53-07-1210		-- (4) Light Bezel, Tail Lights, Whelen M6 (Pair), ABS Chrome	1	RAS
53-05-1800		Turn Signals, Mid Body, LED Marker Light (Pair)	1	RAS
GROUND LIGHTS				RAS
54-01-0560		=== LED Ground Lights - Timberwolf/Airwolf - MN ===	1	RAS
54-02-1520		-- Ground Lights, Cab, 4-Door, LED, Whelen 3SC0CDCR Four	1	RAS
54-03-1420		-- Ground Lights, Mid Body, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-03-1620		-- Ground Lights, Rear Step, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-03-1820		-- Ground Lights, Behind Rear Wheels, LED, Whelen 3SC0CDCR, Pair	1	RAS
54-04-1999		-- Light Switch, Ground Lights w/ Park Brake	1	RAS
STEP - WALKWAY - DECK LIGHTS				RAS
54-11-2100		Light Switch, Step/Walkway Lights Wired Park Brake Switch	1	RAS
TELESCOPING LIGHTS - BROW LIGHTS - 12 VOLT				RAS
SURFACE MOUNT SCENE LIGHTS - 12 VOLT				RAS
54-15-5904		Scene Light - Front / Cab Brow	1	RAS
51-16-5028		-- Scene Light, Fire Tech, FT-B-65-W, 65", White	1	RAS
54-15-5908		Scene Light - Cab Left Side	1	RAS
54-15-5912		Scene Light - Cab Right Side	1	RAS
54-15-5916		Scene Light - Pump Panel Left Side	1	RAS
54-15-5920		Scene Light - Pump Panel Right Side	1	RAS
54-15-5924		Scene Light - Body Left Side	1	RAS
51-16-5018	S	-- Scene Light, Fire Tech, FT-MB -2.27-FT-W White Mounted on top of body and include a guard over the top	1	RAS
FT-MB -2.27-FT-W				
54-15-6470		-- 3-Way Control Switch, Left Scene Lights, Cab Dash/Pump Panel Included in the LCS	1	RAS
54-15-5928		Scene Light - Body Right Side	1	RAS
51-16-5018	S	-- Scene Light, Fire Tech, FT-MB -2.27-FT-W, White Mounted on top of body and include a guard over the top	1	RAS
FT-MB -2.27-FT-W				
54-15-6300	S	-- Scene Light Switch, Rear face, The Spotter will deactivate the rear scene via the LCS panel	1	RAS
54-15-6570		-- 3-Way Control Switch, Right Scene Lights, Cab Dash/Pump Panel Included in the LCS	1	RAS
54-15-5932		Scene Light - Rear Body There are M9V2's in the warning light section.	1	RAS
54-15-7212	S	Scene Light, Tecnique E60, LED Bow Style, Wheel Well, Polished SST Pair Light heads are to be mounted at an angle See past Poudre pumper units prior to installation and due your best to match	1	RAS
ELECTRONIC SIREN - SPEAKERS - Q's - BELL				RAS
56-03-2000		Whelen CenCom Core Main Control Module	1	RAS
56-03-2004		-- Control, Whelen Core, w/Rotary Knob and Multiplex CCT9	1	RAS
56-03-2010		-- Module, Whelen Core, Vehicle to Vehicle Sync	1	RAS
56-02-1600		Speaker, Fed Sig Dynamax, ES100C 100 Watt	2	RAS
56-02-1650		-- Speaker Grille, SST, "R"	2	RAS
56-03-1800		-- Speaker Location, To Be Determined by Body Mfg	2	RAS
EMERGENCY LIGHTING PACKAGES				RAS

PART NO	S	DESCRIPTION	QTY	ID
56-03-2023		-- Module, Whelen CORE, Expansion	1	RAS
		WARNING LIGHTS - UPPER ZONES - TIMBERWOLF		RAS
57-02-1000		-- ==== Whelen Light Bars - Long ====	1	RAS
57-02-2702	S	-- Light Bar, Whelen, Freedom IV WCX, LED, 60"	1	RAS
		Prior to confirming the Light bar order an updated WEcad is to be provided by the vendor and submitted to PFA for final approval		
		The right half of the light bar, looking forward away from the apparatus shall be blue in color. The left half of the light bar shall be red in color. The third position from the center of the light bar, on both the red and blue halves, shall contain a white light.		
57-08-1100		-- Traffic Emitter, GTT Opticom, Lt Bar Mntd, 795H Low-Pro LED High-Priority, Prk B	1	RAS
57-10-0600		-- Light Bar Control, with Master Warning Switch	1	RAS
		REAR FACING - UPPER WARNING LIGHTS - UPPER ZONE C		RAS
58-71-1000		-- ===== Whelen Upper Rear Warning Lights =====	1	RAS
58-71-2400		-- Warning Lights, Whelen, Upper Rear Body (2) M9V2 LED Warn/Scene	1	RAS
54-15-6100		-- Scene Light Switch, Cab Switch Panel	1	RAS
54-15-6700		-- Scene Light Switch, Rear Scene Lights, Auto w/ Reverse	1	RAS
57-20-1602		-- Warn Light, Driver, Whelen, M9V2, Blue LED, Color Lens, Ea	1	RAS
57-20-1601		-- Warn Light, Officer, Whelen, M9V2, Red LED, Color Lens, Ea	1	RAS
58-01-2180		-- Flange, Chrome, Warning Light, Whelen, M9 Ea	2	RAS
58-46-0999		-- ==== NO Upper Side Front Body Warning Lights - PTS ====	1	RAS
58-61-2100		-- Warning Lights, Whelen, Upper Side Rear Body (2) M9 LED	1	RAS
57-20-1400		-- Warn Light, Driver, Whelen, M9, Red LED, Color Lens, Ea	1	RAS
57-20-1401		-- Warn Light, Officer, Whelen, M9, Red LED, Color Lens, Ea	1	RAS
58-01-2180		-- Flange, Chrome, Warning Light, Whelen, M9 Ea	2	RAS
		LOWER WARNING LIGHTS		RAS
58-02-2000		-- ==== Whelen Lower Warning Lights ====	1	RAS
		FRONT FACING - LOWER - CAB WARNING LIGHTS ZONE A		RAS
58-03-2000		-- Warning Lights, Whelen, Low Front, (2) M6 LED	1	RAS
57-20-1202		-- Warn Light, Driver, Whelen, M6, Blue LED, Color Lens, Ea	1	RAS
57-20-1201		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	1	RAS
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS
		SIDE WARNING LIGHTS - LOWER ZONE B AND ZONE D		RAS
58-09-2000		-- Warning Lights, Whelen, Intersection, (2) M6 LED	1	RAS
		Warning light must be recessed		
57-20-1200		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	1	RAS
57-20-1201		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	1	RAS
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS
		SIDE FACING - LOWER - MID BODY WARNING LIGHTS		RAS
58-26-2000		-- Warning Lights, Whelen, Lower Mid Body (2) M6 LED	1	RAS
		The warning lights installed over the wheel well is to mimic past pumper builds. Please investigate this prior to installation		
57-20-1202		-- Warn Light, Driver, Whelen, M6, Blue LED, Color Lens, Ea	1	RAS
57-20-1203		-- Warn Light, Officer, Whelen, M6, Blue LED, Color Lens, Ea	1	RAS
58-01-2140		-- Flange, Chrome, Warning Light, Whelen, M6, Ea	2	RAS
		SIDE FACING LOWER REAR CORNER WARNING LIGHTS		RAS
58-36-0099		-- ==== No Side Facing Lower Rear Body Lights Required - Pick to Select ====	1	RAS
		REAR FACING - LOWER WARNING LIGHTS - LOWER ZONE C		RAS
58-81-2000		-- Warning Lights, Whelen, Lower Rear Body (2) M6 LED	1	RAS
57-20-1200		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	1	RAS
57-20-1203		-- Warn Light, Officer, Whelen, M6, Blue LED, Color Lens, Ea	1	RAS
		TRAFFIC CONTROL DEVICES		RAS
58-91-1720		Traffic Arrow Light, Whelen, 46.82" TIR6 Super-LED, TAM85	1	RAS
56-03-2030		-- Control Head, Whelen Core, Traffic Advisor	1	RAS
58-95-1300		Traffic Arrow Light Mounting, Surface Mount, Rear Body	1	RAS
		CHASSIS MODIFICATIONS		RAS
		DIMENSIONS OF APPARATUS		RAS
10-01-1100		Vehicle Dimensions, Single Axle	1	RAS
		PLACARDS AND LABELING		RAS
10-02-1100		Label, Data, Fluid Levels	1	RAS
10-02-1200		Label, Data, Height x Length, Weight	1	RAS
10-02-1300		Label, Data, "No Ride" Rear Step	1	RAS
10-02-1400		Label, Data, Tire Pressure	1	RAS
10-02-2100		Label, Indicating Number of Seats	1	RAS
10-02-2500		Label, "Caution: Do Not Wear Helmet While Seated"	1	RAS
		FRAME PREP AND MODIFICATIONS		RAS
10-03-1230		Chassis Preparation, Comm, 4 Door, Timberwolf/Airwolf	1	RAS
10-03-6500		Tow Plates (2), Rear Frame Rail, Under Rear Body, Timberwolf/Airwolf	1	RAS
80-43-2400		-- Painting, Tow Plates, Black	1	RAS
		BUMPER MODIFICATIONS - EXTENSIONS - COMPARTMENTS		RAS
10-04-2140	S	Max force custom bumper	1	RAS
		Max force custom bumper Max Force front bumper is to be designed to include Qty(2) manual swing valves with the handles through the front face.		
		The intersect lights are to be recessed into a pockets		
		The front bumper is a custom design. The outboard sides ,driver and officer, of the frame extensions will include recessed tubs that will be 8"		

PART NO	S	DESCRIPTION	QTY	ID
		wide (front to rear) but full length between the frame extension and the outside edge of the bumper.		
		The front face between the frame rails will be perpendicular to the chassis (Will house a winch) Just outboard of the mounting bolts the bumper will triangulate to the forward corner of the recessed tub. The front corner of the tub will be the starting point of the bumper wings. Space considerations for Qty(2) manual swing valves one at each frame extension with valve control through the front face. See front bumper discharge for details. Center mounted Winch with access lid on gravel shield and roller assembly centered allowing cable to deploy through the front face.		
		See customer mark up saved in the Eng tab of this trucks drive		
		Poudre fire is open to RMN presenting solutions to potential problems to the request design of the bumper discharges locations. The discharge manual swing valve location must be designed into the bumper and approved by the end user prior to starting in production.		
10-04-2330	S	-- Bumper Gravelshield,, By Body Builder The front bumper extension will be based on the final design. May be up to 24" to acomidate all of the department requirments.	1	RAS
10-04-2590		-- Hose Well Compartment, Driver Side Bumper Tub will be defined by available space. The only requirement is the depth from front to back is 8"	1	RAS
10-04-3125		-- Velcro Straps, Front Bumper Compartment, Pair	1	RAS
10-04-3189		-- ===== No Bumper Compt Drop Floor - Pick to Select =====	1	RAS
10-04-2920		-- Hosewell Compartment, Passenger Bumper Tub will be defined by available space. The only requirement is the depth from front to back is 8"	1	RAS
10-04-3125		-- Velcro Straps, Front Bumper Compartment, Pair	1	RAS
10-04-3189		-- ===== No Bumper Compt Drop Floor - Pick to Select =====	1	RAS
10-04-2529		===== No Bumper Compts - Pick to Select =====	3	RAS
WHEEL TRIM AND COVERS				
10-06-1700	S	Indicator, Tire Pressure, PressuerPro TPMS, Single Axle constant hot power	1	RAS
		An extended antenna option Part #PLS-850K shall be installed on the apparatus to improve sensor reception. The antenna is to be installed at the front of the body.		
SPARE TIRES				
EXHAUST SYSTEMS				
10-07-2120		Exhaust, Vertical, With Chassis, Freightliner	1	RAS
MUD FLAPS				
10-08-1100		Mud Flaps, Front Whls, w/ Chassis	1	RAS
10-08-2100		Mud Flaps, Rear Wheels, Black, w/ Body	1	RAS
TIRE CHAINS				
CAB STEPS - RUNNING BOARDS - COMPARTMENTS AND TRAYS				
10-10-0800		Cab Step Overlay, 4 Door Driver Side w/Compartment	1	RAS
10-10-4100		-- Stationary Battery Tray/Splash Pan, Under Cab Compt	1	RAS
		The batteries shall be mounted in a pan, cushioned by rubber or plastic pads. The stationary battery tray shall be installed in the under cab compartment.		
10-10-7200	S	-- Hinged down door, Battery compartment The driver side under cab compartment will include a hinged down door	1	RAS
10-10-0900		Cab Step Overlay, 4 Door Passenger Side w/Compartment	1	RAS
CAB TRIM				
CAB SEATING AND EQUIPMENT				
CREW CAB INTERIOR CABINETS				
10-13-2700	S	Cabinet, Center Forward Facing, Full Ht, Cargo webbing See hand drawing saved in the engineering tab	1	RAS
		Black cargo webbing retention is to be installed. Permanently installed low with synch straps/SS buckles at the top. This is to span the full 15" deep section of the cabinet.		
		Cabinet will be Lower section 30" " in depth. Upper section 15" deep		
		The Front section of the cabinet will include Qty(2) cup holders and specified power points. Rearward of the cup holders will be a hinged lid with thumb latch retention. The rearward side of the opening is the attachment point of the hinge.		
		Qty(2) shelves will be installed in the upper section.		
		The overall width of the cabinet will be dictated by RMN engineering. The width will allow for the crew occupants to seat comfy		

PART NO	S	DESCRIPTION	QTY	ID
10-13-3520		-- Exterior Finish, Cabinet, DA Sanded	1	RAS
10-13-3550		-- Interior Finish, Cabinet, Natural	1	RAS
10-13-3600		-- Shelf, Adjust, Crew Cab Cabinet	2	RAS
55-01-3270		-- Wall Light, OSS Night Axe, 27" LED Tube Light, (2) Ea Compartment	1	RAS
		Light will auto activate with Park Brake set		
10-13-4400	S	Binder Storage Module, Single 2" slot recessed in center console lid	1	RAS
		Single 2" slot. This will be recessed into the rear section of the center console lid		
10-13-3520		-- Exterior Finish, Cabinet, DA Sanded	1	RAS
10-13-3550		-- Interior Finish, Cabinet, Natural	1	RAS
10-13-8000		-- Cup Holder, Black	2	RAS
10-13-8000	S	Med glove storage boxes	2	RAS
		Med glove storage boxes Located left top corner of the center console		
CHASSIS AIR BRAKE SYSTEMS				RAS
10-19-3010	S	Air Auto-Eject, Inlet, Cab Exterior, Driver Step #091-28	1	RAS
		Please order with a red cover		
10-19-6100		Air Outlet, Manual, Pump Panel	1	RAS
		The connection is a Milton M style male		
		Located low in compartment on pump panel		
REARMOUNT PTO PUMPS - TIMBERWOLF				RAS
20-27-1110		-- Pump, Rosenbauer, NH55-1250 GPM, NPHP, PTO - Tmbrwlf	1	RAS
20-27-6200		-- Primer, Rosenbauer, Automatic Belt Driven	1	RAS
20-28-3410		-- Pump Shift, Rosenbauer, PTO, Pump and Roll, Tmbrwlf/Airwlf	1	RAS
21-00-0090		-- Pump Panel Approval Drawing	1	RAS
27-10-7000		-- One LCS Pump Panel Pump Engage Control and Pressure Gov w/ DigiView	1	RAS
27-10-7012		-- Five (5) Button One LCS Keypad	1	RAS
27-10-7016		-- Pump Panel One LCS Display	1	RAS
20-28-4010		-- Supply Valve, High Pressure, Elec	1	RAS
PUMP PLUMBING				RAS
21-00-2002	S	-- Screens/Anodes, Pump, 6" Zinc	1	RAS
		Zinc anode screen		
21-00-3350		-- Piping, SST - 1250 GPM & Up *	1	RAS
21-01-0200	S	-- Pump Drain, Manifold Drain	1	RAS
		The LCS system will include a pump drain and a manifold drain		
21-01-5600		-- Intake Manifold, Stainless Steel	1	RAS
21-01-6600		-- Discharge Manifold, Stainless Steel	1	RAS
21-01-7300		-- Unpainted, Pump & Piping	1	RAS
21-01-8100		-- Threads, National Hose (NST)	1	RAS
22-30-4110		-- Intake Master, Gated, 6", Manual, Butterfly, Rear Center - Timberwolf	1	RAS
21-01-2300		-- Drain/Bleeder, Class 1, Manual 1/4 Turn	1	RAS
22-41-5700		-- Cap, 6", Chrome Long Handle	1	RAS
22-51-8810		-- Tank-To-Pump, Water Tank, 4" Butterfly Valve, Elec/Air, N/NH Series, EXT	1	RAS
23-02-1210		-- Tank Fill/Cooling Line, Water Tank, 1-1/2", Timberwolf/Airwolf	1	RAS
25-08-2240		-- Foam Capability, NP-FIXMIX & HP-FIXMIX - Timberwolf	1	RAS
25-08-1210		-- Foam System, RBA, NP-FIXMIX - Timberwolf	1	RAS
25-08-1300		-- NP-FIXMIX, Single Rate, Manual	1	RAS
25-08-1320		-- Proportioning Rate, NP-FIXMIX, 0.5%	1	RAS
25-08-1220		-- Foam System, RBA, HP-FIXMIX - Timberwolf	1	RAS
25-08-1310		-- HP-FIXMIX, Foam Supply	1	RAS
25-08-1330		-- Proportioning Rate, HP-FIXMIX, 0.5%	1	RAS
25-20-1090		-- Foam Plumbing, HP-FIXMIX, Class A	1	RAS
25-20-1505		-- Foam Plumbing, Single Class A Tank, 1-1/2" Manual Valve - Timberwolf	1	RAS
25-21-1510		-- Foam Tank, Integral Poly, 30 Gallon, Class A - Timberwolf	1	RAS
25-22-9100		-- Foam Tank, No Manufacturer Preference	1	RAS
25-23-1002		-- Foam Tank Drain, Class 1" Ball Valve, Under Tank	1	RAS
27-10-3510		-- Pressure Governor, FRC, In-Control, w/Body, TGA400, Timberwolf	1	RAS
MASTER PRESSURE GAUGES				RAS
27-01-4100		-- Gauge, Test Taps	1	RAS
27-03-1600		-- Gauge, Discharge, 2-1/2" 600#, High Pressure Pumps, Mounted on Pump Panel	1	RAS
27-03-1800		-- Gauge, Discharge, Digital, In Cab, Pump and Roll	1	RAS
ENGINE MONITORING				RAS
WATER TANK GAUGES				RAS
27-35-3000		-- Water Level Display, DigiView, Pump Panel, LCS 2.0, Timberwolf	1	RAS
27-35-3200	S	-- Foam Display, DigiView, In-Cab, LCS 2.0, Timberwolf	1	RAS
27-35-6106		-- Water Tank Gauge, Whelen PS TANK2 LED, Level Lights, Pair, LCS	1	RAS
27-35-6502		-- Mounting Location, Front Body Corners	1	RAS
FOAM TANK GAUGES				RAS
20-30-3400		-- Pump Instln, Rr Mt PTO, By Bdy Bldr	1	RAS
PUMP TESTING				RAS

PART NO	S	DESCRIPTION	QTY	ID
20-31-1000		Fire Pump Testing - Pumpers/Tankers	1	RAS
20-31-1100		-- Pump Test, Pumper, UL	1	RAS
20-31-1500		-- Pump Test, Label	1	RAS
PUMP INTAKE RELIEF AND COOLING				RAS
20-31-3200		Dump-Relief Valve, Suction Side, ELK #40, NST	1	RAS
20-31-4200		Pump Cooler, Bypass-To-Tank, 1/2"	1	RAS
20-31-4700		Pump Cooler, Rosenbauer, Thermal	1	RAS
20-31-5204		Heat Exchanger, Engine, Complete, IC Mini-Twist Handle	1	RAS
INTAKES				RAS
22-30-1110		Intake, Gated, 2-1/2" NST, Left Rear, Rear Mount - Timberwolf/Airwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
22-41-1100		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	1	RAS
24-62-1258		-- Valve, AKR, 8000, (2-1/2"), Manual Swing Control Only	1	RAS
22-55-4050		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	1	RAS
BUMPER DISCHARGES - REAR MOUNT PUMP				RAS
23-14-1614		Discharge, 1", Left/Right Ground Sweeps, Dual Valves - Timberwolf	1	RAS
23-14-1660		-- Discharge, 1", Ground Sweeps, Plumbed High Pressure	1	RAS
23-14-4200	S	Discharge, 1-1/2", Front RH/LH Bumper, Swivel, NST	2	RAS
A single Kzco valve ill be installed at the bump controlled at the pump by switch operation.				
The plumbing will be split into Qty(2) bumper lines. A Swivel will be mount at each side of the dunnage. The manual swing portion of the valve is to be through the front face of the bumper.				
Poudre fire is open to RMN presenting solutions to potential problems to the request design of the bumper discharges locations. The discharge manual swing valve location must be designed into the bumper and approved by the end user prior to starting in production.				
The customer bumper design proof is saved in the engineering tab of the trucks drive				
21-01-2200		-- Drain/Bleeder, Class 1, Automatic	2	RAS
23-05-9200		-- Hose Connection, Above Front Bumper, Swivel	2	RAS
24-61-1225		-- Valve, AKR, 8000, (2"), KZCO Electric	1	RAS
24-53-6220		-- Valve Control, AKR, 2.0" Elec, KZCO, Rocker Switch	1	RAS
27-02-0100		-- === PSI Only Discharge Pressure Gauges ===	1	RAS
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
24-62-1160		-- Valve, AKR, 8000, (1-1/2"), Manual Swing Control, Direct, TS Self-Locking, 5"	2	RAS
The manual swing controller is to be recessed through the font face of the bumper				
SPEEDLAY DISCHARGES - REAR MOUNT PUMP				RAS
REAR DISCHARGES - REAR MOUNT PUMP				RAS
23-20-2110		Discharge, 2-1/2", Rear Center Pump Panel, Left Side, Timberwolf/Airwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
24-02-1202		-- Elbow, Flange x 2-1/2"M, Chrome	1	RAS
24-03-1400		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Valve, AKR 8000, 2-1/2", Manual Swing Type-Adjacent, TS-7	1	RAS
24-53-0820		-- Discharge Valve Control, AKR, Manual Swing Type-Adj, TS-7	1	RAS
27-02-0100		-- === PSI Only Discharge Pressure Gauges ===	1	RAS
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-2310		Discharge, 2-1/2", Rear Center Pump Panel, Right Side, Timberwolf/Airwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
24-02-1202		-- Elbow, Flange x 2-1/2"M, Chrome	1	RAS
24-03-1400		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	1	RAS
24-61-1252		-- Valve, AKR 8000, 2-1/2", Manual Swing Type-Adjacent, TS-7	1	RAS
24-53-0820		-- Discharge Valve Control, AKR, Manual Swing Type-Adj, TS-7	1	RAS
27-02-0100		-- === PSI Only Discharge Pressure Gauges ===	1	RAS
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
23-20-2910		Discharge, 2-1/2", Right Rear Upper Face, Timberwolf/Airwolf	1	RAS
21-01-2302		-- Drain/Bleeder, Class 1, Manual 1/4 Turn - Spec Only	1	RAS
24-02-1200		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	1	RAS
24-61-1252		-- Valve, AKR 8000, 2-1/2", Manual Swing Type-Adjacent, TS-7	1	RAS
24-53-0820		-- Discharge Valve Control, AKR, Manual Swing Type-Adj, TS-7	1	RAS
27-02-0100		-- === PSI Only Discharge Pressure Gauges ===	1	RAS
27-02-1500		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	1	RAS
24-01-2100	S	Water tank discharge, garden hose threads.	1	RAS
A Garden hose conection is to be installed with inthe rear face pump panel. The garden hose discharge will include female threads				
HOSE REELS				RAS
24-30-3014		=== Painted Steel Elec Rewind Hose Reel - One Location - Timberwolf ===	1	RAS
24-30-3610		-- Hose Reel, HAN, RH Side Compt, Elec, Steel Painted - Timberwolf	1	RAS
24-31-2100		-- Hose Reel, Rewind Control, Weatherproof Push Button	1	RAS
24-32-1210		-- Discharge, Hose Reel, 1", Class 1 Valve	1	RAS
24-32-1800		-- Discharge, Hose Reel, Plumbed to High Pressure	1	RAS
24-33-1300		-- Hose, Water, 800#, 3/4-in x 150-ft, Three (3) 50-ft Lengths	1	RAS
24-33-8000		-- Nozzle, Mounting, Hose Reel	1	RAS
24-33-9600		-- Roller, Hose Reel, Captive, Four Sided	1	RAS
80-43-1600		-- Painting, Hose Reel, Silver Gray	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
REAR MOUNT PUMP ENCLOSURE				
26-40-1600		Pump Enclosure, Specs, Timebrwolf/Airwolf	1	RAS
PUMP CONTROL PANEL LOCATION - REAR MOUNT				
26-40-2500		Pump Panel Location, TimberWolf, Rear Center	1	RAS
26-40-4100		-- Pump Control Panel Enclosure Door, Rear Mount, Rear Center, Roll Up	1	RAS
26-56-1462		-- Pump Panel Lightts (2), Rear Mount, (2) Grote #01-61F8-70 Low Profile, LED, Tmbr	1	RAS
26-56-1992		-- <i>Light Switch , Pump Panel Lights w/ Park Brake</i>	1	RAS
PUMP CONTROL PANEL SURFACE - REAR MOUNT				
26-40-3110		Pump Control Panel, Rear Mount SST, Timberwolf	1	RAS
PUMP ENCLOSURE ACCESS DOORS AND PANELS - REAR MOUNT				
26-40-5500		Pump Access Panels, Rear Mount, Side Compts Behind Rear Wheels	1	RAS
PUMP ENCLOSURE HEATERS AND HEAT PANS AND GASKET				
26-50-1010		<i>Heater, Pump Enclosure, 35,000BTU, w/Switch on Pump Operator's Panel</i>	1	RAS
26-50-1230		-- <i>Heater Fan Switch, Pump Operator's Panel</i>	1	RAS
26-50-1400		-- <i>Thermostat, Heater, Pump Enclosure, w/Manual Override on Pump Panel</i>	1	RAS
PUMP PANEL LABELING				
26-55-1100		Labels, Test Data and Safety Placards	1	RAS
26-55-2410		<i>Labels, IC Color Coded, EXT</i>	1	RAS
A custom label sheet will be provided by the end user				
26-55-2500		-- <i>Labels, Special Color / Wording</i>	1	RAS
AIR EQUIPMENT FOR PUMP PANEL				
27-37-1100		<i>Air Horn, Push Button, Pump Panel</i>	1	RAS
27-37-3010		Air Blow Out, Timberwolf/Airwolf	1	RAS
PUMP PANEL RADIO EQUIPMENT				
WATER TANKS				
25-28-1342		Water Tank, 500 Gallon, Poly, T-Tank, Timberwolf/Airwolf	1	RAS
25-42-1100		-- Water Tank, Base Specs, Poly	1	RAS
25-42-1200		-- <i>Water Tank, Manufacturer, UPF, Poly</i>	1	RAS
25-44-1700		-- Water Tank, Fill Tower, 10" x 10", EXT	1	RAS
25-50-1400		-- Water Tank Clean-out & Plug, 3"	1	RAS
25-50-2522	S	<i>Direct Tank Fill, 2-1/2" AKR, Right Rear, Rssenbauer EZ-Fill, IC</i>	1	RAS
The area around the direct tank will will be overlay with a scuff plate				
25-50-3100	S	-- <i>Direct Tank Fill, Elbow w/Drain</i>	1	RAS
The Direct tank fill will include an elbow but the drain bung will be welded in behind the rear face and the bleeder/drain will be installed with in the drain panel , lower panel				
HOSEBED - HOSEBED COVERS - DIVIDERS - HOSE LOAD				
29-00-2400		Hosebed, Pumper, <168" L, HD, 71" Wide - EXT	1	RAS
29-10-1050		Hosebed, Grating, Extruded Alum, <168" Long - EXT	1	RAS
29-10-5020		Hosebed Storage Capacity, EXT	1	RAS
29-10-5090		-- Hosebed, Storage Capacity, 30 Cubic Feet, Minimum	1	RAS
29-10-8150		Hosebed, Divider, 1/4" Alum, EXT	1	RAS
29-10-8300		-- Hosebed, Divider, Handhole Cutouts	1	RAS
29-10-8550		Hosebed, Partition, Front of Hosebed, Greater than 48" - EXT	1	RAS
29-20-3550		<i>Hosebed Cover, Alum T/P, <168" L, 49-74" Wide - EXT</i>	1	RAS
29-20-6650		-- <i>Manual Operation, Hosebed Cover, Alum T/P</i>	1	RAS
29-20-7325		-- <i>Hosebed Cover Light, OSS Access, 36" LED Tube Light, Ea</i>	4	RAS
29-20-7800		-- <i>Rear Vinyl Flaps for Alum Cover</i>	1	RAS
29-20-5600		-- <i>Vinyl Cover, Color, RED</i>	1	RAS
BODY CONSTRUCTION				
30-01-2040		Body Construction - Rosenbauer EXT - SA Timberwolf	1	RAS
30-01-2250		-- Electrolysis Corrosion Control	1	RAS
30-02-1920		-- <i>Side Body Header, Alum, Painted, Single Axle, EXT</i>	1	RAS
44-05-1200		-- <i>Wheel Well Panel, Alum, Painted, Single Axle</i>	1	RAS
44-06-4320		-- <i>Fenderette, Polished Stainless Steel SST, EXT</i>	1	RAS
30-10-1510		-- Sub-Frame, EXT, SA Timberwolf	1	RAS
31-01-7020		100" OAW, Full Depth Ahead Rear Wheels & Half Depth Overwheels, Timberwolf	1	RAS
31-01-7124	S	<i>Roll Up Doors, Outside Compt, Timberwolf, 140" Body</i>	1	RAS
140"				
30-02-1600		-- Doors, Roll-Up, Outside Compt, Specs, EXT	1	RAS
30-02-1260		-- Door Strap, EZ-Pull Down, Ea	7	RAS
30-02-1697		-- <i>Finish, Roll-Up Doors, Painted, Specs, EXT</i>	6	RAS
31-01-7100	S	-- <i>Body, Rosenbauer EXT, Timberwolf, 140"</i>	1	RAS
140"				
LEFT SIDE COMPARTMENTS				
32-05-4079		-- Compt Height, 79" High Left, High Side, RU Doors	1	RAS
32-05-6060		-- <i>Ahead Rear Wheels - 24" Full Height Compt - Roll Up Outside Compt</i>	1	RAS
L1 - 24"				
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- <i>Shelf, Adjust, Alum 3/16", EXT</i>	2	RAS
45-30-1125		-- <i>Turtle Tile, Shelves/Trays, 1/4 Depth, (each)</i>	2	RAS

PART NO	S	DESCRIPTION	QTY	ID
55-01-3625		-- RBA InVisiLight, 56" Recessed, Shelving, Sides (2) Ea Compartment, EXT	1	RAS
55-01-3650		-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
90-21-1200		-- SCBA Mounting Bracket, Zico, 45 Minute, Non Riding HZ-KD-UH-6-SF	1	RAS
		Mounted in L1 forward wall floor mounted		
32-05-7042		-- Above Rear Wheels - 52" Single Compt, No Hyd Rack - RU Outside Compt L2 - 52"	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	RAS
45-30-1125		-- Turtle Tile, Shelves/Trays, 1/4 Depth, (each)	1	RAS
55-01-3610		-- RBA InVisiLight, 28" Recessed, Shelving, Sides (2) Ea Compartment, EXT	1	RAS
55-01-3650		-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-05-8460		-- Behind Rear Wheels - 48" Full Height Compt - Roll Up Outside Compt L3 - 48"	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	2	RAS
45-30-1125		-- Turtle Tile, Shelves/Trays, 1/4 Depth, (each)	2	RAS
55-01-3620		-- RBA InVisiLight, 45" Recessed, Shelving, Sides (2) Ea Compartment, EXT	1	RAS
55-01-3650		-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
		RIGHT SIDE COMPARTMENTS		RAS
32-06-4079		-- Compt Height - 79" High Right - High Side - RU Doors	1	RAS
32-06-6060		-- Ahead Rear Wheels - 24" Full Height Compt - Roll Up Outside Compt R1 - 24"	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-16-1110		-- Tool Board, Roll Out, 500#, 3/16" PacTrac Dual Trac, (1/4 Depth) EXT Fully adjustable for and aft in compartment	1	RAS
55-01-3625		-- RBA InVisiLight, 56" Recessed, Shelving, Sides (2) Ea Compartment, EXT	1	RAS
55-01-3650		-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-06-7042		-- Above Rear Wheels - 52" Single Compt w/o Hyd Rack - RU Outside Compt R2 - 52"	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	1	RAS
45-30-1125		-- Turtle Tile, Shelves/Trays, 1/4 Depth, (each)	1	RAS
55-01-3610		-- RBA InVisiLight, 28" Recessed, Shelving, Sides (2) Ea Compartment, EXT	1	RAS
55-01-3650		-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
32-06-8460		-- Behind Rear Wheels - 48" Full Height Compt - Roll Up Outside Compt R3 - 48"	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-02-4100		-- Shelf, Adjust, Alum 3/16", EXT	2	RAS
45-30-1125		-- Turtle Tile, Shelves/Trays, 1/4 Depth, (each)	2	RAS
45-05-4100		-- Slide Tray, 250#, Alum 3/16" (1/4 Depth), EXT	1	RAS
45-30-1125		-- Turtle Tile, Shelves/Trays, 1/4 Depth, (each)	1	RAS
80-76-0110		-- Reflective Stripe, Red/White, Shelves/Trays/Tool Boards, Ea	1	RAS
55-01-3620		-- RBA InVisiLight, 45" Recessed, Shelving, Sides (2) Ea Compartment, EXT	1	RAS
55-01-3650		-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===	1	RAS
55-06-1100		-- Compartment Light, Door Switch, Auto, Ea	1	RAS
90-21-1200		-- SCBA Mounting Bracket, Zico, 45 Minute, Non Riding HZ-KD-UH-6-SF The mounts will lay flat to the top of the floor mounted roll out tray	3	RAS
		REAR COMPARTMENT		RAS
33-60-2610	S	Rear Body - 21 Degree Departure Angle - Timberwolf/Airwolf 21 degree AoD per drawing.	1	RAS
32-08-5202		-- Rear Center Compt - Full Height/Non Trans - Timberwolf / Airwolf The rear face roll up door will be painted job color red	1	RAS
		COMPARTMENT STORAGE PROVISIONS		RAS
45-07-3200	S	-- Rear Pull Out Drawer/Step This shall be a pull out drawer that will be a stepping surface or storage. The step will be instlled just below the rear face compartment	1	RAS
44-30-1850		-- Roof Access Ladder, Alum Tubing, Fold-Up, Left Rear	1	RAS
44-35-2200		-- High Angle of Departure Compts, Both Sides, Timberwolf/Airwolf	1	RAS
44-40-1020		-- Vents, Compts, Louvers (Ea)	2	RAS
45-30-1125		-- Turtle Tile, Shelves/Trays, 1/4 Depth, (each)	2	RAS
		WHEEL WELL PANEL - PROVISIONS		RAS

PART NO	S	DESCRIPTION	QTY	ID
44-11-5160		Wheel Well Compt, Ahead of Wheels Left Side, Timberwolf/Airwolf	1	RAS
44-10-1600		-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1	RAS
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1	RAS
44-11-5360		Wheel Well Provisions, Behind Wheels Left Side, Timberwolf/Airwolf	1	RAS
44-10-1600		-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1	RAS
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1	RAS
44-11-5560		Wheel Well Compt, Ahead of Wheels Right Side, Timberwolf/Airwolf	1	RAS
44-10-1600		-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1	RAS
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1	RAS
44-11-5760		Wheel Well Compt, Behind Wheels Right Side, Timberwolf/Airwolf	1	RAS
44-10-1600		-- Wheel Well Compt, Single SCBA, Poly Tube, SST Door, (Fire Shopp)	1	RAS
44-10-6000		-- Wheel Well Compt, SCBA Compt Straps	1	RAS
EQUIPMENT - BODY MOUNTED				RAS
90-02-4130		Ladder Storage, In Hosebed, With Door, Timberwolf/Airwolf	1	RAS
90-02-5342		Folding Attic Ladder Mounting, In Ladder Storage, Timberwolf/Airwolf	1	RAS
90-03-3100		Ladder, Roof, Duo-Safety, 10' Aluminum 775-A	1	RAS
90-07-4060		Ladder, Extension, Duo-Safety, 22' Aluminum, 3 Section 925-A	1	RAS
90-08-2600		Ladder, Attic, Duo-Safety, 10' Aluminum, Folding 585-A	1	RAS
90-16-5420		Pike Pole Mounting Tube, In Ladder Compartment	3	RAS
90-16-6100		Pike Poles - Provided by Rosenbauer	1	RAS
90-16-2300		-- Pike Pole, 6' Fiberglass, Round Handle	1	RAS
90-16-2800		-- Pike Pole, 10' Fiberglass, Round Handle	1	RAS
90-23-1300		-- Hook, Roof NY, w/ Grips, 6-ft, Fire Hooks Unlimited	1	RAS
90-25-7120		Suction Hose Tray, Single, Driver Side Over Compts (Ea), EXT	1	RAS
90-25-7220		Suction Hose Tray, Passenger Side Over Compts (Ea), EXT	1	RAS
90-25-9100		Suction Hose Provided By, Body Builder, MN	1	RAS
90-25-2100		-- Suction Hose, Flex, PVC, 2.5"x10'	2	RAS
Suction Hose Couplings, Aluminum, LH FM x RLM				
33-70-1310		Handrail - Right Rear - Vertical - 48" - Single	1	RAS
33-70-2100		Handrails - Below Hosebed - Horizontal - 48"	1	RAS
33-70-3110		Handrails, Pumper, Left Top of Body Side, Rear, 12", Single	1	RAS
44-01-1400		Body Trim, Front Body, Height of Side Compts, Alum T/P	1	RAS
44-01-4020		Body Trim, Rear Body, Smooth Alum for Chevron Stripe, EXT	1	RAS
44-02-1120		Rub Rails, Lower Body, EXT, Extruded Alum	1	RAS
120/240 VOLT ELECTRICAL - TIMBERWOLF/AIRWOLF				RAS
120 / 240 VOLT RECEPTACLES				RAS
60-25-1000		=== 120V Receptacles ===	1	RAS
60-25-1300		-- Receptacle, 120V, 15 Amp, Straight Blade, Duplex	1	RAS
R2 compartment forward wall raceway lower				
60-30-2450		-- Receptacle Location, Right Side, Over Wheel Compartment, Ea	1	RAS
SHORELINE POWER				RAS
60-25-9400		Shore Power Inlet, Wiring to Interior Cab Receptacles	1	RAS
ELECTRIC CABLE REELS				RAS
120 / 240 VOLT FLOODLIGHTS				RAS
12-VOLT / 120-VOLT / 240-VOLT LIGHT TOWERS				RAS
APPLIANCES				RAS
BACKBOARDS - STOKES AND STRETCHER MOUNTINGS				RAS
STORAGE MODULES				RAS
AIR REELS AND EQUIPMENT				RAS
WINCHES				RAS
77-10-1420	S	Winch, Electric, A Warn 16.5tis Heavyweight, 12 volt electric, 16,500 lb.	1	RAS
Warn 16.5ti-S Heavyweight Winch - 97740 is to be installed bolt in with in the front bumper. The winch will be ordered with the Synthetic rope option.				
HITCHES-TIE OFFS-RECEIVERS				RAS
77-10-9200		Receivers, Body Side, Winch/Rope, 9,000# w/Receiver, (1) Ea Side	2	RAS
Total of 4 side facing receivers are to be installed One pair each side of the front bumper. One set each side rear of body				
A Welded in D ring				
77-10-9450		Receiver for Rope Tie Off, Extra, 9000#	4	RAS
The rope tie off will be fully welded into the receiver tube, Non removable				
HYDRAULIC SYSTEMS				RAS
PAINT				RAS
80-22-2102		Body Paint, Timberwolf, Single Color, EXT	1	RAS
80-39-2010	S	Lower Compartment Finish	1	RAS
Each compartment floor shall be sprayed with black UPOL on the floor and up 6.00 inches above the floors on rear and both side walls of the compartment. Drain holes shall have the excess liner material cleaned out to be free of liner material to provide for proper draining. The remaining compartment areas shall be bare aluminum with D/A sanded finish and not painted.				
80-40-1250		Wheel Finish, By Chassis Manufacturer	1	RAS
80-42-1500		Body Paint, Touch Up, 2 oz. Bottle, One Color	1	RAS
80-43-2995		-- Blacked Out Items- Line-X/Paint	1	RAS

PART NO	S	DESCRIPTION	QTY	ID
LETTERING AND STRIPING				
80-50-2000		Lettering, 4" Scotchlite Reflect, Seventy-Five (75) Letters	1	RAS
80-50-3700		Lettering, 8-12" Scotchlite Reflect, Fifty (50) Letters	1	RAS
80-65-1200		Door Seals, Custom Detailed, Price On Request	1	RAS
80-71-1400	S	Stripe, Double Reflective, 6" x 1"	1	RAS
		Double Reflective 6" x 1". specify color		
80-75-1600		-- Reflective Stripe Material, White	1	RAS
80-72-1110		Stripe, Reflective, 3M Diamond Grade, Chevron Pattern Entire Rear, EXT	1	RAS
80-72-1799		=== NO Rear Roll-Up Door Chevron Striping - Pick to Select ===	1	RAS
80-79-1000		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 1901 15.7.1.6)	1	RAS
EQUIPMENT - LOOSE				
WHEEL CHOCKS				
90-01-5900		Wheel Chocks Pair Zico #SAC-44 Folding w/ Mounts	1	RAS
AXES AND MOUNTS				
SPANNER - STORZ - HYDRANT WRENCHES				
90-18-1220		Wrench, AKR #2443 Hydrant/Spanner, w/Bracket	1	RAS
		Ship loose to CFI		
90-18-1500		Wrench, Storz, (4) w/Bracket	1	RAS
		Ship loose to CFI		
NFPA TOOLS - EQUIPMENT				
TOOL MOUNTING AND BRACKETS				
SCBA MOUNTING BRACKETS				
TARPS AND SALVAGE COVERS				
SUCTION HOSE STRAINERS - STRAINER MOUNTS				
FIRE EXTINGUISHERS - SYSTEMS AND SAFETY ITEMS				
90-35-1900		Emergency Road Kit - DOT Required	1	RAS
FIRE HOSE				
NOZZLES				
MISCELLANEOUS HARDWARE - EQUIPMENT - TOOLS				